



Owners Manual

2008 **TESLA ROADSTER**



A WORD TO ROADSTER OWNERS

Thank you for choosing a Tesla Roadster. Not only have you chosen one of the finest sports cars on the road, you have also chosen the most energy efficient sports car ever sold. You are participating in a revolution, demonstrating that kicking the oil habit does not mean you have to give up performance and driving pleasure.

Take the time to get well acquainted with your Tesla Roadster by reading this manual. The more you know and understand about your vehicle, the more safety and pleasure you'll experience driving it.

Tesla's cars are unique, and Tesla Motors knows your Tesla Roadster best. So when service or maintenance is required, Tesla Motors is the place to go. Visit us regularly at www.teslamotors.com for more information about your Tesla Roadster. By signing into the owners area of this web site, you can access all the information you need about your specific vehicle, including service information.

Enjoy your Tesla Roadster!

Tesla Motors
San Carlos, California, USA


Table of Contents

Introduction and consumer information		Audio and navigation systems	8-1
Important notes about your vehicle	1-2		
Important notes about this manual	1-3	Maintenance and care	
Consumer information	1-4	Maintenance	9-2
		Fluid reservoirs	9-4
Your vehicle at a glance		Windshield wiper and washer	9-6
Exterior	2-2	Cleaning and vehicle care	9-7
Interior	2-4		
		Roadside emergencies	
Seating and safety restraints		Tool kit	10-2
Seats	3-2	Energy Depletion	10-3
Seat belts	3-3	Tire repair	10-4
Airbag system	3-6	Wheels	10-6
		Fuse replacement	10-7
Doors, locks, and security		Bulb replacement	10-9
Keys	4-2	Raising the vehicle	10-11
Doors	4-4	Vehicle recovery	10-13
Trunk	4-6		
Vehicle security	4-7	Technical specifications	
		Vehicle identification	11-2
Charging your vehicle		Wheels and tires	11-4
General information about charging	5-2	Approved fluids and capacities	11-14
Charge settings	5-4	Vehicle dimensions and weights	11-15
Charging components	5-6	Subsystem specifications	11-17
Driving your vehicle			
Driving basics	6-2		
Switches and controls	6-7		
Instruments	6-11		
Comfort and convenience			
Power windows	7-2		
Rear view mirrors	7-3		
Interior temperature control	7-4		
Interior accessories	7-7		
Removable roof	7-9		
HomeLink®	7-15		

For information on how to use the Touch Screen, the High Power Connector, and the audio and navigation systems, refer to the separate manuals provided in your owners package.



Interior



TR0050

Dashboard overview


1. Touch Screen. See Touch Screen Users Manual provided in your owners package.
2. Turn signals, headlight high beam and cruise control. See Exterior lights, page 6-7 and Cruise control, page 6-9.
3. Instruments. See Instruments, page 6-11.
4. Windshield wiper and washer. See Windshield wiper and washer, page 6-8.
5. Hazard warning light switch. See Hazard warning, page 6-10.
6. Heating and air conditioning. See Interior temperature control, page 7-4.
7. Gear selector. See Selecting gears, page 6-3.
8. Traction control switch. See Traction control, page 6-6.
9. Accessory power socket. See Accessory power socket, page 7-7.
10. Horn. See Horn, page 6-10.
11. Starter switch. See Starting the vehicle, page 6-3.
12. Hood release. See Opening and closing the hood, page 9-3.
13. Trunk release. See Opening the trunk, page 4-6.
14. Instrument panel illumination control. See Instrument panel lighting, page 6-14.
15. Exterior lights master switch. See Exterior lights, page 6-7.
16. Power windows. See Operating the windows, page 7-2.
17. Central door locking. See Central door locking, page 4-4.

Instruments



LCD panel

The Liquid Crystal Display (LCD) panel in the instrument panel operates whenever the starter switch is in the ON position. The LCD displays three types of information.




Ammeter

The ammeter displays information about the electrical current either entering or leaving the Battery.

The numbers at the top left of the LCD indicates the current (in amps).

Vehicle recovery



Transporting the vehicle

The only approved method of transporting your vehicle is using a flatbed trailer or transporter. Towing the vehicle will cause serious damage to the power train. This damage will not be covered by the New Vehicle Limited Warranty.

⚠ Caution: Serious damage to the vehicle and transmission can occur if the vehicle is towed with the wheels on the ground or on a suspended lift.

⚠ Caution: The transmission lock will only retract when the vehicle is in Tow Mode or when the electrical systems are functional and the starter switch is in the ON position.

Before pulling the vehicle onto a flatbed trailer or transporter, the following steps must be performed:


- activate Tow Mode
- attach the vehicle recovery eye

Activating Tow Mode


Tow Mode disengages the transmission lock so the vehicle can roll freely.

Note: In the unlikely situation in which electrical systems are not functioning and therefore Tow Mode can not be activated, wheeled dollies or skid pads must be used.

1. Turn OFF the vehicle and apply the hand brake. The Touch Screen displays the main Parked screen.




2. Touch to display the first settings screen.




3. Touch to display the third settings screen.

Vehicle recovery




4. Touch **Tow Mode**, then touch **OK** to confirm. The Touch Screen displays the following message to indicate that the vehicle is in Tow Mode.



5. Release the hand brake, if appropriate.


Note: Although Tow Mode is activated, the steering column lock will be engaged. To disengage the steering column, turn the key to the ACC position. If it is difficult to turn the key, move the steering wheel slightly.


 **Caution:** The car can roll freely when Tow Mode is active. If the vehicle is not on a flat surface, do not release the hand brake until the vehicle is ready to be pulled.

Note: The vehicle can not be charged or started until you exit Tow Mode.

Attaching the vehicle recovery eye

A vehicle recovery eye can be attached to the front of the vehicle to allow the vehicle to be pulled onto a transporter in situations when the vehicle can roll freely.

 **WARNING:** NEVER tow the vehicle using the vehicle recovery eye. Doing so can cause serious, even fatal injury to other motorists and can also cause significant damage to your vehicle.▲




1. Retrieve the recovery eye from the tool kit located in the trunk. See Tool kit components, page 10-2.
2. Using the screwdriver (also supplied in the toolkit), remove the plug from the recovery eye mounting point behind the front grill. If a license plate has been installed on the front of the vehicle, it must be removed to access the recovery eye.
3. Insert the recovery eye through the hole in the front grill and screw into the mounting point. Ensure the recovery eye is fully tightened.

After use, remove the recovery eye and return it to the tool kit. Insert the plug back into the mounting point to prevent dirt from entering.

Transporter and trailer tie down straps

When the vehicle is to be moved on a transporter or trailer, it will be necessary to use chocks and tie down straps to secure the wheels. To avoid damage:

- Ensure that metal parts on the tie down straps do not contact the vehicle's painted surfaces or the face of any wheels.
- Do not place tie down straps over or through the vehicle's body panels.

 **Caution:** Attaching straps to the chassis, suspension or other parts of the body can damage the vehicle.

A

Accessing your vehicle.....	4-2
Accessory power socket.....	7-7
Air conditioning.....	7-4
Air distribution.....	7-4
Air recirculation.....	7-4
Air vents.....	7-5
Airbags	
Deactivation.....	3-7
Deployment effects.....	3-6
Disposal information.....	3-8
General information.....	3-6
Obstruction of air bags.....	3-7
Safety information.....	3-6
Service information.....	3-8
Warning indicator.....	3-7
Warning labels.....	3-7
Warnings.....	3-6
Alarm system	
Indicator light.....	4-7
Operation.....	4-7
PIN code.....	4-8
Switching off.....	4-7
Ammeter display.....	6-11
Antifreeze.....	9-5, 11-14
Anti-lock Braking System (ABS).....	6-5
Anti-theft alarm.....	4-7
Audio system.....	8-1

B

Battery.....	5-2
Coolant.....	9-5
Environmental Note.....	5-2
Fluid check and top-up.....	9-5
Preserving.....	5-3
Range.....	6-3
Specifications.....	11-19

Battery Life	
Overview.....	5-2
Body	
Cleaning.....	9-7
Covering.....	9-8
Polishing.....	9-8
Removing tar spots.....	9-7
Repairs.....	9-8
Brake warning indicator.....	6-5
Brake warning indicator light.....	6-12
Brakes	
Anti-Lock Braking System (ABS).....	6-5
Emergency braking.....	6-6
Fluid specification.....	11-14
Fluid top-up.....	9-4
Foot brake.....	6-5
Parking brake.....	6-5
Regenerative braking.....	6-5
Specifications.....	11-18
Breakdown recovery.....	10-13
Bulb replacement.....	10-9
Bulb specifications.....	10-9

C

California Proposition 65.....	1-2
Car covers.....	9-8
Car washes.....	9-7
Cargo capacity.....	11-7
Central door locking.....	4-4
Chains.....	11-10
Change of ownership.....	1-2
Charge level display.....	6-12
Charging	
Charge level.....	5-2
Charge settings.....	5-4
Charge types.....	5-4
Cost.....	5-5
Current limit.....	5-4

High Power Connector.....	5-6
Performance setting.....	5-4
Range setting.....	5-4
Standard setting.....	5-4
Storage setting.....	5-4
Storing your vehicle.....	5-3
Charging indicator light.....	6-12
Charging port.....	5-6
Child passengers.....	3-5
Child restraints.....	3-5
Child seat air bag hazard.....	3-7
Child seats.....	3-5
Cleaning	
Exterior.....	9-7
Interior.....	9-8
Removing tar.....	9-7
Roof.....	9-7
Underbody.....	9-7
Wheels.....	9-8
Windshield, windows and mirrors.....	9-8
Wiper blades.....	9-8
Climate control.....	7-4
Contacting NHTSA.....	1-4
Coolant	
Battery.....	9-5
Specification.....	11-14
Cost of charging.....	5-5
Covering the vehicle.....	9-8
Cruise control.....	6-9
Cruise control indicator light.....	6-12
Cup holder.....	7-8
Current limit.....	5-4

D

Dashboard overview.....	2-5
Data recording.....	1-2
Defrosting.....	7-5
Dimensions.....	11-15

Index

Directional tires	11-10
Doors	
Automatic locking when driving	4-5
Exterior door release	4-4
Interior door release.....	4-4
Locking.....	4-4
Mislocking.....	4-7
Unlocking with key	4-5
Driving.....	6-3

E

Economical driving.....	6-3
Electrical current display	6-11
Electrical specifications.....	11-19
Emergency braking.....	6-6
Emergency unlocking	4-5
Exterior	
Dimensions.....	11-15
Overview.....	2-3
Exterior lights.....	6-7
Exterior mirrors.....	7-3

F

Fan speed control.....	7-4
Fault indicator	6-12
Flat tire repair.....	10-4
Flatbed transporting	10-14
Fluid reservoirs	9-4
Fluid specifications	11-14
Front suspension specifications.....	11-18
Frost warning indicator light.....	6-12
Fuse	
Colors.....	10-7
Location	10-7
Specifications.....	10-8

G

Garage door opener.....	7-15
Gear position indicators	6-13
Gear selector.....	6-3
Ground clearance.....	11-15

H

Hand brake	6-5
Hard-top	
Installing.....	7-13
Removing.....	7-14
Hauling your vehicle.....	10-14
Hazard warning lights	6-10
Headlight high beam	6-7
Heated seats	7-6
Heater controls	7-4
Heating and ventilation	7-4
High beam headlights	6-7
High beam indicator light	6-12
High Power Connector	
Overview	5-6
High voltage.....	1-2
HomeLink.....	7-15
Hood opening and closing	9-3
Horn.....	6-10

I

Identification numbers.....	11-2
Instrument panel	6-11
Instrument panel lighting.....	6-14
Interior	
Door release handle.....	4-4
Light.....	7-7
Overview.....	2-5
Temperature.....	7-4

J

Jacking the vehicle.....	10-11
--------------------------	-------

K

Key fob	
Battery replacement.....	4-3
Compliance	4-3
Programming.....	4-3
Replacing the battery	4-3
Using	4-2
Key fob battery	4-3
Key positions.....	6-2
Keys.....	4-2
Programming the key fob	4-3
Unlocking driver's door	4-5

L

Label	
Airbags.....	3-7
Safety compliance certification.....	11-3
Tire.....	11-7
Lashing	10-14
LCD panel.....	6-11
License plate light bulb.....	10-10
Lifting the vehicle.....	10-12
Lights	
Bulb replacement.....	10-9
Exterior	6-7
Hazard warning	6-10
Headlight high beam	6-7
Instrument panel	6-14
Interior.....	7-7
Replacing interior light bulb.....	10-9
Replacing license plate bulb.....	10-10
Replacing trunk light bulb.....	10-10
Warning indicators.....	6-12
Load limit calculation.....	11-7

Index

Locking your vehicle	4-2
Low tire pressure indicator light	6-12
Lumbar support.....	3-2

M

Maintenance	
Brake fluid	9-4
Cleaning the exterior	9-7
Cleaning the interior	9-8
Daily checks.....	9-2
Fluids.....	9-4
Owner maintenance	9-2
Paint repair	9-8
Removing tar	9-7
Routine maintenance.....	9-2
Service internal indicator	9-2
Underbody	9-7
Washer fluid	9-5
Washer jets.....	9-6
Weekly checks.....	9-2
Windshield wiper.....	9-6
Master door locking switch.....	4-4
Mileage.....	6-3
Mirrors.....	7-3
Modifying your vehicle	1-2
Motor specifications	11-17

N

Navigation system.....	8-1
NHTSA	1-4

O

Odometer display.....	6-12
Opening the doors	
Inside the vehicle.....	4-4
Outside the vehicle	4-4
Ownership change	1-2

P

Paint code.....	11-2
Paint damage.....	9-8
Parking brake	6-5
Passenger airbag deactivation	3-7
Performance charge setting.....	5-4
PIN code	4-8
PIN lock.....	4-10
Polishing the bodywork.....	9-8
Power socket	7-7
Power windows	7-2
Pressure washers	9-7
Programming the key fob	4-3
Proposition 65.....	1-2

R

Raising the vehicle.....	10-11
Range charge setting	5-4
Rear suspension specifications	11-18
Rear view mirrors.....	7-3
Recovery eye.....	10-14
Regenerative braking	6-5
Regenerative braking visual display.....	6-11
Removing the hard-top	7-14
Replacement bulbs.....	10-9
Reporting safety defects	1-4
Roof	
Hard-top.....	7-13
Soft-top.....	7-11

S

Safety compliance certification label.....	11-3
Safety defects	1-4
Safety instructions	
Child seats.....	3-5, 3-7
Jacking the vehicle	10-11
Lifting the vehicle	10-12

Obstruction of airbags.....	3-7
Seat belts.....	3-3
Tire repair	10-4
Wearing seat belts when pregnant	3-4
Windows	7-2
Seat belts	
Care	3-4
Cleaning.....	9-8
General information.....	3-3
Pre-tensioners	3-4
Reminder.....	3-4, 6-12
Safety instructions	3-3
Testing	3-4
Wearing	3-3
Wearing when pregnant	3-4
Seat heater controls.....	7-4
Seat heaters	7-6
Seats	
Adjustment.....	3-2
Child seats and restraints	3-5
Lumbar support.....	3-2
Security	4-7
Security code.....	4-8
Service data recording.....	1-2
Soft top	
Installing	7-10
Removing	7-11
Specifications	
Antifreeze	11-14
Battery	11-19
Brake fluid.....	11-14
Brakes.....	11-18
Coolant	11-14
Electrical.....	11-19
Fluids	11-14
Front suspension	11-18
Motor	11-17
Rear suspension	11-18

Index

Steering	11-17
Tires	11-4
Transmission.....	11-17
Wheels	11-4
Standard charge setting	5-4
Starter switch	6-2
Starting the vehicle	6-3
Steering column lock.....	6-2
Steering specifications	11-17
Stereo system	8-1
Storage charge setting.....	5-4
Storing your vehicle.....	5-3
Sun visors	7-7
Supplementary Restraint System (SRS)...	3-6

T

Temperature control	7-4
Theft prevention.....	4-7
Tie Down Straps	10-14
Tire Identification Number (TIN)	11-6
Tire placard/label.....	11-7
Tire pressure checking.....	11-9
Tire Pressure Monitoring System	
Malfunction	11-11
Operation.....	11-11
Tire repair.....	10-4
Tire sealant replacement	10-5
Tires.....	11-5
Care.....	11-8
Chains.....	11-10
Changing pressure settings.....	11-11
Degradation.....	11-10
Directional	11-10
Grading.....	11-7
Markings.....	11-5
Pressure monitoring	11-11
Pressures.....	11-4, 11-8
Quality	11-7

Replacement of	11-10
Replacing a tire sensor.....	11-11
Specification	11-4
Tire sealant.....	10-4
Wear	11-9
Winter	11-10
Winter specification.....	11-4
Tool kit	
Components	10-2
Location.....	10-2
Towing.....	10-13
TPMS	11-11
Traction control.....	6-6
Traction control indicator light.....	6-12
Transmission	6-3
Transmission specifications	11-17
Transporting.....	10-13
Trip display	6-12
Trunk	

Interior release handle	4-6
Light replacement	10-10
Opening and closing	4-6
Turn signal indicator light.....	6-12
Turn signals	6-8

U

Uniform tire quality grading	11-7
Unlocking your vehicle.....	4-2
USB port	7-7

V

Valet mode	4-11
Vehicle Identification Number (VIN).....	11-2
Vehicle loading.....	11-7
Vehicle recovery eye	10-14
Ventilation	7-5
VIN (Vehicle Identification Number).....	11-2

Voltage warning	1-2
-----------------------	-----

W

Warning indicator	
ABS.....	6-6
Airbags.....	3-7
Anti-theft alarm.....	4-7
Brake	6-5
Cruise control	6-9
Fault	6-12
Frost.....	6-12
Headlights	6-7
Seat belt	3-4
Traction control.....	6-6
Turn signals	6-8
Warning light summary	6-12
Washer fluid	9-5
Washing the soft-top.....	9-7
Washing the vehicle.....	9-7
Weekly checks.....	9-2
Weights	11-16
Wheel nut tightening	10-6
Wheel removal	10-6
Wheel replacement	11-10
Wheel specifications	11-4
Wheelbase	11-15
Windows	7-2
Windshield defrosting	7-5
Windshield washer	
Fluid top-up	9-5
Jets	9-6
Operation	6-8
Windshield wiper	
Checking blade	9-6
Operation	6-8
Winter tires	11-4
Wiper.....	6-8
Wiper blade inspection.....	9-6





[TESLAMOTORS.COM](https://teslamotors.com)
