archive.org

DECLARATION OF TANYA ZEIF

1. I am a Records Request Processor at the Internet Archive. I make this declaration of my own personal knowledge.

2. The Internet Archive is a website that provides access to a digital library of Internet sites and other cultural artifacts in digital form. Like a paper library, we provide free access to researchers, historians, scholars, and the general public. The Internet Archive has partnered with and receives support from various institutions, including the Library of Congress.

3. The Internet Archive has created a service known as the Wayback Machine. The Wayback Machine makes it possible to browse more than 450 billion pages stored in the Internet Archive's web archive. Visitors to the Wayback Machine can search archives by URL (i.e., a website address). If archived records for a URL are available, the visitor will be presented with a display of available dates. The visitor may select one of those dates, and begin browsing an archived version of the Web. Links on archived files in the Wayback Machine point to other archived files (whether HTML pages or other file types), if any are found for the URL indicated by a given link. For instance, the Wayback Machine is designed such that when a visitor clicks on a hyperlink on an archived page that points to another URL, the visitor will be served the archived file found for the hyperlink's URL with the closest available date to the initial file containing the hyperlink.

4. The archived data made viewable and browseable by the Wayback Machine is obtained by use of web archiving software that automatically stores copies of files available via the Internet, each file preserved as it existed at a particular point in time.

5. The Internet Archive assigns a URL on its site to the archived files in the format http://web.archive.org/web/[Year in yyyy][Month in mm][Day in dd][Time code in hh:mm:ss]/[Archived URL] aka an "extended URL". Thus, the extended URL http://web.archive.org/web/19970126045828/http://www.archive.org/ would be the URL for the record of the Internet Archive home page HTML file (http://www.archive.org/) archived on January 26, 1997 at 4:58 a.m. and 28 seconds (1997/01/26 at 04:58:28). The date indicated by an extended URL applies to a preserved instance of a file for a given URL, but not necessarily to any other files linked therein. Thus, in the case of a page constituted by a primary HTML file and other separate files (e.g., files with images, audio, multimedia, design elements, or other embedded content) linked within that primary HTML file, the primary HTML file and the other files will each have their own respective extended URLs and may not have been archived on the same dates.

archive.org

6. Attached hereto as Exhibit A are true and accurate copies of browser screenshots of the Internet Archive's records of the archived files for the URLs and the dates specified in the attached coversheet of each screenshot.

7. I declare under penalty of perjury under the laws of the United States of America that the foregoing is true and correct.

DATE: February 19, 2025

Tanya Zeif

Tanya Zeif

EXHIBIT A

https://web.archive.org/web/20011214145506/http:/liebert.com/dynamic/displayproduct.asp?id=1038&cycles=60hz, "Sales Literature" button has been selected

DataCool - 60Hz

Where To Buy

To Buy This Product,
Contact a Liebert Sales Associate

Product Description

Environmental Control System

Flexibility To Target Hot Spots In High Density Facilities

To meet the needs of today's high-density equipment cooling requirements in computer and communications facilities, Liebert has developed a solution that removes the heat where it's produced. It's called DataCool™ — a system designed specifically to provide cooling capacity for up to 500 watts per square foot heat load areas.

The DataCool system utilizes overhead-mounted cooling units and a coolant distribution unit (CDU) in a closed system to distribute chilled water through highly efficient fan coils. These coils are essentially heat exchangers equipped with adjustable fans that direct the cooling where required. Each fan section contains three blowers and has the flexibility to be moved within its frame in order to align greater cooling capacity with the higher heat load segments of the room.

The CDU controls coolant flow and acts as an interface with your building's chilled water system through a heat exchanger. It senses temperature and relative humidity inside the critical space and holds the water temperature in the DataCool's units above the room's dew point to prevent condensation on the coils.

Ideal Applications

- Colocation facilities
- Internet data centers
- Any computing or communications facility with a high density of equipment

Product Features

- Minimizes floorspace requirements
- Easy to install
- Easy to connect
- Easy to power up
- Fans sections can be moved to target hot spots
- Fan redundancy for reliability
- Coolant distribution unit prevents condensation
- Optional fluid management system prevents leaks

Support Documents

Sales Literature

Brochure (8pg) - SL-16700 A Solution for X-treme Density (R 8/01) - 1514KB

Technical Documentation

Manuals

Denotes compiled HTML Help format (.chm).
Adobe Acrobat is required for viewing some of the Support Documents listed above. If you do not have Adobe Acrobat, you may download it for Free by clicking the button below.

Get Acrobat Reader