


In This Article


INTERNET, NETWORKING, & SECURITY > HOME NETWORKING > ISP

 796

What Is the 127.0.0.1 IP Address?

This loopback IP address/localhost is the universal home address for all computers

By [Bradley Mitchell](#) Updated on December 17, 2022

 Reviewed by [Ryan Perian](#)



In This Article

How 127.0.0.1 Works

Localhost and IPv6 Loopback Addresses

127.0.0.1 vs. Other Special IP Addresses

Frequently Asked Questions

The IP address 127.0.0.1 is a special-purpose IPv4 address and is called the localhost or loopback address. All computers use this address as their own, but it doesn't let computers communicate with other devices as a real IP address does.

How 127.0.0.1 Works

All messages generated by [TCP/IP](#) application software contain IP addresses for their intended recipients. TCP/IP recognizes 127.0.0.1 as a special IP address. The protocol checks each message before

SKIP TO CONTENT → the physical network. Then, it automatically re-routes any

In This Article

```
PS C:\Users\> ping 127.0.0.1
Pinging 127.0.0.1 with 32 bytes of data:
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128


Ping statistics for 127.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
PS C:\Users\> ping ::1
Pinging ::1 with 32 bytes of data:
Reply from ::1: time<1ms
Reply from ::1: time<1ms
Reply from ::1: time<1ms
Reply from ::1: time<1ms

Ping statistics for ::1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
PS C:\Users\>
```

To improve network security, TCP/IP also checks incoming messages arriving on routers or other [network gateways](#) and discards any that contain loopback IP addresses. This doublecheck prevents a network attacker from disguising their traffic as coming from a loopback address.

SKIP TO CONTENT

In This Article



Application software typically uses this loopback feature for local testing purposes. Messages sent to loopback IP addresses like 127.0.0.1 do not reach outside to the local area network. Instead, messages are delivered directly to the TCP/IP and receive queues as if they had arrived from an outside source.

Loopback messages contain a destination port number in addition to the address. Applications can use these port numbers to subdivide test messages into multiple categories.

Your computer might have the 192.168.1.115 private IP address assigned to it so that it can communicate with a router and other networked devices. However, it still attaches the special 127.0.0.1 address as something like an alias to mean, in networking terms, *this computer*.

The loopback address is only used by the computer you're on, and only for special circumstances—unlike a regular IP address that transfers files to and from other networked devices. For example, a

SKIP TO CONTENT

In This Article

The name *localhost* also carries a special meaning in computer networking used in conjunction with 127.0.0.1. Computer operating systems maintain an entry in their [HOSTS files](#) associating a name with the loopback address. This practice helps applications create loopback messages using a name rather than a hard-coded number.

Internet Protocol v6 implements the same concept of a loopback address as IPv4. Instead of 127.0.0.01, IPv6 represents its loopback address as `::1` (0000:0000:0000:0000:0000:0000:0000:0001) and, unlike IPv4, it does not allocate a range of addresses for this purpose.

127.0.0.1 vs. Other Special IP Addresses

IPv4 reserves all addresses in the range 127.0.0.0 up to 127.255.255.255 for use in loopback testing, although 127.0.0.1 is (by convention) the loopback address used in almost all cases.

⇒ [Understanding Subnetting: Boost Security and Performance in Your Network](#)

127.0.0.1 and other 127.0.0.0 network addresses do not belong to any of the private IP address ranges defined in IPv4. Individual addresses in those private ranges can be dedicated to local network devices and used for inter-device communication, whereas 127.0.0.1 cannot.

People studying computer networking sometimes confuse 127.0.0.1 with the [0.0.0.0 IP address](#). While both have special meanings in IPv4, 0.0.0.0 does not provide any loopback functionality.

FAQ

How do I remove a 27.0.0.1 proxy server virus?

[SKIP TO CONTENT](#)

In This Article

It's easier to [block specific websites](#) using a browser's built-in tools, but you can also use the Windows Hosts file and 127.0.0.1. Open Notepad as an Administrator with User Account Control, then select **File > Open >** and open the **Hosts** file. Add a line at the bottom of the file and enter **127.0.0.1 [URL] > Save**, then restart.

Was this page helpful?



More from Lifewire

SKIP TO CONTENT

In This Article



ISP

What It Means When You See the 0.0.0.0 IP Address



ISP

What Is an IP Address?



ISP

What Is a Public IP Address? (and How to Find Yours)




ISP

What Is the 192.168.1.5 IP Address Used For?



ISP

What Is a Static IP Address?



ISP

What Is the 192.168.0.0 IP Address?



ISP

What Is a Dynamic IP Address?



ISP

What Is an IP Address Conflict?

SKIP TO CONTENT

In This Article



ISP

Understanding the 192.168.1.100 IP Address



ISP

How to Find a Printer's IP Address




ISP

What Is the 10.0.0.1 IP Address?




ISP

The IP Addresses Used by Google




ISP

DNS Servers: What Are They and Why Are They Used?




ISP

DNS Caching and How It Makes Your Internet Better



ISP

192.168.1.0 Private Network IP Address Notation



ISP

How to Find Your Default Gateway IP Address



SKIP TO CONTENT



In This Article

Follow Us

NEWS

WHAT TO BUY

HOW TO

FEATURES

ABOUT US

About Us

Editorial Guidelines

Careers

Contact

Privacy Policy

Terms of Service

Advertise

Your Privacy Choices



Lifewire is part of the [Dotdash Meredith](#) publishing family.