

# HE-SIG-B Compression Mode

Authors:

Date: 2016-03-14

Name	Affiliation	Address	Phone	Email
Kaushik Josiam	<b>Samsung</b>	1301, E. Lookout Dr, Richardson TX 75082	(972) 761 7437	k.josiam@samsung.com
Rakesh Taori		1301, E. Lookout Dr, Richardson TX 75082	(972) 761 7470	rakesh.taorig@samsung.com
Sanghyun Chang		Maetan 3-dong; Yongtong-Gu Suwon; South Korea	+82-10-8864-1751	s29.chang@samsung.com
Hyunjeong Kang		Maetan 3-dong; Yongtong-Gu Suwon; South Korea	+82-31-279-9028	hyunjeong.kang@samsung.com
Mark Rison		Innovation Park, Cambridge CB4 0DS (U.K.)	+44 1223 434633	m.rison@samsung.com
Fei Tong		Innovation Park, Cambridge CB4 0DS (U.K.)	+44 1223 434600	f.tong@samsung.com
Ron Porat		<b>Broadcom</b>		
Sriram Venkateswaran				
Matthew Fischer				mfischer@broadcom.com
Zhou Lan				
Leo Montreuil				
Andrew Blanksby				
Vinko Erceg				Exhibit 2015
Mingyue Ji				IPR2025-00934 Page 1 of 17

**Authors (continued)**

Name	Affiliation	Address	Phone	Email
Robert Stacey	Intel	2111 NE 25th Ave, Hillsboro OR 97124, USA	+1-503-724-893	robert.stacey@intel.com
Shahrnaz Azizi				shahrnaz.azizi@intel.com
Po-Kai Huang				po-kai.huang@intel.com
Qinghua Li				qinghua.li@intel.com
Xiaogang Chen				xiaogang.c.chen@intel.com
Chitto Ghosh				chittabrata.ghosh@intel.com
Laurent Cariou				laurent.cariou@intel.com
Yaron Alpert				yaron.alpert@intel.com
Assaf Gurevitz				assaf.gurevitz@intel.com
Ilan Sutskever				ilan.sutskever@intel.com

## Authors (continued)

Name	Affiliation	Address	Phone	Email
Hongyuan Zhang	Marvell	5488 Marvell Lane, Santa Clara, CA, 95054	408-222-2500	hongyuan@marvell.com
Yakun Sun				yakunsun@marvell.com
Lei Wang				Leileiw@marvell.com
Liwen Chu				liwenchu@marvell.com
Jinjing Jiang				jinjing@marvell.com
Yan Zhang				yzhang@marvell.com
Rui Cao				ruicao@marvell.com
Sudhir Srinivasa				sudhirs@marvell.com
Bo Yu				boyu@marvell.com
Saga Tamhane				sagar@marvell.com
Mao Yu				my@marvel.com
Xiayu Zheng				xzheng@marvell.com
Christian Berger				crberger@marvell.com
Niranjan Grandhe				ngrandhe@marvell.com
Hui-Ling Lou	hlou@marvell.com			

**Authors (continued)**

Name	Affiliation	Address	Phone	Email
Alice Chen	Qualcomm	5775 Morehouse Dr. San Diego, CA, USA		alicel@qti.qualcomm.com
Albert Van Zelst		Straatweg 66-S Breukelen, 3621 BR Netherlands		allert@qti.qualcomm.com
Alfred Asterjadhi		5775 Morehouse Dr. San Diego, CA, USA		aasterja@qti.qualcomm.com
Arjun Bharadwaj		5775 Morehouse Dr. San Diego, CA, USA		arjunb@qti.qualcomm.com
Bin Tian		5775 Morehouse Dr. San Diego, CA, USA		btian@qti.qualcomm.com
Carlos Aldana		1700 Technology Drive San Jose, CA 95110, USA		caldana@qca.qualcomm.com
George Cherian		5775 Morehouse Dr. San Diego, CA, USA		gcherian@qti.qualcomm.com
Gwendolyn Barriac		5775 Morehouse Dr. San Diego, CA, USA		gbarriac@qti.qualcomm.com
Hemanth Sampath		5775 Morehouse Dr. San Diego, CA, USA		hsampath@qti.qualcomm.com
Lin Yang		5775 Morehouse Dr. San Diego, CA, USA		linyang@qti.qualcomm.com
Menzo Wentink		Straatweg 66-S Breukelen, 3621 BR Netherlands		mwentink@qti.qualcomm.com
Naveen Kakani		2100 Lakeside Boulevard Suite 475, Richardson TX 75082, USA		nkakani@qti.qualcomm.com
Raja Banerjea		1060 Rincon Circle San Jose CA 95131, USA		rajab@qit.qualcomm.com
Richard Van Nee		Straatweg 66-S Breukelen, 3621 BR Netherlands		rvannee@qti.qualcomm.com

**Authors (continued)**

Name	Affiliation	Address	Phone	Email
Rolf De Vegt	Qualcomm	1700 Technology Drive San Jose, CA 95110, USA		rolfv@qca.qualcomm.com
Sameer Vermani		5775 Morehouse Dr. San Diego, CA, USA		svverman@qti.qualcomm.com
Simone Merlin		5775 Morehouse Dr. San Diego, CA, USA		smerlin@qti.qualcomm.com
Tao Tian		5775 Morehouse Dr. San Diego, CA, USA		ttian@qti.qualcomm.com
Tevfik Yucek		1700 Technology Drive San Jose, CA 95110, USA		tyucek@qca.qualcomm.com
VK Jones		1700 Technology Drive San Jose, CA 95110, USA		vkjones@qca.qualcomm.com
Youhan Kim		1700 Technology Drive San Jose, CA 95110, USA		youhank@qca.qualcomm.com

**Authors (continued)**

Name	Affiliation	Address	Phone	Email
Jianhan Liu	Mediatek USA	2860 Junction Ave, San Jose, CA 95134, USA	+1-408-526-1899	<a href="mailto:jianhan.Liu@mediatek.com">jianhan.Liu@mediatek.com</a>
Thomas Pare				<a href="mailto:thomas.pare@mediatek.com">thomas.pare@mediatek.com</a>
ChaoChun Wang				<a href="mailto:chaochun.wang@mediatek.com">chaochun.wang@mediatek.com</a>
James Wang				<a href="mailto:james.wang@mediatek.com">james.wang@mediatek.com</a>
Tianyu Wu				<a href="mailto:tianyu.wu@mediatek.com">tianyu.wu@mediatek.com</a>
Russell Huang				<a href="mailto:russell.huang@mediatek.com">russell.huang@mediatek.com</a>
James Yee	Mediatek	No. 1 Dusing 1 <sup>st</sup> Road, Hsinchu, Taiwan	+886-3-567-0766	<a href="mailto:james.yee@mediatek.com">james.yee@mediatek.com</a>
Alan Jauh				<a href="mailto:alan.jauh@mediatek.com">alan.jauh@mediatek.com</a>
Frank Hsu				<a href="mailto:frank.hsu@mediatek.com">frank.hsu@mediatek.com</a>
Joonsuk Kim	Apple			<a href="mailto:joonsuk@apple.com">joonsuk@apple.com</a>
Aon Mujtaba				<a href="mailto:mujtaba@apple.com">mujtaba@apple.com</a>
Guoqing Li				<a href="mailto:guoqing_li@apple.com">guoqing_li@apple.com</a>
Eric Wong				<a href="mailto:ericwong@apple.com">ericwong@apple.com</a>
Chris Hartman				<a href="mailto:chartman@apple.com">chartman@apple.com</a>

Authors (continued)

Name	Affiliation	Address	Phone	Email
David X. Yang	Huawei	F1-17, Huawei Base, Bantian, Shenzhen		david.yangxun@huawei.com
Jiayin Zhang		5B-N8, No.2222 Xinjinqiao Road, Pudong, Shanghai	+86-18601656691	zhangjiayin@huawei.com
Jun Luo		5B-N8, No.2222 Xinjinqiao Road, Pudong, Shanghai		jun.l@huawei.com
Yi Luo		F1-17, Huawei Base, Bantian, Shenzhen	+86-18665891036	Roy.luoyi@huawei.com
Yingpei Lin		5B-N8, No.2222 Xinjinqiao Road, Pudong, Shanghai		linyongpei@huawei.com
Jiyong Pang		5B-N8, No.2222 Xinjinqiao Road, Pudong, Shanghai		pangjiyong@huawei.com
Zhigang Rong		10180 Telesis Court, Suite 365, San Diego, CA 92121 NA		zhigang.rong@huawei.com
Jian Yu		F1-17, Huawei Base, Bantian, Shenzhen		ross.yujian@huawei.com
Ming Gan		F1-17, Huawei Base, Bantian, Shenzhen		ming.gan@huawei.com
Yunsong Yang		10180 Telesis Court, Suite 365, San Diego, CA 92121 NA		yangyunsong@huawei.com
Junghoon Suh		303 Terry Fox, Suite 400 Kanata, Ottawa, Canada		Junghoon.Suh@huawei.com
Peter Loc				peterloc@iwirelesstech.com
Edward Au		303 Terry Fox, Suite 400 Kanata, Ottawa, Canada		edward.ks.au@huawei.com
Teyan Chen		F1-17, Huawei Base, Bantian, Shenzhen		chenteyan@huawei.com
Yunbo Li		F1-17, Huawei Base, Bantian, Shenzhen		liyunbo@huawei.com

Exhibit 2015  
R2025100934

**Authors (continued)**

Name	Affiliation	Address	Phone	Email
Jinmin Kim	LG Electronics	19, Yangjae-daero 11gil, Seocho-gu, Seoul 137- 130, Korea		Jinmin1230.kim@lge.com
Kiseon Ryu				kiseon.ryu@lge.com
Jinyoung Chun				jiny.chun@lge.com
Jinsoo Choi				js.choi@lge.com
Jeongki Kim				jeongki.kim@lge.com
Dongguk Lim				dongguk.lim@lge.com
Suhwook Kim				suhwook.kim@lge.com
Eunsung Park				esung.park@lge.com
JayH Park				Hyunh.park@lge.com
HanGyu Cho				hg.cho@lge.com
Thomas Derham	Orange			thomas.derham@orange.com
Bo Sun	ZTE	#9 Wuxingduan, Xifeng Rd., Xi'an, China		<a href="mailto:sun.bol@zte.com.cn">sun.bol@zte.com.cn</a>
Kaiying Lv				<a href="mailto:lv.kaiying@zte.com.cn">lv.kaiying@zte.com.cn</a>
Yonggang Fang				<a href="mailto:yfang@zttex.com">yfang@zttex.com</a>
Ke Yao				<a href="mailto:yao.ke5@zte.com.cn">yao.ke5@zte.com.cn</a>
Weimin Xing				<a href="mailto:xing.weimin@zte.com.cn">xing.weimin@zte.com.cn</a>
Brian Hart	Cisco Systems	170 W Tasman Dr, San Jose, CA 95134		<a href="mailto:brianh@cisco.com">brianh@cisco.com</a>
Pooya Monajemi				<a href="mailto:pmonajem@cisco.com">pmonajem@cisco.com</a>

**Authors (continued)**

Name	Affiliation	Address	Phone	Email
Yasushi Takatori	NTT	1-1 Hikari-no-oka, Yokosuka, Kanagawa 239-0847 Japan	+81 46 859 3135	takatori.yasushi@lab.ntt.co.jp
Yasuhiko Inoue			+81 46 859 5097	inoue.yasuhiko@lab.ntt.co.jp
Shoko Shinohara			+81 46 859 5107	Shinohara.shoko@lab.ntt.co.jp
Yusuke Asai			+81 46 859 3494	asai.yusuke@lab.ntt.co.jp
Koichi Ishihara			+81 46 859 4233	ishihara.koichi@lab.ntt.co.jp
Junichi Iwatani			+81 46 859 4222	Iwatani.junichi@lab.ntt.co.jp
Akira Yamada	NTT DOCOMO	3-6, HIKARINOOKA, YOKOSUKA- SHI, KANAGAWA, 239-8536, JAPAN	+81 46 840 3759	yamadaakira@nttdocomo.com
<b>Masahito Mori</b>	Sony Corp.			
Yusuke Tanaka				YusukeC.Tanaka@jp.sony.com
Yuichi Morioka				Yuichi.Morioka@jp.sony.com
Kazuyuki Sakoda				Kazuyuki.Sakoda@am.sony.co m
William Carney				William.Carney@am.sony.com
Sigurd Schelstraete	Quantenna	3450 W. Warren Ave, Fremont, CA 94538		Sigurd@quantenna.com
Huizhao Wang				hwang@quanetnna.com

**Authors (continued)**

Name	Affiliation	Address	Phone	Email
Tomoko Adachi	Toshiba			<a href="mailto:tomo.adachi@toshiba.co.jp">tomo.adachi@toshiba.co.jp</a>
Narendar Madhavan				<a href="mailto:narendar.madhavan@toshiba.co.jp">narendar.madhavan@toshiba.co.jp</a>
Kentaro Taniguchi				<a href="mailto:kentaro.taniguchi@toshiba.co.jp">kentaro.taniguchi@toshiba.co.jp</a>
Toshihisa Nabetani				<a href="mailto:toshihisa.nabetani@toshiba.co.jp">toshihisa.nabetani@toshiba.co.jp</a>
Tsuguhide Aoki				<a href="mailto:tsuguhide.aoki@toshiba.co.jp">tsuguhide.aoki@toshiba.co.jp</a>
Koji Horisaki				<a href="mailto:kouji.horisaki@toshiba.co.jp">kouji.horisaki@toshiba.co.jp</a>
David Halls				<a href="mailto:david.halls@toshiba-trel.com">david.halls@toshiba-trel.com</a>
Filippo Tosato				<a href="mailto:filippo.tosato@toshiba-trel.com">filippo.tosato@toshiba-trel.com</a>
Zubeir Bocus				<a href="mailto:zubeir.bocus@toshiba-trel.com">zubeir.bocus@toshiba-trel.com</a>
Fengming Cao				<a href="mailto:fengming.cao@toshiba-trel.com">fengming.cao@toshiba-trel.com</a>
Parag Kulkarni				<a href="mailto:parag.kulkarni@toshiba-trel.com">parag.kulkarni@toshiba-trel.com</a>
Minho Cheong	Newracom, Inc.	9008 Research Dr, Irvine, CA 92618	+1-949-390-7146	<a href="mailto:minho.cheong@newracom.com">minho.cheong@newracom.com</a>
Reza Hedayat				<a href="mailto:reza.hedayat@newracom.com">reza.hedayat@newracom.com</a>
Young Hoon Kwon				<a href="mailto:younghoon.kwon@newracom.com">younghoon.kwon@newracom.com</a>
Yongho Seok				<a href="mailto:yongho.seok@newracom.com">yongho.seok@newracom.com</a>
Daewon Lee				<a href="mailto:daewon.lee@newracom.com">daewon.lee@newracom.com</a>
Yujin Noh				<a href="mailto:yujin.noh@newracom.com">yujin.noh@newracom.com</a>


# HE-SIG-B Compression for MU-MIMO

- For MU-MIMO over the entire BW, 1 bit in HE-SIG-A indicates compression. [1]
  - RU Size is set to the largest RU for the BW (20MHz – 242 tone RU, 40 – 484, 80– 996, 160 – 2x996)
  - The SFD states that the user specific sub-fields are split equally between the two HE-SIG-B Channels for efficient load-balancing
  - Only RU signaling is absent in the HE-SIG-B common fields
  
- **In this presentation**
  - Resolve Open Issue of number of user signaling
  - Clarify “equal split” between the two content channels
  - Optimize HE-SIG-B length by not requiring HE-SIG-B common field with compression.

# Compression mode - TBDs

- Need to indicate number of users in full bandwidth MU-MIMO allocation
  - *Solution: The number of HE-SIG-B symbols field in HE-SIG-A is re-purposed to indicate the number of MU-MIMO users, when compression mode is enabled*
- The equal distribution of user fields in the two content channels needs to be clearly stated
  - *Solution: For  $k$  user MU-MIMO PPDU,  $1, \dots, \left\lfloor \frac{k}{2} \right\rfloor$  user specific sub-fields in HE-SIG-B channel 1 and  $\left\lfloor \frac{k}{2} \right\rfloor + 1, \dots, k$  user specific sub-fields in HE-SIG-B channel 2*
- No common field in HE-SIG-B when full bandwidth MU-MIMO is used
  - *All required signaling fields for full bandwidth MU-MIMO are carried in HE-SIG-A and the user specific sub-fields. Maintains maximum signaling efficiency with respect to 11ac MU-MIMO.*

# Summary



# References

- [1] 11-15-1315-01-00ax-HE-SIG-B Mapping and Compression.pptx
- [2] 11-15-0132-15-00ax-spec-framework.docx

# Straw Poll #1

- Do you agree to add the following description to the SIGB number of symbols fields in Table 2 in the SFD: HE-SIG-A fields for the HE MU PPDU of the SFD?

Field	Length (bits)	Description	Encoding
SIGB Number Of Symbols	4	Support about 16 users using MCS0 per BCC. <a href="#">When SIGB compression mode is enabled, the SIGB number of symbols are re-purposed to indicate the number of MU-MIMO users</a>	

## Straw Poll #2

- **Do you agree to modify the HE-SIG-B compression mode description in the SFD [Page 9, line 2-4 in 11-15-0132-15-00ax-spec-framework.docx] as follows:**

In an HE MU PPDU the HE-SIG-A field shall indicate the number of STAs when full bandwidth MU-MIMO compressed SIG-B mode is indicated. ~~Details are TBD.~~ When SIGB compression mode is enabled, the SIGB number of symbols are re-purposed to indicate the number of MU-MIMO users

[PHY Motion 111, Janaury 2016, see [26]]

## Straw Poll #3

- **Do you agree to modify the HE-SIG-B compression mode description in the SFD [Page 9, line 15-20 in 11-15-0132-15-00ax-spec-framework.docx] as follows:**

A compression bit is carried in the HE-SIG-A MU format to differentiate full BW MU-MIMO from OFDMA MU PPDU. In case of full BW MU-MIMO, the following conditions hold:

- Only applicable for RU sizes 242, 484, 996, 2\*996
- The ~~RU information in~~ HE-SIG-B common field is not signaled
- For bandwidths > 20 MHz, the user specific sub-fields are split equitably between the two HE-SIG-B Channels i.e., For  $k$  user MU-MIMO PPDU,  $1, \dots, \lfloor \frac{k}{2} \rfloor$  user specific sub-fields in HE-SIG-B channel 1 and  $\lfloor \frac{k}{2} \rfloor + 1, \dots, k$  user specific sub-fields in HE-SIG-B channel 2

[PHY Motion 87, November 2015, see [25]]