

- [43] V.I. Shashkov, I.P. Mukhlenov, E.Ya. Beñiyash, V.I. Ostanina, M.M. Shokarev, F.I. Vershinina, Effect of mercury vapors on the oxidation of sulfur dioxide in a fluidized bed of vanadium catalyst, *Khim. Prom-st. (Moscow)* 47 (1971) 288–290.
- [44] T.R. Zacharewski, E.A. Cherniak, W.H. Schroeder, FTIR investigation of the heterogeneous reaction of HgO(s) with SO₂(g) at ambient temperature, *Atmos. Environ.* 21 (1987) 2327–2332.
- [45] J.A. Korpiel, R.D. Vidic, Effect of sulfur impregnation method on activated carbon uptake of gas-phase mercury, *Environ. Sci. Technol.* 31 (1997) 2319–2325.
- [46] W. Liu, R.D. Vidić, T.D. Brown, Optimization of sulfur impregnation protocol for fixed-bed application of activated carbon-based sorbents for gas-phase mercury removal, *Environ. Sci. Technol.* 32 (1998) 531–538.
- [47] M.I. Guijarro, S. Mendioroz, V. Muñoz, Effect of morphology of sulfurized materials in the retention of mercury from gas streams, *Ind. Eng. Chem. Res.* 37 (1998) 1088–1094.
- [48] W.H. Schroeder, G. Yarwood, H. Niki, Transformation processes involving mercury species in the atmosphere — results from a literature survey, *Water Air Soil Pollut.* 56 (1991) 653–666.
- [49] K.E. Curtis, K.E. Eagleson, Speciation of mercury emissions from Ontario Hydro's coal-fired generating stations, Report No. A-F-95-22-Con, Ontario Hydro Technologies, Toronto, Ontario, Canada, March 1995, p. 30.
- [50] D.L. Laudal, M.K. Heidt, B.R. Nott, T.D. Brown, Recommended methods for mercury speciation measurements in coal combustion systems, Managing Hazardous Air Pollutants Fourth International Conference, Washington, DC, November 12–14, 1997.
- [51] D.L. Laudal, M.K. Heidt, Evaluation of flue gas mercury speciation methods, Electric Power Research Institute Report No. TR-108988, December 1997.
- [52] D. Laudal, B. Nott, T. Brown, R. Roberson, Mercury speciation methods for utility flue gas, *Fresenius' J. Anal. Chem.* 358 (1997) 397–400.
- [53] N.C. Widmer, J.A. Cole, W.R. Seeker, J.A. Gaspar, Practical limitation of mercury speciation in simulated municipal waste incinerator flue gases, The Fifth International Congress on Toxic Combustion By-products, Management of Risk from Combustion Sources, Program and Abstracts, Dayton, OH, June 25–27 1997, p. 66.
- [54] K.C. Galbreath, C.J. Zygarlicke, D.P. McCollor, D.L. Toman, Development of a stack-plume opacity index for subbituminous coal-fired utility boilers, in: S.-H. Chiang (Ed.), Proceedings of the 12th Annual International Pittsburgh Coal Conference, Coal — Energy and the Environment, September 11–15 1995, pp. 19–26.
- [55] A. Lancia, D. Musmarra, F. Pepe, G. Volpicelli, Adsorption of mercuric chloride vapours from incinerator flue gases on calcium hydroxide particles, *Combust. Sci. Technol.* 93 (1993) 277–289.
- [56] W. Jozewicz, B.K. Gullett, Reaction mechanisms of dry Ca-based sorbents with gaseous HCl, *Ind. Eng. Chem. Res.* 34 (1995) 607–612.
- [57] T. Shimada, T. Kajinami, T. Kumagai, S. Takeda, J. Hayashi, T. Chiba, Characteristics of vaporization of coal ash minerals chlorinated by gaseous hydrogen chloride, *Ind. Eng. Chem. Res.* 37 (1998) 894–900.
- [58] R.J. Lauf, Characterization of the mineralogy and microchemistry of fly ash, *Nucl. Chem. Waste Manage.* 5 (1985) 231–236.
- [59] D. Grdenić, G. Tunell, J.J. Rytuba, in: K.H. Wedepohl (Ed.), *Handbook of Geochemistry: Elements La (57) to U (92)*, chap. 80, Vol. II/5, Springer, Heidelberg, 1978.