



Search entire store here...

[My Account](#) [My Wishlist](#) [My Cart](#) [Checkout](#) [Log In](#)

[Home](#) [About](#) [Products](#) [Media & Resources](#) [Customer Service](#) [Commerical Services](#) [Contact](#)

[Home](#) / [BBQ Grill Low Pressure Hose and Regulator](#) / **Two-Stage Low Pressure Hose & Regulator**

Two-Stage Low Pressure Hose & Regulator



[2-Stage Low Pressure Regulator Assembly](#)

\$70.00 SKU: 106238

Used for connecting commercial grade BBQ & Catering Grills requiring gas input in excess of 100,000 BTU's per hour to a propane tank via high volume green Type 1 tank connection. The green Type 1 allows a higher volume of gas to pass through the tank connection before going into bypass mode. *Standard Hose Length is 18" OAL [Learn More](#)

[Add to Wishlist](#) | [Add to Compare](#)



[2-Stage Low Pressure Regulator Assembly with Stainless Steel Overbraid](#)

\$90.00 SKU: 106221

Stainless Steel Overbraided Two-Stage Regulator Assembly used for connecting commercial grade BBQ & Catering Grills requiring gas input in excess of 100,000 BTU's per hour to a propane tank via high volume green Type 1 tank connection. The green Type 1 allows a higher volume of gas to pass through the tank connection before going into bypass mode. The overbraid keeps small animals from damaging the hose. *Standard Hose Length is 18" OAL [Learn More](#)

[Add to Wishlist](#) | [Add to Compare](#)



[Type1 Cylinder Connection \(Light Green\)](#)

\$12.00 SKU: 204039

The light green Type 1 is used to connect an outside threaded LP cylinder to high pressure appliances such as portable BBQ grills, camping stoves, and turkey fryers. Eliminates the need for wrenches and features a thermal shut-off and excess flow device. Max output is 200,000 BTU/hr. MB Sturgis has designed the green Type 1 to provide the highest flow rate possible before going into bypass mode. The light green Type 1 is also designed to allow the hose to depressurize itself when the hose is disconnected from the appliance allowing the pent up gas to escape rather than storing a pressurized LP gas hose. [Learn More](#)

[Add to Wishlist](#) | [Add to Compare](#)

COMPARE PRODUCTS

You have no items to compare.

MY CART

You have no items in your shopping cart.

RECENTLY VIEWED PRODUCTS

[Sturgi-Stay Kit](#)

[Sturgi-Stay Kit Deluxe](#)

[Quick Disconnect Sturgi-Stay Deluxe Kit](#)

[Quick Disconnect Sturgi-Stay Fitting](#)


[Model 250 Male Plug X 1/8" MNPT](#)



AFFIDAVIT OF TANYA ZEIF

1. I am a Records Request Processor at the Internet Archive. I make this declaration of my own personal knowledge.
2. The Internet Archive is a website that provides access to a digital library of Internet sites and other cultural artifacts in digital form. Like a paper library, we provide free access to researchers, historians, scholars, and the general public. The Internet Archive has partnered with and receives support from various institutions, including the Library of Congress.
3. The Internet Archive has created a service known as the Wayback Machine. The Wayback Machine makes it possible to browse more than 450 billion pages stored in the Internet Archive's web archive. Visitors to the Wayback Machine can search archives by URL (i.e., a website address). If archived records for a URL are available, the visitor will be presented with a display of available dates. The visitor may select one of those dates, and begin browsing an archived version of the Web. Links on archived files in the Wayback Machine point to other archived files (whether HTML pages or other file types), if any are found for the URL indicated by a given link. For instance, the Wayback Machine is designed such that when a visitor clicks on a hyperlink on an archived page that points to another URL, the visitor will be served the archived file found for the hyperlink's URL with the closest available date to the initial file containing the hyperlink.
4. The archived data made viewable and browseable by the Wayback Machine is obtained by use of web archiving software that automatically stores copies of files available via the Internet, each file preserved as it existed at a particular point in time.
5. The Internet Archive assigns a URL on its site to the archived files in the format `http://web.archive.org/web/[Year in yyyy][Month in mm][Day in dd][Time code in hh:mm:ss]/[Archived URL]` aka an "extended URL". Thus, the extended URL `http://web.archive.org/web/19970126045828/http://www.archive.org/` would be the URL for the record of the Internet Archive home page HTML file (`http://www.archive.org/`) archived on January 26, 1997 at 4:58 a.m. and 28 seconds (1997/01/26 at 04:58:28). The date indicated by an extended URL applies to a preserved instance of a file for a given URL, but not necessarily to any other files linked therein. Thus, in the case of a page constituted by a primary HTML file and other separate files (e.g., files with images, audio, multimedia, design elements, or other embedded content) linked within that primary HTML file, the primary HTML file and the other files will each have their own respective extended URLs and may not have been archived on the same dates.





6. Attached hereto as Exhibit A are true and accurate copies of browser screenshots of the Internet Archive's records of the archived files for the URLs and the dates specified in the attached coversheet of each screenshot.
7. I declare under penalty of perjury under the laws of the United States of America that the foregoing is true and correct.

DATE: 04/30/2025

Tanya Zeif

Tanya Zeif

Please see attached
All Purpose
Jurat form
for additional
Notary Events



EXHIBIT A





Search entire store here...

[My Account](#) [My Wishlist](#) [My Cart](#) [Checkout](#) [Log In](#)

[Home](#) [About](#) [Products](#) [Media & Resources](#) [Customer Service](#) [Commerical Services](#) [Contact](#)

[Home](#) / [BBQ Grill Low Pressure Hose and Regulator](#) / **Two-Stage Low Pressure Hose & Regulator**

Two-Stage Low Pressure Hose & Regulator



[2-Stage Low Pressure Regulator Assembly](#)

\$70.00 SKU: 106238

Used for connecting commercial grade BBQ & Catering Grills requiring gas input in excess of 100,000 BTU's per hour to a propane tank via high volume green Type 1 tank connection. The green Type 1 allows a higher volume of gas to pass through the tank connection before going into bypass mode. *Standard Hose Length is 18" OAL [Learn More](#)

[Add to Wishlist](#) | [Add to Compare](#)



[2-Stage Low Pressure Regulator Assembly with Stainless Steel Overbraid](#)

\$90.00 SKU: 106221

Stainless Steel Overbraided Two-Stage Regulator Assembly used for connecting commercial grade BBQ & Catering Grills requiring gas input in excess of 100,000 BTU's per hour to a propane tank via high volume green Type 1 tank connection. The green Type 1 allows a higher volume of gas to pass through the tank connection before going into bypass mode. The overbraid keeps small animals from damaging the hose. *Standard Hose Length is 18" OAL [Learn More](#)

[Add to Wishlist](#) | [Add to Compare](#)



[Type1 Cylinder Connection \(Light Green\)](#)

\$12.00 SKU: 204039

The light green Type 1 is used to connect an outside threaded LP cylinder to high pressure appliances such as portable BBQ grills, camping stoves, and turkey fryers. Eliminates the need for wrenches and features a thermal shut-off and excess flow device. Max output is 200,000 BTU/hr. MB Sturgis has designed the green Type 1 to provide the highest flow rate possible before going into bypass mode. The light green Type 1 is also designed to allow the hose to depressurize itself when the hose is disconnected from the appliance allowing the pent up gas to escape rather than storing a pressurized LP gas hose. [Learn More](#)

[Add to Wishlist](#) | [Add to Compare](#)

COMPARE PRODUCTS

You have no items to compare.

MY CART

You have no items in your shopping cart.

RECENTLY VIEWED PRODUCTS

[Sturgi-Stay Kit](#)

[Sturgi-Stay Kit Deluxe](#)

[Quick Disconnect Sturgi-Stay Deluxe Kit](#)

[Quick Disconnect Sturgi-Stay Fitting](#)

[Model 250 Male Plug X 1/8" MNPT](#)

<https://web.archive.org/web/20130222055122/http://caloreequipment.com:80/products/cl/bbq-grill-low-pressure-regulators/two-stage-low-pressure-regulator.html>



JURAT ATTACHMENT


A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

STATE OF Texas }

COUNTY OF Harris }

The foregoing instrument was subscribed and sworn before me this date of 04/30/2025, by Tanya Zeif

This notarial act was an online notarization.



Document Notarized using a Live Audio-Video Connection

(Notary Seal)

Notary's Signature Ana Laura Salazar Uribe

Registration No.: 131757026

Commission Expiration Date: October 11, 2026

