

(12) **United States Patent**  
**Toren**

(10) **Patent No.:** **US 11,316,964 B1**  
(45) **Date of Patent:** **\*Apr. 26, 2022**

(54) **METHOD AND SYSTEM FOR COMMUNICATION**

(71) Applicant: **messageLOUD LLC**, New York, NY (US)  
(72) Inventor: **Garin Toren**, New York, NY (US)  
(73) Assignee: **Messagecloud Inc.**, New York, NY (US)  
(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.  
This patent is subject to a terminal disclaimer.

(21) Appl. No.: **17/150,786**  
(22) Filed: **Jan. 15, 2021**

**Related U.S. Application Data**

(63) Continuation of application No. 16/393,148, filed on Apr. 24, 2019, now abandoned, which is a (Continued)  
(51) **Int. Cl.**  
**H04M 1/7243** (2021.01)  
**G06F 3/0482** (2013.01)  
(Continued)  
(52) **U.S. Cl.**  
CPC ..... **H04M 1/7243** (2021.01); **G06F 3/0482** (2013.01); **G06F 3/04817** (2013.01);  
(Continued)  
(58) **Field of Classification Search**  
CPC ..... H04M 1/7243; H04M 1/72484; G06F 3/04817; G06F 3/0482; G06F 3/04883; G06F 3/16; H04L 51/24  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,359,014 B2 1/2013 Olincy et al.  
8,526,973 B2 9/2013 Thomson  
(Continued)

FOREIGN PATENT DOCUMENTS

EP 2779701 9/2014

OTHER PUBLICATIONS


Google Voice: In the car with Android, Mar. 24, 2014.  
(Continued)

*Primary Examiner* — Erika A Washington  
(74) *Attorney, Agent, or Firm* — Payam Moradian

(57) **ABSTRACT**

Provided is a computer implemented method and system for delivering text messages, emails, and messages from a messenger application to a user while the user is engaged in an activity, such as driving, exercising, or working. Typically, the emails and other messages are announced to the user and read aloud without any user input. In Drive Mode, while the user is driving, a clean interface is shown to the user, and the user can hear announcements and messages/emails aloud without looking at the screen of the phone, and use gestures to operate the phone. After a determination is made that a new text message and/or email has arrived, the user is informed aloud of the text message/email/messenger message and in most instances, and if the user takes no further action, the body and/or subject of the text message/email/messenger message is read aloud to the user. All messages can be placed in a single queue, and read to the user in order of receipt.

**14 Claims, 37 Drawing Sheets**



**Related U.S. Application Data**

continuation of application No. 16/245,602, filed on Jan. 11, 2019, now Pat. No. 10,516,775, which is a continuation of application No. 16/112,587, filed on Aug. 24, 2018, now Pat. No. 10,277,728, which is a continuation of application No. 15/421,237, filed on Jan. 31, 2017, now Pat. No. 10,110,725, which is a continuation of application No. 14/865,561, filed on Sep. 25, 2015, now Pat. No. 9,591,117.

(60) Provisional application No. 62/118,264, filed on Feb. 19, 2015, provisional application No. 62/083,085, filed on Nov. 21, 2014.

(51) **Int. Cl.**

**G06F 3/04817** (2022.01)  
**G06F 3/04883** (2022.01)  
**H04L 51/224** (2022.01)  
**G06F 3/16** (2006.01)  
**H04M 1/72484** (2021.01)

(52) **U.S. Cl.**

CPC ..... **G06F 3/04883** (2013.01); **G06F 3/16** (2013.01); **H04L 51/24** (2013.01); **H04M 1/72484** (2021.01)

(56)

**References Cited**

U.S. PATENT DOCUMENTS

8,655,661 B2 \* 2/2014 Hymel ..... H04W 12/06  
 704/260  
 9,591,117 B1 \* 3/2017 Toren ..... H04M 1/6083  
 10,110,725 B1 \* 10/2018 Toren ..... H04M 1/72484  
 10,277,728 B1 \* 4/2019 Toren ..... G06F 3/04883

10,516,775 B1 \* 12/2019 Toren ..... H04W 4/14  
 2002/0140723 A1 \* 10/2002 Ageta ..... G09B 5/062  
 715/727  
 2007/0208879 A1 \* 9/2007 Liu ..... G06Q 30/0207  
 709/246  
 2009/0017806 A1 \* 1/2009 Hayakawa ..... H04M 1/2747  
 455/415  
 2012/0001843 A1 1/2012 Gravino  
 2012/0060123 A1 3/2012 Smith  
 2012/0150968 A1 \* 6/2012 Yasrebi ..... H04L 51/24  
 709/206  
 2012/0173635 A1 \* 7/2012 Wormald ..... G06Q 10/107  
 709/206  
 2013/0172027 A1 \* 7/2013 Sturges ..... H04W 4/12  
 455/466  
 2013/0275899 A1 \* 10/2013 Schubert ..... B60K 35/00  
 715/765  
 2014/0004901 A1 1/2014 Korn  
 2014/0195252 A1 \* 7/2014 Gruber ..... G10L 15/22  
 704/275  
 2014/0282127 A1 9/2014 Muresan et al.  
 2014/0325353 A1 \* 10/2014 Chudge ..... G06F 3/167  
 715/716  
 2015/0011203 A1 1/2015 Schrader et al.  
 2015/0350152 A1 \* 12/2015 Flores ..... H04L 51/02  
 709/206

OTHER PUBLICATIONS

How to have your emails, texts read to you in the car, Jul. 27, 2012.  
 How to Make Your Smartphone Smarter, Jan. 22, 2014.  
 5 Ways to Make Smartphone Speak Notifications, SMS and Emails, May 17, 2014.  
 Non-Patent Literature With Links. Approximatley Mar. 11, 2015 (exact date unknown). The currect content of the links may not accurately reflect the actual content that was available at the time.

\* cited by examiner





FIG. 1






FIG. 3




FIG. 4




FIG. 5




FIG. 6





Incoming Text While App is in Background





FIG. 7C





**FIG. 8B**




FIG. 8C

Incoming Email While App Is in Background




FIG. 8D




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15





FIG. 16







Incoming Text While App is in Foreground





FIG. 20A












FIG. 21A



**FIG. 21B**



**FIG. 21C**






FIG. 21E




FIG. 22




FIG. 23




FIG. 24




FIG. 25

**METHOD AND SYSTEM FOR  
COMMUNICATION**

## CROSS REFERENCE

The present application is a continuation of U.S. application Ser. No. 16/245,602, filed on Jan. 11, 2019, which is a continuation of U.S. application Ser. No. 16/112,587, filed on Aug. 24, 2018, which is a continuation of application Ser. No. 15/421,237, filed on Jan. 31, 2017, which is, a continuation of U.S. application Ser. No. 14/865,561, filed on Sep. 25, 2015, (U.S. Pat. No. 9,591,117) which claims the benefit of U.S. provisional application No. 62/083,085 filed on Nov. 21, 2014, and U.S. provisional application No. 62/118,264 filed on Feb. 19, 2015, both of which are incorporated herein by reference in their entirety.

## BACKGROUND SECTION OF THE INVENTION

In today's world, almost everyone has a mobile phone, which is typically put in a pocket or a purse, and used throughout the day.

A person may be engaged in an activity, and cannot use a mobile phone or other devices to receive emails and text messages. For example a person may be driving, and the use of a mobile phone, either for talking or texting, can be hazardous. The person may also be involved in an activity other than driving, in which the person cannot use the mobile phone for receiving mails, texts, and messages/notifications from a messenger application. In addition, the person may receive different types of messages, including emails, text messages, and messages/notifications from a messenger application. While engaged in an activity, the user may not be capable of accessing and reading different types of messages.

US 2013/0275899 proposes a solution for the limited distraction environment by disclosing "a limited-distraction user interface that includes providing for display fewer selectable user interface objects than are displayed in a non-limited user interface for the respective application, and in accordance With a determination that the device is not being operated in a limited distraction context, provides a non-limited user interface for the respective application." However, US 2013/0275899 relies on substantial input from the user even in the limited-distraction context, making it difficult for a user to use a mobile phone in such context.

U.S. Pat. Nos. 8,364,183, 8,526,973, and 8,359,014 disclose "A cell phone which has been modified by the addition of software which responds to the press of one or more Busykeys by automatically sending a pre typed text message to the sender of the latest text message just received or automatically answering an incoming call immediately upon pressing the Busy key and playing a pre-recorded audio message." However, these patents do not allow a person to respond to a text or a call other than by sending a pre typed text message and still require substantial input from the user since the user has to choose and press on a Busykey button. For example, while driving a car, a user has to take his or her eyes off the road to find the Busykey button.

There is a need in the art to allow a person to receive emails and other messages while the person is engaged in an activity that limits, the person's ability to read mails and other messages.

## SUMMARY SECTION OF THE INVENTION

Provided is a computer implemented method to be carried out with a processor, a memory, and a touch screen, com-

prising: a) determining without any input by a user that a text message, an email, or a message from a messenger application, has arrived while the user is engaged in an activity b) informing the user without any input by the user that the text message, the email, or the message from the messenger application has arrived from a sender; and c) proceeding with a step selected from the group consisting of (i) and (ii): i) allowing the user time to take an affirmative action to stop reading aloud to the user a body of the text message, the email, or the message from the messenger application; and in accordance with not receiving an input corresponding to the affirmative action from the user, reading aloud the body of the text message, the email, or the message from the messenger application aloud to the user; ii) allowing the user time to take an affirmative action to command reading a body of the text message, the email, or the message from the messenger application aloud to the user; and in accordance with receiving an input corresponding to the affirmative action from the user, reading aloud the body of the text message, the email, or the message from the messenger application to the user. The method can comprise: a) determining without any input by the user that the text message, the email, or the message from the messenger application has arrived while the user is engaged in the activity; b) analyzing without any input by the user a content of the text message, the email, or the message from the messenger application; c) informing the user without any input by the user that the text message, the message from the messenger application, or the email has arrived from a sender by reading aloud an identity of the sender; and d) proceeding with a step selected from the group consisting of (i) and (ii): i) allowing the user time to take an affirmative action to stop reading, aloud to the user a body of the text message, the email, or the message from the messenger application; and in accordance with not receiving an input corresponding to the affirmative action from the user, reading aloud the body of the text message, the email, or the message from the messenger application to the user; ii) allowing the user time to take an affirmative action to command reading a body of the text message, the email, or the message from the messenger application aloud to the user; and in accordance with receiving an input corresponding to the affirmative action from the user, reading aloud the body of the text message, the email, or the message from the messenger application to the user. The method can comprise: a) running, an application configured to deliver one or more of the email, the text message, or the message from the messenger application to a user while the user is engaged in the activity; b) determining without any input by the user that the text message, the email, or the message from the messenger application has arrived while the application is running; c) analyzing without any input by the user a content of the text message, the email, or the message from the messenger application; d) informing the user without any input by the user that the text message, the email, or the message from the messenger application has arrived from a sender; and e) proceeding with a step selected from the group consisting of (i) and (ii): i) allowing the user time to take an affirmative action to stop reading aloud to the user a body of the text message, the email, or the message from the messenger application; and in accordance with not receiving an input corresponding to the affirmative action from the user, reading aloud the body of the text message, the email, or the message from the messenger application to the user; ii) allowing the user time to take an affirmative action to command reading a body of the text message, the email, or the message from the messenger application aloud to the

3

user; and in accordance with receiving an input corresponding to the affirmative action from the user, reading aloud the body of the text message, the email, or the message from the messenger application to the user. The method can comprise:

- a) determining without any input by the user that the text message, the email, or the message from the messenger application has arrived;
- b) analyzing without any input by the user a content of the text message, the email, or the message from the messenger application;
- c) informing the user without any input by the user that the text message the email, or the message from the messenger application has arrived from a sender by reading at least aloud identity of the sender;
- d) allowing the user time to take an affirmative action to stop reading aloud to the user a body of the text message, the email, or the message from the messenger application;
- and e) in accordance with not receiving an input corresponding to the affirmative action from the user, reading aloud body of the text message, the email, or the message from the messenger application to the user, and in case of the email, further reading aloud a subject of the email. The method can comprise:
  - a) determining without any input by the user that the email has arrived;
  - b) informing the user without any input by the user that the email has arrived from a sender by reading at least aloud identity of the sender;
  - c) allowing the user time to take an affirmative action to stop the application from proceeding to reading aloud a subject and a body of the email;
  - and d) in accordance with not receiving an input corresponding to the affirmative action from the user, reading aloud the subject and the body of the email. The method can comprise:
    - a) running an application configured to deliver the email to the user while the user is engaged in the activity;
    - b) determining without any input by the user that the email has arrived;
    - c) analyzing without any input by the user a content of the email;
    - d) informing the user without any input, by the user that the email has arrived from a sender by reading at least aloud identity of the sender;
    - e) allowing the user time to take an affirmative action to stop reading aloud a subject and a body of the email;
    - and f) in accordance with not receiving an input corresponding to the affirmative action from the user, reading aloud the subject and the body of the email. The method can comprise:
      - a) running an application configured to deliver the email to the user while the user is driving a vehicle;
      - b) determining without any input by the user that the email has arrived;
      - c) analyzing without any input by the user a content of the email;
      - d) informing the user without any input by the user that the email has arrived from a sender by reading at least aloud identity of the sender and without displaying information about the sender or the email on the screen;
      - e) allowing the user time to take an affirmative action to stop the application from proceeding to reading aloud a subject and a body of the email, and without displaying information about the sender or the email on the screen; and
      - f) in accordance with not receiving an input, corresponding, to the affirmative action from the user, reading aloud the subject and the body of the email. The method can comprise:
        - a) determining without any input by the user that the text message or the email has arrived;
        - b) analyzing without any input by the user a content of the text message or the email;
        - c) placing the email or the text message in a queue to be read aloud in order of receipt time, wherein the email and the text message are placed in the same queue and read aloud one after another regardless of whether a next message in the queue is new text message or a new email;
        - d) informing the user without any input by the user that the text message or the email has arrived from a sender by reading at least aloud identity of the sender;
        - e) allowing the user time to take an

4

affirmative action to stop reading a body of the text message or the email aloud to the user; and f) in accordance with not receiving an input corresponding to the affirmative action from the user, reading aloud body of the text message or the email, and in case of the email, further reading aloud a subject of the email. For any of the above methods, the user can receive at least two or more different types messages selected from the group consisting of two or more of the text message, the email, and the message from the messenger application (e.g. Email/text, Email/messenger, messenger/text, entail/text/messenger), and the two or more of the text message, the email, and the different types of messages are placed in a queue based on receipt time to be read aloud regardless of the type of the message. For any of the above methods, the step of analyzing parses the email into subject, sender, and body, and parses the text message or the message from the messenger application into sender and body. For any of the above methods, the application can be configured to run in a foreground or in a background, and is further configured to switch back and forth between the foreground and the background, and is further configured to read aloud the identity and the body of the email, text message, or the message from the messenger application while the application is in the background. For any of the above methods, if looking at the screen is hazardous due to the activity, the screen does not display any portion of the email, text message, or message from the messenger application. For Any of the above methods can further comprise prompting to call the sender without any input from the user. Any of the above methods can further comprise a different interface is presented on the screen depending on the activity of the user. Any of the above methods can further comprise informing the user comprises reading aloud a name of the sender. For any of the above methods, step (c) can comprise allowing the user time to take an affirmative action to stop reading of a body of the text message, the email, or the message from the messenger application aloud to the user; and in accordance with not receiving an input corresponding to the affirmative action from the user, reading aloud the body of the text message, or the email to the user. For any of the above methods, step (c) can comprise allowing the user time to take an affirmative action to command reading the text message, the email or the message from the messenger application aloud to the user; and in accordance with receiving an input corresponding to the affirmative action from the user, reading aloud the body of the text message or the email to the user. For any of the above methods can comprise receiving an input from the user without the user looking at the touch screen. Any of the above methods can comprise displaying an interface with no prompts for the user to touch. Any of the above methods can comprise receiving an input from the user based on gestures memorized by the user. For any of the above methods, the input from the user can be limited to tapping or swiping without a need to look at the screen. Any of the above methods can comprise informing the user by voice of, an option to call the sender. Any of the above methods can further comprise, in accordance with receiving an input from the user to call the sender, calling the sender. Any of the above methods can comprise informing the user comprises informing the user of the identity of the sender and a subject of the email, or the identity of the sender of the text message or the message from the messenger. Any of the above methods can comprise after reading aloud the email or the text message or the message from the messenger application, the email or the text message or the message from the messenger application is automatically dismissed and a status of the email or the text message or the

5

message from the messenger application is changed to read. In any of the above methods, after the email, the text message or the message from the messenger application is read aloud and the status changed to read, the user is notified that a new email, text message, or the message from the messenger application in the queue has arrived. Any of the above methods can comprise reading aloud is carried out of an audio system in an automobile. Any of the above methods can comprise limiting the user input to a) pausing or rereading reading of the email or the text message or the message from the messenger application; b) dismissing the email, the text message, or the messenger application; and c) deleting the email; and d) calling, the sender. Any of the above methods can comprise the activity being a vehicle. Any of the above methods can comprise the activity being working with a desktop, a laptop, or a tablet computer. Any of the above methods can comprise the activity being an exercise (Active Mode). Any of the above methods, the method can be carried out on a device selected from the group consisting of: a smart phone, a mobile phone, a phablet, a tablet, a wearable device, a watch, and a vehicle operating device. For any of the above methods, the method can only deliver email, or only deliver text messages, or only deliver messages from a messenger application, or deliver all three, or deliver any two combinations thereof (email/text, email/messenger, text/messenger). Any of the above methods can comprise: a) running an application configured to deliver the email to the user while the user is engaged in the activity; b) determining by the application without any input by the user that the email has arrived; c) analyzing by the application without any input by the user a content of the email; d) informing the user by the application without any input by the user that the email has arrived from a sender by sending instructions for reading at least aloud identity of the sender; e) allowing the user time by the application to take an affirmative action to stop reading aloud a subject and a body of the email; and f) in accordance with not receiving an input corresponding to the affirmative action from the user, sending instructions by the application to read aloud a subject and the body of the email.

Provided is a mobile phone, comprising: One or more processors; A memory, One or more programs, wherein the one or more programs are stored in the memory and configured to be executed by the one or more processors, the one or more programs including instructions for the steps comprising (including any of the methods above): a) determining without any input by the user that a text message, an mail, or a message from the messenger application has arrived while the user is engaged in an activity; b) analyzing without any input by the user a content of the text message, the email, or the message from the messenger application; c) informing the user without any input by the user that the text message, the email, or the message from the messenger application message has arrived from a sender by reading at least aloud an identity of the sender; d) allowing the user time to take an affirmative action to stop the application from proceeding to reading a body of the text message, the email, or message from the messenger application aloud to the user; f) in accordance with not receiving an input corresponding to the affirmative action from the user, reading, aloud body of the text message, the email, or the message from the messenger application to the user.

Provided is a system for delivering one or more of a message and an email to a user engaged in an activity, the system comprising a processor, a memory, and a touch screen, the system configured to deliver a messages and an email to the user by (including any of the methods above):

6

a) running an application configured to deliver one or more of a text message, an email, or the message from the messenger application to a user while the user is engaged in an activity; b) determining without any input by the user that the text message, the email, or the message from the messenger application has arrived while the application is running; c) analyzing without any input by the user a content of the text message, the email, or the message from the messenger application; d) informing the user without any input by the user that the text message, the email, or the message from the messenger application has arrived from a sender by reading at least aloud an identity of the sender; e) allowing the user time to take an affirmative action to stop the application from proceeding to reading a body of the text, message, the email, or the message from the messenger application aloud to the user; and f) in accordance with not receiving an input corresponding to the affirmative action from the user, reading aloud body of the text message, the email, or the message from the messenger application to the user. Any of the above methods can comprise: a) running an application configured to deliver the email to the user while the user is engaged in the activity; b) determining by the application without any input by the user that the email has arrived; c) analyzing by the application without any input by the user a content of the email; d) informing the user by the application without any input by the user that the email has arrived from a sender by sending instructions for reading at least aloud identity of the sender; e) allowing the user time by the application to take an affirmative action to stop reading aloud a subject and a body of the email; and f) in accordance with not receiving an input corresponding to the affirmative action from the user, sending instructions by the application to read aloud a subject and the body of the email.

Provided is a system comprising a processor, a memory, and a touch screen, the system configured to deliver one or more of a text message, an email, or a message from the messenger application to a user while the user is engaged in an activity; the system further comprising: a) a queue notification module for placing the text message, the email, or the message from the messenger application in a queue for posting, wherein a single queue is used for the text message, the email, or the message from the messenger application; b) an analyzer module for analyzing without any input by the user a content of the text message, the email, or the message from the messenger application; and c) a text to speech module configured for: i) informing the user by voice without any input by the user that the text message or the email message has arrived from a sender by sending instructions to a speaker to read at least aloud an identity of the sender; ii) in accordance with not receiving an input corresponding to the affirmative action from the user, sending instructions to a speaker to read aloud body the text message or the email to the user.

Provided is a non-transitory computer readable storage medium storing one or more programs, the one or more programs comprising instructions, which when executed by an electronic device having one or more processors and memory, causes the device to carry out any of the above described methods.

#### BRIEF DESCRIPTION OF THE FIGURES

FIG. 1 illustrates a user launching the messageLOUD application and selecting Active Mode.

FIG. 2 illustrates special cases where the incoming email is relatively long and will not fit on the screen.

FIG. 3 illustrates a demonstration mode where a user is read aloud that the messageLOUD is now in Active Mode and is instructed on how to dismiss an email or a text message.

FIG. 4 illustrates the system in Active Mode that allows a user to touch screen to confirm that the phone or other mobile device is in, a Active Mode.

FIG. 5 illustrates a user exiting Active Mode.

FIG. 6 illustrates a user tapping the Active Mode screen to pause email and text, message announcements.

FIG. 7A illustrates the Active Mode when an incoming text message arrives while the application is in the foreground. A message from a messenger application would work in the same manner.

FIG. 7B illustrates the dismissing of an incoming text message by a user. A message from a messenger application would work in the same manner.

FIG. 7C illustrates when an incoming text message is received while the Active Mode is in the background. A message from a messenger application would work in the same manner.

FIG. 8A illustrates the Active Mode when an incoming email is received while the application is in the foreground.

FIG. 8B illustrates dismissing of an incoming email, by a user in Active Mode.

FIG. 8C illustrates when an incoming new email is deleted.

FIG. 8D illustrates when a new email is received while the Active Mode is in the background.

FIG. 9 illustrates a user launching the application and selecting Drive Mode.

FIG. 10 illustrates receiving emails in Drive Mode.

FIG. 11 illustrates receiving a text message in Drive Mode. A message from a messenger application would work in the same manner.

FIG. 12 illustrates components of a mobile phone.

FIG. 13 illustrates a user touching a screen to confirm that the phone or other mobile device is in Drive Mode,

FIG. 14 illustrates a user exiting Drive Mode.

FIG. 15 illustrates a user launching Work Mode.

FIG. 16 illustrates a demonstration mode where a user is read aloud that the messageLOUD is now in Work Mode and is instructed on how to dismiss an email or a text message. A message from a messenger application would work in the same manner as a text message.

FIG. 17 illustrates a user touching a screen to confirm that the phone or other mobile device is in a Work Mode

FIG. 18 illustrates a user exiting Work Mode.

FIG. 19 illustrates the ability of a user to pause Work Mode when a user seeks to take a break.

FIG. 20A illustrates when an incoming text message arrives in Work Mode while the application is in the foreground. A message from a messenger application would work in the same manner.

FIG. 20B illustrates dismissing of an incoming text message by a user. A message from a messenger application would work in the same manner.

FIG. 20C illustrates the scenario in Work Mode when an incoming text message is ignored. A message from a messenger application would work in the same manner.

FIG. 20D illustrates when an incoming text message is received while Work Mode is in the background. A message from a messenger application would work in the same manner.

FIG. 21A illustrates the Work Mode when an incoming email arrives while the application is in the foreground.

FIG. 21B illustrates dismissing of an incoming email by a user in Work Mode.

FIG. 21C illustrates the scenario in Work Mode when an incoming email is ignored.

FIG. 21D illustrates when an incoming new email is deleted in Work Mode.

FIG. 21E illustrates when a new email is received while Work Mode is in the background.

FIG. 22 is a flow chart illustrating the receipt, processing, and delivery of emails, text messages, and messages from a messenger application to a user.

FIG. 23 illustrates that various devices that can run the message LOUD application for delivering one more message types.

FIG. 24 illustrates different message types being placed in a queue based upon receipt time.

FIG. 25 illustrates analysis of different message types.

#### DETAILED DESCRIPTION OF THE INVENTION

The present invention provides a method and a system for allowing a user to receive text messages, emails (electronic mail), or messages from a messenger application while the user is engaged in an activity. The user does not need look at the mobile phone while driving or doing other activities, and yet has the capability to fully review messages and even call back the sender.

FIG. 1 illustrates a user launching the application (messageLOUD®) and selecting Active Mode 205. The messageLOUD icon 201 can be present on a home screen 100 with a number of other icons 200. A user 300 presses the messageLOUD icon 201, and then selects Active Mode 205. The user can select Drive Mode 202, Work Mode 203, Settings 204, or account information 206. The Drive Mode 202 relates to the situation when the user is driving. The user situates the mobile phone in such configuration in the vehicle, so that the user can touch the screen of the mobile phone. The Work Mode 203 refers to the situation when the user is working and does not want to be distracted, for example by having to toggle between work that they are doing and their email program. In Work Mode, the phone or other device is placed in a position so that the user can touch the screen of the phone. The Active Mode 205 refers to the situation when the user is exercising (walking, cycling, running, at the gym) and would prefer not to be distracted, for example, by having to look at the screen of the phone. The Active Mode is designed to have an interface with large buttons so the user can press easily. In Active Mode, the user can have the option of placing the phone or other devices at greater distances where the user cannot reach the screen. If the user is walking and is holding the phone in hand and likes to make gestures, the user may actually prefer to operate the device in Drive Mode. As illustrated in FIG. 1, the Active Mode 205 is selected and the application makes an announcement that the application is in Active Mode by stating "Active Loud" 469.

FIG. 2 illustrates special cases where the incoming email is relatively long and will not fit on the screen. Long emails that overflow 485 scroll up 487 488 as the email is read aloud 486. FIG. 2 relates to the Active Mode 205 and Work Mode 203.

FIG. 3 illustrates a demonstration mode where a user is read aloud 470 that the messageLOUD application is now in Active Mode 205 and instructed on how to dismiss an email or text message. The user is then instructed on how to delete an email 471, how to pause and reread (resume) reading 472,

and how to call a sender **473**. A message from a messenger application would be dismissed in the same manner as a text message.

FIG. **4** illustrates the system in Active Mode **205** that allows a user to touch a screen **105** to confirm that the phone or other mobile device is in Active Mode **205**. The application will read aloud "Active Loud" **474** to assure the user that the application is in Active Mode **205**. A user may seek to confirm the Active Mode **205** by tapping the screen in the event if the user has not received any emails, text messages, or a message from a messenger application.

FIG. **5** illustrates a user exiting Active Mode **205**. The user can touch and hold for a predetermined amount of time (here one second) **434** to be prompted to press on an exit Drive Mode **205** button **435**. Alternatively if the user holds onto the screen for 3 seconds **436**, the user is automatically exited **437** from Active Mode **205**. The application can inform the user aloud **438** that the user has exited Active Mode **205**. The user is then directed to the application home page **102** with the different available modes for the user to select.

FIG. **6** illustrates a user tapping **475** the Active Mode **205** screen **104** to pause email and text announcements **476**. A reread (resume) **477** button will then pop up which a user can tap or press to rereading of email and text message announcements. A message from a messenger application would be reread in the same manner as a text message.

FIG. **7A** illustrates the Active Mode **205** when an incoming text is received while the application is in the foreground. When a new text message is received, the text message is announced **478**. Usually the identity of the sender, such as a name, phone number, or screen/profile, name of the sender is announced **489**. The application can send an automatic response to the sender informing the sender that the user is busy **480**. A user can decide whether or not to have announcements and text messages are read aloud. In this case, the user's default is that announcements and text messages are read aloud **479**. The mobile phone or other device can also vibrate **444**. In this case, a predetermined amount of time (a two second pause) **447** is allowed for a user to take an action before the text message is read, aloud. A user can dismiss the text message by pressing the dismiss button **445** or have the application read aloud the text message by pressing the read button **446**. If the user presses the read button **446**, the application will display and read aloud (according to the default selected by the user) the body of the text **479**. The body of the text message is read without any user input. The read button **446** can shorten the delay period from announcement of the text **478** to reading the body of the text **479**. Unless the user presses the dismiss **445**, reply **449**, or delete **465** buttons, the application will then prompt the user to call the sender **451**, **452**, **453**. If the user presses on the call sender **453** button, then the native phone application **454** of the device that is being used will be launched. If after a pause **455**, the user takes no action the text message is dismissed **456**. At anytime during this process, a user can press the reply button **449** to open the native text messaging application on the device that is being used. A message from a messenger application would be handled in the same manner as a text message.

FIG. **7B** illustrates dismissing of an incoming text message by a user. After a new text is announced **481**, the user presses the dismiss button **445**, and the text is dismissed **482**. The dismissal of the text message can be read aloud **458**. After dismissal, the textbox slides away **448** as illustrated. A message from a messenger application would be handled in the same manner as a text message.

FIG. **7C** illustrates when an incoming text message is received while the Active Mode **205** is in the background. The mobile phone or other device of the user can have a notification screen **460** that depending on settings of the device can be pulled down or automatically pops up. The user is provided with the options of a dismiss **445** and read aloud button **446**. If the user presses on the read aloud button **446**, then the Active Mode **205** moves into the foreground, and the new text message is read aloud **462**. A message from a messenger application would be handled in the same manner as a text message.

FIG. **8A** illustrates the Active Mode **205** when an incoming email is received while the application is in the foreground. When an email message is received, the email message is announced **483** without any user inputs (Both text and emails are announced automatically without any user input). Usually the identity of the sender, such as a name, email address, or screen/profile name of the sender is announced **489**. A user can decide whether or not to have announcements and emails be read out loud. In this case, the user's default is that announcements and email messages are read aloud **463**. The announcements and email messages are both read aloud without any user input. The mobile phone or other device can also vibrate **489**. A user can dismiss the email by pressing the dismiss button **445** or have the application read aloud the email by pressing the read button **446**. If the user does nothing, the application after the pause will automatically display and read aloud the body of the email **484**. Unless the user presses the dismiss **445** or reply **449** buttons, the application will then prompt the user to call the sender **451**, **452**, **453**. If the user presses on the call sender **453** button, then the native phone application **454** of the device that is being used will be launched. If after a pause **455**, the user takes no action, the email is dismissed **456**. At anytime during this process, a user can press the reply button **449** to open the native email application on the device that is being, used.

FIG. **8B** illustrates dismissing of an incoming email by a user in Active Mode **205**. After a new email is announced/read aloud **483**, the user presses the dismiss button **445**, and the email is dismissed. The dismissal of the email can be read aloud **484**. After dismissal, the textbox slides away **468** as illustrated, and the Active Mode clean screen is shown **105**.

FIG. **8C** illustrates when an incoming new email is deleted. After a new email is announced **483**, the user swipes top to down **466** to delete the email. In addition to deleting an email by swiping down, the user can press the delete button **465**. The application, depending on the setting, can inform the user aloud **467** that the new, email has been deleted.

FIG. **8D** illustrates when a new email is received while the Active Mode **205** is in the background. The mobile phone or other device of the user can have a notification screen **460** that depending on settings of the mobile device can be pulled down or automatically pops up. The user is provided with the options of a dismiss button **445**, a read aloud button **446**, and a delete button **465**. If the user presses on the read aloud button **446**, then the application (Active Mode) moves into the foreground **461**, and the new email is read aloud **484**.

FIG. **9** illustrates a user launching the messageLOUD application and selecting Drive Mode **202**. The messageLOUD icon **201** can be present on a home screen **100** with a number of other icons **200**. A user **300** presses the messageLOUD icon **201**, and then selects the Drive Mode **202**. The Drive Mode **202** is then selected and the applica-

11

tion makes an announcement that the application is in Drive Mode by stating “Drive Loud” **400**.

FIG. **10** illustrates receiving emails in Drive Mode **202**. A new email is announced **401**. The announcement of the email is done automatically without, any user input. The announcement of the email **401** can be done according to a pre-existing rules **402**. The rule can for example be that names of the sender along with each recipient up to 3 recipients are read aloud **403**, **404**, and when more than 3 recipients, the name of the user **300** is announced along with the number (for example “4 other”) of other recipients that exist **405**. The email announcement that includes the name of the sender **406** is read aloud. A time delay (a predetermined amount of time), typically a 1 or 2 second pause, gives a user a moment to dismiss, or delete the email **408**. The user can for example swipe top to bottom **409** to delete the email **413**. A user can also tap two times **410** to dismiss the email. If the user takes no action during the pause **412**, the body of the email is read aloud (**411**, **415**) automatically without any user input. The subject and the email body is read aloud **416** in this example. While the email is being read **415**, a user can delete **413** the email by swiping top to bottom **409**, dismiss the email by tapping 2 times, or pause/play by tapping once **418**. If the user takes no action when the email is being read, after the email is read, the user is prompted **421** to call the sender of the email **421**. The user can be asked aloud if the user would like to call the sender **422**. A pause **423** can give the user an opportunity to call the sender. If the user swipes top to bottom **409**, the email is deleted and no further action is taken. If the user swipes up **425**, a call is made **424** by launching the native phone application. If the user does nothing after a pause **426**, the system automatically dismisses the email **414**. The user would then await the receipt of a subsequent email to be read aloud **407**.

FIG. **10** illustrates the clean user interface **103** of Drive Mode **202**. Only a non-functional logo appears in this instance on the interface **103**. The user is not given any prompt that requires touching the screen, allowing the user to memorized gestures and use these gestures (for example by tapping or swiping the screen) to command the application to take an action without looking, at the screen. Generally, four gestures can be used to operate the application, including a single tap, a swipe down, a double tap, and a swipe up.

FIG. **11** illustrates receiving a text message in Drive Mode **202**. After the user selects Drive Mode **202** as illustrated in FIG. **9**, the name of the sender of a new text message **427** is automatically read aloud **428** without any user input. The Drive Mode **202** can have an automatic response **429** that informs the sender that the recipient is busy. A one or two second pause **430** is provided to give the user the opportunity to dismiss the text message by tapping twice **410**, **414**. If the user does not dismiss the text message after the pause, then the body of the text message is read aloud **428**, **429** automatically without any user input. During reading of the body of the text message aloud **417**, the user can pause or dismiss the text **492**. The user can pause the text message by tapping once **418**. The user can dismiss the text message by tapping twice **414**. If the user does not dismiss the text message **414**, then after the body of the text is read aloud, the user is prompted to call the sender **421** by asking the user aloud **422** if the user likes to call the sender. A pause is given **423** to give the user an opportunity to call the sender. If the user swipes up **425**, a call is made by launching the native phone application. If the user does nothing after a pause **426**, the system automatically dismisses the text message **431**.

12

The user would then, await the receipt of a subsequent text message to be read aloud **432**.

FIG. **13** illustrates the system in Drive Mode **202** that allows a user to touch screen **103** to confirm **493** that the phone or other mobile device is in a Drive Mode **202**. The application will read aloud “Drive Loud” **400** to assure the user that the application is in Drive Mode. A user may seek to confirm the Drive Mode by tapping the screen in the event if the user has not received any emails or text messages. A message from a messenger application would be handled in the same manner as a text message.

FIG. **14** illustrates a user exiting Drive Mode **202**. The user can touch and hold for a second to be prompted **435** to press on an exit Drive Mode button. Alternatively if the user holds onto the screen for a predetermined amount of time, such as 3 seconds **436**, the user is automatically exited **437** from Drive Mode **202**. The application can inform the user aloud **438** that the user has exited Drive Mode **202**. The user is then directed to the application home page **102** with the different available modes for the user to select.

FIG. **15** illustrates a user launching Work Mode **203**. The messageLOUD icon **201** can be present on a home screen **100** with a number of other icons **200**. A user **300** presses the messageLOUD icon **201**, and then selects the Work Mode **203**. The Work Mode **203** is then selected and the application makes an announcement that the application is in Work Mode by stating “Work Loud” **439**.

FIG. **16** illustrates a demonstration mode where a user is read aloud **440** that the messageLOUD is now in Work Mode **203** and instructed on how to dismiss an email or text. The user is then instructed on how to delete an email **441**, how to pause and reread (resume) reading **442**, and how to call a sender **494**.

FIG. **17** illustrates the system in Work Mode **203** that allows a user to touch screen **104** to confirm that the phone or other mobile device is in Work Mode **203**. The application will read aloud “Work Loud” **439** to assure the user that the application is in Work Mode **203**. A user may seek to confirm the Work Mode **203** by tapping the screen in the event if the user has not received any emails or text messages.

FIG. **18** illustrates a user exiting Work Mode **203**. The user can touch and hold for a second to be prompted **435** to press on an exit Work Mode button. Alternatively if the user holds onto the screen for 3 seconds **436** (or other predetermined amount of time), the user is automatically exited **437** from Work Mode **203**. The application can inform the user aloud **438** that the user has exited Work Mode **203**. The user is then directed to the application home page **102** with the different available modes for the user to select.

FIG. **19** illustrates the ability of a user to pause Work Mode **203** when a user seeks to take a break. A user can press a pause button **419** to pause Work Mode **203**. A “Resume Work” button **420** comes on the screen **104** which the user presses to resume the Work mode **203**.

FIG. **20A** illustrates the Work Mode **203** when an incoming text message arrives while the application is in the foreground. When a new text message is received, the text message announcement **443** comes on the screen. In this case, a loud announcement is not made. A user can decide by pressing the read button **446** whether or not to have the text messages be read aloud **448**. The mobile device can also vibrate **444** or make a ping sound. A user can dismiss the text message by pressing the dismiss button **445** or have the application read aloud the text message by pressing the read button **446**. If the user presses the read button **446**, the application will display and read aloud (according to the

13

default selected by the user) the body of the text **448, 450**. Unless the user presses the dismiss **445**, reply **449**, or delete **465** buttons, the application will then automatically without any user input prompt the user to call the sender **451, 452, 453**. The user can pause **495** reading aloud of the text message. If the user presses on the call sender **453** button, then the native phone application **454** of the device that is being used will be launched. If after a pause **455**, the user takes no action the text message is dismissed **456**, and the dismissed announcement is made on the screen. At anytime during this process, a user can press the reply button **449** to open the native text messaging application on the device that is being used. The user can also call back by swiping upward instead of pressing the button. A message from a messenger application would be handled in the same manner as a text message.

FIG. **20B** illustrates dismissing of an incoming text message by a user in Work Mode **203**. After a new text message is announced **443** on the screen, the user presses the dismiss button **445**, and the text message is dismissed **457**. After dismissal, the textbox slides away as illustrated. The announcement in this case is limited to the name of the sender and the text of the message appears on the screen. A message from a messenger application would be handled in the same manner as a text message.

FIG. **20C** illustrates the scenario in Work Mode **203** when an incoming text message is ignored. When a text message is announced **443** on the screen, the user has the choice to dismiss **445**, read **446**, or reply **449**. If the user takes no action in the allotted time **447**, then Work Mode **203** goes into the battery save rest screen, until the user taps **464** the screen. When the user taps the screen **464**, the text that the user did not previously respond to by taking any action is announced again **443** on the screen. The announcement can be accompanied with a vibration/ping. A message from a messenger application would be handled in the same manner as a text message.

FIG. **20D** illustrates when an incoming text message is received while the Work Mode **203** is in the background with other applications running in the foreground **501**. The mobile phone or device of the user can have a notification screen **460** that, depending on settings of the mobile device can be pulled down or automatically pops up. The user is provided with the options of a dismiss **445** and read aloud button **446**. If the user presses on the read aloud button **446**, then the work Mode **203** moves into the foreground, and the new text is read aloud **462**.

FIG. **21A** illustrates the Work. Mode **203** when an incoming email arrives while the application is in the foreground. When an email message is received, the email message is announced **463**. A user can decide whether or not to have announcements and emails be read out loud. In this case, the user's default is that announcements of the messages are read only on the screen **463**. The announcement can be made with a vibration/pin& A user can dismiss the email by pressing the dismiss button **445** or have the application read aloud the email by pressing the read button **446**. If the user does nothing, the application will not read the body of the email and will dismiss the message **456**. After the body of the email is read **494**, unless the user presses the dismiss **445** or reply **449** buttons, the application will then prompt the user to call the sender **451, 452, 453**. If the user presses on the call sender **453** button, then the native phone application **454** of the device that is being used will be launched. If after a pause **455**, the user takes no action the text is dismissed **456**. At anytime during this process, a user can press the reply button **449** to open the native email application on the

14

device that is being used. A message from a messenger application would be handled in the same manner as a text message.

FIG. **21B** illustrates dismissing of an incoming email by a user. After a new email is announced **463**, the user presses the dismiss button **445**, and the email is dismissed **467**. The dismissal of the email can be read aloud **467**. After dismissal, the textbox slides away **468** as illustrated.

FIG. **21C** illustrates the scenario in Work Mode **203** when an incoming email is ignored. When an incoming email is announced **463** in Work Mode **203**, the user has a choice to dismiss **445**, read **446**, reply **449**, or delete **465** the new email. If the user takes no action in the allotted time **447**, then Work Mode goes into the battery save rest screen **459** until the user taps **464** the screen. When the user taps the screen **464**, the new email that the user did not previously respond to by taking any action is announced again **463**.

FIG. **21D** illustrates when an incoming new email is deleted. After a new email is announced **463**, the user swipes top to down **466** to delete the email. Alternatively a delete button **465** can be used. The application, depending on the setting, can inform the user aloud **467** that the new email has been deleted.

FIG. **21E** illustrates when a new email is received while the Work Mode **203** is in the background. The mobile phone or other device of the user can have a notification screen **460** that depending on settings of the device can be pulled down or automatically pops up. The user is provided with the options of a dismiss **445**, read aloud button **446**, and delete button **465**. If the user presses on the read aloud button **446**, then the Work Mode **203** moves into the foreground **461**, and the new email is read aloud **490**.

FIG. **12** illustrates components a device on which the application operates. The device is typically a mobile or a smart phone, a mobile phone, but can also be a phablet, a tablet, wearable devices, watches, vehicle operating system/device. Depending on the device or system, the components may vary. For example, in a vehicle, the screen can be the same screen that is used by the vehicle's navigation system. The device can have a processor **601**, a power control unit/manner **607**, a power source such as a battery **608**, a touch screen **602** configured for receiving, input and displaying text/images; a speaker **606**, a microphone **608**, a memory **604**, an Audio Codec **609**, a Bluetooth module **610**, a wireless LAN module **611**, and a baseband processor **612**. Communication can be carried out through a network capable of carrying out communication under one or more of GSM **613**, CDMA **614**, or LTE **616** (tower) protocols, or other multiple access technology protocols. The device can be configured to communicate with a mobile tower or a local wireless network (WiFi. LAN) **611**. The baseband processor **612** can also have an RF filter **615** to filter out certain frequencies. The device can further be configured to have hardware, software or firmware for determining geographic-positioning location information, such as GPS or geolocation **605**. The device can communicate with Radio Frequencies **617**, and both transmit data **618** and receive data **619**. The device can have an antenna **620**. The device can further be configured to exchange data over short distances (such as 10 meters or less), such as with Bluetooth **610**. For example a user may send instruction to the device with a Bluetooth configured microphone and receive audio from the device with a Bluetooth configured speaker worn by the user and in Bluetooth communication with the device. The device can be configured to have additional components/functions, such as input keypad, accelerometer/gyroscope **607**, camera **606**, and an input port such as a USB port. The device can be

configured, either with the main processor or with additional specialty processors, to process graphics, video, and digital signal processing (DSP). The device can further have a solid state or other type of storage, or may rely solely on flash memory for storage. The device can further have an operating system configured to run one or more applications.

FIG. 22 is a flow chart illustrating the receipt, processing, and delivery of emails 701, text messages 702, and messages from a messenger application 727 to a user. The emails 701, text messages 702, and messages from a messenger application 727 arrive to the mobile phone or other device via a communication network 703. The communication network 703 can that of a mobile carrier or an internet carrier (network). Internet Message Access Protocol (IMAP) can be used as an Application Layer Internet protocol to communicate with a remote mail server to access email 701. Text messages 702 may be communicated for example through the user's mobile carrier using Short Message Service (SMS), which uses standardized communications protocols to allow mobile phone and other devices to exchange short text messages. The text message 702 can be limited to a number of characters. The message type can be one from a messenger service such as Facebook messenger, WhatsApp messenger, Skype messenger, Twitter Direct Messenger, Tango messenger, Viber Messenger, WeChat messenger, Instagram direct messenger, and iMessage (Apple chat). Messenger is an instant messaging service and software application which provides chat with a friend on devices that include a mobile device, such as a mobile phone. The messenger can be built for example on the open MQTT protocol.

The application checks for new emails 704. The incoming SMS service 707 that is typically part of the operating system receives text messages delivered from to the user's mobile phone or other device from the communication network 703. The mobile phone's operating system delivers the messages to the default SMS application 719, after which an SMS notification is sent to the user 717. The application can have a notification listener 718 that checks for new text messages. In the same manner as text messages 702, messages from a messenger application 727 are delivered via communication network 703 to the use's device. A third party messenger notification listener 718 receives the messenger application and can send a notification of the messenger message 727. New text messages, emails, and messages from messenger can be placed in a queue 726. When a notification rises to the front of the queue, the notification queue 725 dispatches the notification of the queue to all observers. New text messages, emails, and messages from messenger applications can be processed by parsing and analyzing the message content 706. The analyzing/processing 706 can include the steps described in FIG. 25. A first determination can be made as to which message type is received 729, e.g., email 701, text message 702, and messenger, message 727, The message type can then be parsed 730 according to sender 497, subject 498 (typically for emails only), and body 499. Additional analysis of the message can include date information, and attachment information. Typically emails 701 are parsed into sender 497, subject 498, and text body 499. Text messages 702 and messenger messages 727 are parsed into sender 497 and text body 499. If the application determines that the email or the text message needs to be read to the user, then the application carries out text to, speech conversion 708. For example, the application can create a transcript of the portions or all of the message that it has processed, and covert the message to an audio file using TTS (text-to-

speech) libraries. The audio file can be sent to the mobile phone's (or other device) default storage area. Typically, the application audio file is then played on the mobile phone's speaker 709, and then the audio is terminated 710 either by an action of the user or after completion. When the application processes the email or the text message 706, the application can prompt 711 the user on the screen to take certain actions, including calling back the sender 713, dismissing the message 714, and pausing audio 715. The user's inputs 719, such as swipes on the screen, are processed 712 and further action 720 may be taken by the application based on the user input 719. For example, the user input 719 can stop the application from playing the audio 715. If the user selects call back sender, the phone's native application for calling 720 makes the requested phone call. If a user dismisses a message 714, the email is mark as unread by the native email application 721. Steps 708 and 711 can happen simultaneously after processing 708. Step 708 can be repeated based on the user's input or after a delay afforded to the user. Playing of the audio can occur on the device speaker 709, or on a speaker of a networked speaker, for example a vehicle speaker 723 that is connected with Bluetooth 722. As illustrated in FIG. 22, the application runs on the device. An external server in communication with the device in which the application resides can control a user's account, gather data, and carry out other administrative tasks. Steps/modules 725, 706, 708, 711, 719, 712, 713, 714, 715, 720 and 721 are carried out on the messageLOUD application.

FIG. 24 illustrates different message types, emails 701, text messages 702, and messages from a messenger application 727, placed in a queue 726. The asynchronous messages received at different times, are placed in a queue based on receipt time. The same queue 626 is used for all different message types. If the user is only receiving emails 701 and text messages 702, the queue 626 would only have those message types.

FIG. 23 illustrates that various devices that can run the application. These include portable devices 802 such as mobile phones 803, smart phones 804, wearable devices 805, watches 806, tablet computers 807, phablets 808, and vehicle device/operating system 809. The vehicle is typically an automobile. A smart phone 804 is a type of a mobile phone 803, and is encompassed by a mobile phone.

FIGS. 7A, 7B, 7C, 11, 20A, 20B, 20C, and 20D are illustrated with a text message. A message from a messenger application would work in the same manner as, illustrated for a text message in FIGS. 7A, 7B, 7C, 11, 20A, 20B, 20C, and 20D.

## REFERENCES

- 100—Home screen
- 102—Application home page
- 103—Drive Mode screen
- 104—Work Mode screen
- 105—Active Mode screen
- 200—Other icons
- 201—Application (messageLOUD) icon
- 202—Drive Mode
- 203—Work Mode
- 204—Settings
- 205—Active Mode
- 206—Account Information
- 300—A user
- 400—"Drive Loud" announcement
- 401—New email is announced

## 17

402—Rule  
 403—Applied Rule  
 404—Applied Rule  
 405—Applied Rule  
 406—Name of sender is read aloud  
 407—Proceeding to next email  
 408—Pause  
 409—Swipe  
 410—Tapping  
 411—Read aloud  
 412—Pause  
 413 Delete email  
 414—Dismiss email  
 415, 416—Read aloud email body/subject  
 417—Actions by user during reading aloud  
 418—Pause/play message by tapping once  
 419—Pause button  
 420—Resume Work Button  
 421—Prompt to call sender  
 422—Asked aloud to call the sender  
 423—A pause  
 424—Call is made to sender  
 425—Swipe up  
 426—A pause  
 427—Text announcement  
 428—Text announcement aloud  
 429—Automatic Response  
 430—Pause  
 431—Dismiss text message  
 432—Receipt of subsequent text message  
 434—Hold to exit mode  
 435—Exit Mode button  
 436—Hold to exit mode  
 437—user is automatically exited  
 438—“Goodbye” aloud  
 439—“Work Loud”  
 440—Audio instructions in Work Mode  
 441—how to delete an email/Pause button  
 442—how to pause and resume (reread) reading/Resume Work button  
 443—How to call a sender  
 444—vibrate  
 445—dismiss button  
 446—read message button  
 447—pause  
 448—textbox slides away  
 449—reply button  
 450—text message read aloud  
 451—user is prompted to call sender  
 452—Textbox to ask user to call sender  
 453—call sender  
 454—native phone application  
 455—pause  
 456—the text message is dismissed  
 457—text message is dismissed  
 458—dismissal of text message can be read aloud  
 459—battery save rest screen  
 460—notification screen/user taps the screen  
 461—application moves into the foreground  
 462—new text is read aloud  
 463—email is read aloud  
 464—user taps the screen  
 465—delete button  
 466—user swipes top to down  
 467—application can inform the user aloud of dismissal  
 468—textbox slides away after dismissal  
 469—Application states “Active-Mode”

## 18

470—messageLOUD is now in Active Mode  
 471—User instructed how to delete emails  
 472—How to pause and resume reading  
 473—How to call a sender  
 5 474—application will read aloud “Active Loud”  
 475—user tapping  
 476—Active Paused  
 477—resume active  
 478—Text message is announced  
 10 479—message is read aloud  
 480—user is busy  
 481—A new text is announced  
 482—text is dismissed  
 483—email is announced  
 15 484—new email is read aloud  
 485—Long emails which overflow  
 486—Email is read aloud  
 487—scroll up  
 488—Attachments are displayed  
 20 489—Device can also vibrate  
 490—New email is read aloud in app  
 491—Incoming email is read aloud  
 492—user can pause or dismiss the text  
 493—touch the screen when idle to confirm you are still in  
 25 Drive Mode  
 494—how to call the sender  
 495—Pause Button  
 496—Messenger working in same manner as a text message  
 497—Sender (can be phone number, name, nickname)  
 30 498—Subject  
 499—body  
 501—Applications in the foreground  
 601—processor  
 602—screen  
 35 603—vibrator  
 604—flash memory  
 605—GPS receiver  
 606—Camera  
 607—Accelerometer/gyroscope  
 40 608—Microphone  
 609—Audio Codec  
 610—Bluetooth module  
 611—Wireless LAN module  
 612—Baseband processor  
 45 613—GSM (Global System for Mobile Communications)  
 614—CDMA (Code division multiple access)  
 615—RF Filter  
 616—LTE  
 617—RF  
 50 618—TX  
 619—RX  
 620—Antenna  
 701—Email  
 702—Text Messages  
 55 703—Communication Network  
 704—Checking for new emails  
 706—Parse and analyze message content (processing image)  
 707—Incoming SMS service  
 60 708—TTS (text-to-speech) message reading  
 709—Device speaker  
 710—End Audio  
 711—On-screen prompts  
 712—Process user input  
 65 713—Call back sender  
 714—Dismiss message  
 715—Pause audio

- 717—SMS notification
- 718—Notification Listener
- 719—Default SMS App
- 720—Launch Default Phone App
- 721—Marl Email as Read in Email App
- 722—Bluetooth
- 723—Vehicle Speaker
- 724—Server
- 725—Notification Queue
- 726—Queue
- 727—Messenger message
- 728—3rd party messenger app notification listener
- 729—Determine Message Type
- 730—Parse Message Type
- 801—Device
- 802—Portable Device
- 803—Mobile Phones
- 804—smart phones
- 805—wearable devices
- 806—watches
- 807—tablet computers
- 808—phablets
- 809—vehicle operating system/device

What is claimed is:

1. A computer implemented method to be carried out with a processor, a memory, and a speaker, comprising: a) determining without any input by a user that one or more different types of messages selected from the group consisting of a text message, an email, and a message from a messenger application have been received; b) analyzing, without any input by the user a content of the received text message, message from the messenger application, or email; c) placing the received email, message from the messenger application, or text message in a queue to be read aloud in order of receipt time; d) informing the user through the speaker without any input by the user that the received text message, message from the messenger application, or email has been received from a sender by reading aloud at least an identity of the sender; e) allowing the user a time to take an affirmative action to stop reading aloud to the user a body of the received text message, message from the messenger application, or email; f) based on not receiving an input corresponding to the affirmative action from the user, reading aloud the body of the received, text message, message from the messenger application, or the email and g) allowing the user an option to stop the reading aloud of the received text message, the message from the messenger application, or the email.

2. The computer implemented method of claim 1, wherein analyzing the content comprises parsing the email into a subject, the sender, and the body, and parsing the text message or the message from the messenger application into the sender and the body.

3. The computer implemented method of claim 1, wherein informing the user comprises informing the user of the

identity of the sender and the subject of the received email, or the identity of the sender of the received text message or the message from the messenger application.

4. The computer implemented method of claim 1, wherein the computer implemented method is carried out with an application that is configured to run in a foreground or in a background, and is further configured to switch back and forth between the foreground and the background, and is further configured to read aloud the identity of the sender, and the body of the received email, text message, or message from the messenger application while the application is in the background.

5. The computer implemented method of claim 1, further comprising prompting the user to call the sender without any input from the user.

6. The computer implemented method of claim 1, wherein informing the user comprises reading aloud a name of the sender.

7. The computer implemented method of claim 1, the method further comprising based on receiving an input corresponding to an affirmative action, from the user, not reading aloud the body of the received text message, message from the messenger application, or email to the user.

8. The computer implemented method of claim 1, further comprising receiving an input from the user based on gestures by the user.

9. The computer implemented method of claim 1, further comprising, based on receiving an input from the user to call the sender, informing the user by voice of an option to call the sender.

10. The computer implemented method of claim 1, wherein the reading aloud is carried out by an audio system in a vehicle.

11. The computer implemented method of claim 10, wherein after the received email, text message or message from the messenger application is read aloud and a status changed to read, the user is notified that a new email, text message, or message from the messenger application has been received.

12. The computer implemented method of claim 1, wherein the reading aloud is carried out by an audio system in a vehicle.

13. The computer implemented method of claim 1, wherein the input from the user is limited to a) pausing or rereading the reading of the received email, text message or message from the messenger application; b) dismissing the received email, text message, or message from the messenger application; c) deleting the received email; and d) calling the sender.

14. The computer implemented method of claim 1, wherein the method is carried out on a device selected from the group consisting of: a smart phone, a mobile phone, a phablet, a tablet, a wearable device, a watch, and a vehicle operating device.

\* \* \* \* \*