



US007373246B2

(12) **United States Patent**
O'Clair

(10) **Patent No.:** **US 7,373,246 B2**

(45) **Date of Patent:** **May 13, 2008**

(54) **USING BOUNDARIES ASSOCIATED WITH A MAP VIEW FOR BUSINESS LOCATION SEARCHING**

7,231,405 B2 *	6/2007	Xia	707/104.1
2002/0042819 A1 *	4/2002	Reichert et al.	709/217
2002/0078035 A1	6/2002	Frank et al.	
2002/0143462 A1 *	10/2002	Warren	701/200
2002/0156779 A1	10/2002	Elliot et al.	
2002/0163547 A1 *	11/2002	Abramson et al.	345/855

(75) Inventor: **Brian O'Clair**, New York, NY (US)

(73) Assignee: **Google Inc.**, Mountain View, CA (US)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 304 days.

EP	1072987 A1 *	1/2001
WO	WO 01/65410 A2	9/2001
WO	WO 02/065331 A2	8/2002

(21) Appl. No.: **11/139,032**

OTHER PUBLICATIONS

(22) Filed: **May 27, 2005**

www.mapquest.com; May 18, 2004.*
Pending U.S. Appl. No. 11/138,670, filed May 27, 2005 entitled "Scoring Local Search Results Based On Location Prominence" by Brian O'Clair et al., 46 pages.

(65) **Prior Publication Data**

US 2006/0271280 A1 Nov. 30, 2006

* cited by examiner

(51) **Int. Cl.**
G01C 21/32 (2006.01)

Primary Examiner—Michael J. Zanelli
(74) *Attorney, Agent, or Firm*—Harrity Snyder, LLP

(52) **U.S. Cl.** **701/208; 701/200**

(58) **Field of Classification Search** None
See application file for complete search history.

(57) **ABSTRACT**


A system aggregates entity location information from multiple documents distributed among multiple locations in a network. The system searches the entity location information to identify a first set of entities located within the entirety of a first geographic region selected by a user. The system provides a first digital map to the user via a network, the first digital map including the first geographic region and further including visual representations of the first set of identified entities and their associated geographic locations.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,974,170 A *	11/1990	Bouve et al.	715/855
5,289,572 A *	2/1994	Yano et al.	715/855
5,852,810 A *	12/1998	Sotiroff et al.	705/27
5,944,769 A *	8/1999	Musk et al.	701/201
6,408,307 B1 *	6/2002	Semple et al.	707/104.1
6,701,307 B2 *	3/2004	Himmelstein et al.	707/3
6,718,344 B2 *	4/2004	Hirono	707/104.1
6,775,613 B2 *	8/2004	Burt et al.	701/213

14 Claims, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5

FIG. 6



1

USING BOUNDARIES ASSOCIATED WITH A MAP VIEW FOR BUSINESS LOCATION SEARCHING

BACKGROUND

1. Field of the Invention

Implementations described herein relate generally to information retrieval and, more particularly, to using boundaries associated with a given map view for retrieving the location of businesses located within the boundaries of the map view.

2. Description of Related Art

The World Wide Web (“web”) contains a vast amount of information. Locating a desired portion of the information, however, can be challenging. This problem is compounded because the amount of information on the web and the number of new users inexperienced at web searching are growing rapidly.

Search engines attempt to return hyperlinks to web pages in which a user is interested. Generally, search engines base their determination of the user’s interest on search terms (called a search query) entered by the user. The goal of the search engine is to provide links to high quality, relevant results (e.g., web pages) to the user based on the search query. Typically, the search engine accomplishes this by matching the terms in the search query to a corpus of pre-stored web pages (e.g., using an index). Web pages that contain the user’s search terms are considered “hits” and are returned to the user as links.

Local search engines are search engines that attempt to return relevant web pages and/or business listings within a certain distance of a specific geographic location. For a local search, a user may enter a search query and may specify a geographic location around which the search query is to be performed. The local search engine may return relevant results, such as relevant web pages pertaining to the geographic area or listings of businesses that are located within a certain distance of a center of the specified geographic location. For example, if one searches for restaurants in the San Francisco Bay area using an existing graphical map search interface (e.g., a local search using Google Maps) only the most relevant restaurants within a certain distance of the very center point of the map will be provided to the searching user. The searching user, however, may find it more desirable to locate the most relevant restaurants over the entire area of the map displayed to the user, and not just those within a certain distance of the center point of the map.

SUMMARY

According to one aspect, a computer-implemented method may include providing a first map to a user, the first map including a geographic region having first boundaries. The method may further include receiving an indication of a boundary reselection from the user and providing a second map to the user, the second map including a geographic region having second boundaries, where the second boundaries are different than the first boundaries. The method may also include identifying a geographic search area based on the second boundaries, searching location information to identify entities located within the identified geographic search area, and providing the identified entities, and associated geographic location information, to the user.

According to another aspect, a method may include aggregating entity location information from a group of documents distributed among a group of locations in a

2

network and searching the entity location information to identify a first set of entities located within the entirety of a first geographic region selected by a user. The method may further include providing a first digital map to the user via the network, the first digital map covering the first geographic region and including visual representations of the first set of identified entities and their associated geographic locations.

According to a further aspect, a computer-implemented method may include defining a first geographic region associated with a digital map based on first user input. The method may further include searching business location information to identify businesses located within the entirety of the first geographic region.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are incorporated in and constitute a part of this specification, illustrate one or more embodiments of the invention and, together with the description, explain the invention. In the drawings,

FIG. 1 is an exemplary diagram of an overview of an implementation of the invention in which a zoom level map view of a geographic region is used to retrieve a listing of businesses located within the geographic region;

FIG. 2 is an exemplary diagram of a network in which systems and methods consistent with the principles of the invention may be implemented;

FIG. 3 is an exemplary diagram of a client or server of FIG. 2 according to an implementation consistent with the principles of the invention;

FIG. 4 is a flowchart of an exemplary process for fetching, aggregating and indexing business location information contained in distributed documents according to an implementation consistent with the principles of the invention;

FIG. 5 is a flowchart of an exemplary process for identifying the location of one or more businesses within the visible boundaries of a displayed map consistent with an aspect of the invention;

FIG. 6 is a diagram of an exemplary map document consistent with an aspect of the invention; and

FIG. 7 is a diagram of an exemplary document that includes a zoom level view of the map document of FIG. 6 and identifies businesses located within the zoom level view consistent with an aspect of the invention.

DETAILED DESCRIPTION

The following detailed description of the invention refers to the accompanying drawings. The same reference numbers in different drawings may identify the same or similar elements. Also, the following detailed description does not limit the invention.

Consistent with aspects of the invention, entities (e.g., businesses) that are the most relevant to a given search query and that are located within an entire area of a map view presented to the user, and not just those within a certain distance from the center point of the map view, may be provided to a searching user. A broad area defined by the outer boundaries of a map view, the extent of which may be changed by the user, may, thus, be used to search a corpus of location listings (e.g., business location listings, residential location listings, government office location listings, etc.) that may have been aggregated from multiple documents hosted at multiple distributed locations in a network.

A “document,” as the term is used herein, is to be broadly interpreted to include any machine-readable and machine-

3

storable work product. A document may include, for example, an e-mail, a web site, a business listing, a file, a combination of files, one or more files with embedded links to other files, a news group posting, a blog, a web advertisement, a digital map, etc. In the context of the Internet, a common document is a web page. Web pages often include textual information and may include embedded information (such as meta information, images, hyperlinks, etc.) and/or embedded instructions (such as Javascript, etc.). A “link,” as the term is used herein, is to be broadly interpreted to include any reference to/from a document from/to another document or another part of the same document.

Overview

FIG. 1 illustrates an exemplary overview of an implementation of the invention in which different zoom level views of a map document may be used to define a geographic region that may further be used to identify businesses that are located within the boundaries of the geographic region. As shown in FIG. 1, a server (not shown) may provide a map document **100** to a user at a client (not shown) in response to a geographic location provided by the user. Map document **100** may include a zoom level view **110** of the geographic location provided by the user. The user may additionally provide a search query related to a type of business that the user desires to locate within a geographic region bounded by zoom level view **110** of the map document. The user may “move” north, south, east or west with respect to zoom level view **110** of the map document, or may change the scale of zoom level view **110** by “zooming in” or “zooming out” of the zoom level view **110**. With each view change by the user, the server may provide an updated zoom level view **110** of the map document that corresponds to the change in scale, or to the direction the user has moved with respect to the previous view. As shown in FIG. 1, zoom level view **110** may have boundaries that encompass a specific geographic region at a specific scale.

Once the user has obtained the desired geographic region, at the desired scale, of the map document, the user may initiate a search of businesses located within the desired geographic region. The server may search a database of businesses, along with associated business location information and business contact information, that has been produced by fetching and aggregating multiple documents hosted at multiple distributed locations in a network. Business location information derived from the aggregated documents may be indexed, and this index may be searched to retrieve businesses that are located within the boundaries of the entirety of zoom level map view **110** selected by the user. For example, as shown in FIG. 1, a latitude (lat) and longitude (lon) may be determined to be associated with each of the boundaries (e.g., each corner when the map is rectangular) of zoom level map view **110**. The index may be searched to retrieve businesses that have corresponding latitude and longitude location information located within the entirety of the geographic region bounded by zoom level map view **110**.

Exemplary Network Configuration

FIG. 2 is an exemplary diagram of a network **200** in which systems and methods consistent with the principles of the invention may be implemented. Network **200** may include multiple clients **210** connected to one or more servers **220-230** via a network **240**. Two clients **210** and two servers **220-230** have been illustrated as connected to network **240**

4

for simplicity. In practice, there may be more or fewer clients and servers. Also, in some instances, a client may perform some functions of a server and a server may perform some functions of a client.

Clients **210** may include client entities. An entity may be defined as a device, such as a wireless telephone, a personal computer, a personal digital assistant (PDA), a lap top, or another type of computation or communication device, a thread or process running on one of these devices, and/or an object executable by one of these devices. Servers **220** and **230** may include server entities that access, fetch, aggregate, process, search, and/or maintain documents in a manner consistent with the principles of the invention. Clients **210** and servers **220** and **230** may connect to network **240** via wired, wireless, and/or optical connections.

In an implementation consistent with the principles of the invention, server **220** may include a search engine system **225** usable by users at clients **210**. Server **220** may implement a data aggregation service by crawling a corpus of documents (e.g., web documents), indexing entity location information (e.g., business locations) extracted from the documents, and storing the entity location information associated with the documents in a repository. The data aggregation service may be implemented in other ways, such as by agreement with the operator(s) of data server(s) **230** to distribute content from their hosted documents via the data aggregation service. Search engine **225** may execute a query, received from a user at a client **210**, on the entity location information stored in the repository and may provide a graphical digital map based on the executed query.

Server(s) **230** may store or maintain documents that may be crawled by server **220**. Such documents may include geographic location data associated with businesses. For example, a document associated with the site starbucks.com may include address and contact information (e.g., telephone number) of Starbucks coffee shops. The documents stored by server(s) **230** may further include geographic location data associated with other entities, such as residences of private individuals, addresses and contact information associated with government offices, etc.

Network **240** may include one or more networks of any type, including a local area network (LAN), a wide area network (WAN), a metropolitan area network (MAN), a telephone network, such as the Public Switched Telephone Network (PSTN) or a Public Land Mobile Network (PLMN), an intranet, the Internet, a memory device, or a combination of networks. The PLMN(s) may further include a packet-switched sub-network, such as, for example, General Packet Radio Service (GPRS), Cellular Digital Packet Data (CDPD), or Mobile IP sub-network.

While servers **220-230** are shown as separate entities, it may be possible for one of servers **220-230** to perform one or more of the functions of the other one of servers **220-230**. For example, it may be possible that servers **220** and **230** are implemented as a single server. It may also be possible for a single one of servers **220** and **230** to be implemented as two or more separate (and possibly distributed) devices.

Exemplary Client/Server Architecture

FIG. 3 is an exemplary diagram of a client or server entity (hereinafter called “client/server entity”), which may correspond to one or more of clients **210** and/or servers **220-230**, according to an implementation consistent with the principles of the invention. The client/server entity may include a bus **310**, a processor **320**, a main memory **330**, a read only memory (ROM) **340**, a storage device **350**, an input device

5

360, an output device **370**, and a communication interface **380**. Bus **310** may include a path that permits communication among the elements of the client/server entity.

Processor **320** may include a conventional processor, microprocessor, or processing logic that may interpret and execute instructions. Main memory **330** may include a random access memory (RAM) or another type of dynamic storage device that may store information and instructions for execution by processor **320**. ROM **340** may include a conventional ROM device or another type of static storage device that may store static information and instructions for use by processor **320**. Storage device **350** may include a magnetic and/or optical recording medium and its corresponding drive.

Input device **360** may include a conventional mechanism that permits an operator to input information to the client/server entity, such as a keyboard, a mouse, a pen, voice recognition and/or biometric mechanisms, etc. Output device **370** may include a conventional mechanism that outputs information to the operator, including a display, a printer, a speaker, etc. Communication interface **380** may include any transceiver-like mechanism that enables the client/server entity to communicate with other devices and/or systems. For example, communication interface **380** may include mechanisms for communicating with another device or system via a network, such as network **240**.

The client/server entity, consistent with the principles of the invention, may perform certain operations or processes, as will be described in detail below. The client/server entity may perform these operations in response to processor **320** executing software instructions contained in a computer-readable medium, such as memory **330**. A computer-readable medium may be defined as a physical or logical memory device and/or carrier wave.

The software instructions may be read into memory **330** from another computer-readable medium, such as data storage device **350**, or from another device via communication interface **380**. The software instructions contained in memory **330** may cause processor **320** to perform operations or processes that will be described later. Alternatively, hardwired circuitry may be used in place of or in combination with software instructions to implement processes consistent with the principles of the invention. Thus, implementations consistent with the principles of the invention are not limited to any specific combination of hardware circuitry and software.

Exemplary Process for Indexing Business Location Information

FIG. 4 is a flowchart of an exemplary process for fetching, aggregating and indexing business location information extracted from multiple documents that may be hosted at distributed locations in a network. As one skilled in the art will appreciate, the process exemplified by FIG. 4 can be implemented in software and stored on a computer-readable memory, such as main memory **330**, ROM **340**, or storage device **350** of server **220**.

The exemplary process may begin with fetching and aggregating documents whose content includes business location information (block **400**). The business location information may, for example, include a name, an address and contact information associated with one or more specific businesses. The business location information may also include a latitude and longitude associated with the address of the business. The documents that are fetched and aggregated may include authoritative documents the content of

6

which are considered highly accurate or trustworthy. For example, documents associated with the “yellow pages” may be fetched and aggregated to extract address information associated with businesses. The address information may, in turn, be translated to geographic latitude and longitude information.

The business location information for each business contained in the aggregated documents may be indexed (block **410**). Existing techniques may be used to index the business location information so that the business location information can be efficiently searched.

A prominence score associated with each indexed business may be determined (optional block **420**). The prominence score may be used in ranking businesses returned as results of a search. In one implementation, the scoring techniques described in co-pending U.S. application Ser. No. 11/138,670, entitled “Scoring Local Search Results Based on Location Prominence,” the disclosure of which is incorporated by reference herein, may be used to score each indexed business.

Exemplary Zoom Level Map View Business Location Identification Process

FIG. 5 is a flowchart of an exemplary process for identifying the location of one or more businesses within the visible boundaries of a displayed map according to an implementation consistent with the principles of the invention. As one skilled in the art will appreciate, the process exemplified by FIG. 5 can be implemented in software and stored on a computer-readable memory, such as main memory **330**, ROM **340**, or storage device **350** of server **220**.

The exemplary process may begin with providing a map document to a user that includes a selected geographic location (block **500**). For example, a user may provide a geographic location, such as, for example, Washington, D.C., to server **220**. As shown in FIG. 6, the user may enter a city (e.g., Washington, D.C.) in a location search field **610** of a map document **600**. In response, as further shown in FIG. 6, server **220** may update map document **600** to include a zoom level map view **640** of the geographic location selected by the user. Map view **640** may include a default scale that, for example, displays the entirety of a region that encompasses the user provided geographic location (e.g., the areas of Virginia and Maryland that surround Washington, D.C.).

A determination may be made whether the user has re-selected the map boundaries (block **510**). The user may re-select the map boundaries by “moving” east, north, south or west of zoom level map view **640**, or by “zooming in” or “zooming out” of zoom level map view **640**. For example, the user may “zoom in” on the zoom level map view **640** (e.g., by “clicking” on a “zoom in” icon) to produce, as shown in FIG. 7, a small scale zoom level map view **700** of a portion of Washington, D.C. The user may select zoom control **710** (e.g., by “clicking” on a portion of the zoom control icon) to “zoom in” or “zoom out” of map view **700**. The user may “move” east, north, south, or west of the zoom level map view **700** by selecting view displacement control **720**. If the user has re-selected the map boundaries, then the exemplary process may return to block **500** with the provision of an updated map document to the user that includes the new zoom level map view with re-selected map boundaries.

A search query may be received from the user (block **520**). The search query may specify the type of business that the user desires to display within zoom level map view **700**.

For example, as shown in FIG. 6, the user may enter a business type (e.g., pizza, coffee, groceries, etc.) in search field 620 of a map document 600 and may then select a search button 630.

The boundaries of the zoom level map view may be identified as the geographic search area (block 530). For example, the area defined by the latitude and longitude (lat, lon) corresponding to each corner of zoom level map view 700 may be used as the geographic search area. As a specific example, the upper corner of a zoom level map view may be at latitude 37.557800 and longitude -122.276031 and the lower corner of the zoom level map view may be at latitude 38.557800 and longitude -123.276031. In this specific example, the zoom level map view may include a rectangle of height equal to latitude 1 and a width equal to longitude 1.

The indexed business location information (e.g., indexed in block 410 above) may be searched to identify businesses located within the entire geographic search area that are relevant to the search query (block 540). For example, the latitude and longitude coordinates associated with each indexed business that is determined to be relevant to the search query may be compared with the latitudes and longitudes associated with the geographic search area. As a result of this comparison, businesses that lie within the geographic search area may be identified.

The identified businesses may then be ranked (block 550). The identified business may be ranked using various scoring techniques. For example, in one implementation, the prominence score optionally determined for each business in block 420 above may be used to rank the identified businesses. Other techniques, however, may be used for ranking the identified businesses, such as, for example, ranking the identified businesses based on their proximity to one or more geographic locations (e.g., a business closer to a specific geographic location may be ranked higher than a business that is farther from the specific geographic location). The ranked identified businesses may be provided to the user (block 560). As shown in FIG. 7, a ranked list of businesses 740 may be provided to the user, with each business in the list including a map identifier 730, which visually indicates the location of a business on zoom level map view 700.

CONCLUSION

Systems and methods consistent with the principles of the invention enable the searching of a corpus of location listings, that may have been aggregated from multiple documents hosted at multiple distributed locations in a network, using a graphical interface that provides a map view to a user. Using the graphical interface, a user may search the corpus of location listings to identify entities, such as businesses, that are the most relevant to a given search query and that are located within an entire area of a map view presented to the user. The user may “zoom in,” “zoom out,” or traverse north, south, east or west with respect to a given map view to change the outer boundaries of the map view, thus, altering the extent of the geographic region over which entities are searched.

The foregoing description of preferred embodiments of the present invention provides illustration and description, but is not intended to be exhaustive or to limit the invention to the precise form disclosed. Modifications and variations are possible in light of the above teachings, or may be acquired from practice of the invention. For example, while series of acts have been described with regard to FIGS. 4 and 5, the order of the acts may be modified in other implemen-

tations consistent with the principles of the invention. Further, non-dependent acts may be performed in parallel.

It will be apparent to one of ordinary skill in the art that aspects of the invention, as described above, may be implemented in many different forms of software, firmware, and hardware in the implementations illustrated in the figures. The actual software code or specialized control hardware used to implement aspects consistent with the principles of the invention is not limiting of the invention. Thus, the operation and behavior of the aspects have been described without reference to the specific software code, it being understood that one of ordinary skill in the art would be able to design software and control hardware to implement the aspects based on the description herein.

No element, act, or instruction used in the present application should be construed as critical or essential to the invention unless explicitly described as such. Also, as used herein, the article “a” is intended to include one or more items. Where only one item is intended, the term “one” or similar language is used. Further, the phrase “based on” is intended to mean “based, at least in part, on” unless explicitly stated otherwise.

What is claimed is:

1. A method, comprising:
 - aggregating entity location information from a plurality of documents distributed among a plurality of locations in a network;
 - searching the entity location information to identify a first set of entities located within the entirety of a first geographic region selected by a user;
 - providing a first digital map to the user via the network, the first digital map covering the first geographic region and including visual representations of the first set of identified entities and their associated geographic locations;
 - receiving a selection from the user that identifies a second geographic region in response to the user interacting with the first digital map, where the selection includes at least one of zooming in or zooming out of the first digital map or traversing north, south, east or west with respect to the first digital map to identify the second geographic region;
 - automatically searching the entity location information to identify a second set of entities located within the entirety of the second geographic region in response to receiving the selection; and
 - providing a second digital map to the user via the network, the second digital map encompassing the second geographic region and including visual representations of the second set of identified entities and their associated geographic locations.
2. The method of claim 1, where the aggregated entity location information is indexed.
3. The method of claim 2, where searching the entity location information comprises:
 - searching the indexed entity location information to identify entities located within the first and second geographic regions.
4. The method of claim 1, further comprising:
 - ranking the identified entities located within the first and second geographic regions,
 - where providing the identified entities to the user comprises:
 - providing the ranked identified entities to the user.
5. The method of claim 1, where the entities comprises businesses, private residences, or government offices.

9

6. The method of claim 1, further comprising:
 identifying latitude and longitude information that corre-
 sponds to the first and second geographic regions.

7. The method of claim 6, where searching the entity
 location information comprises: 5
 comparing latitude and longitude information associated
 with the entity location information with the latitude
 and longitude information that corresponds to the first
 and second geographic regions to identify the first set
 of entities located within the entirety of the first geo-
 graphic region and the second set of entities located 10
 within the entirety of the second geographic region.

8. A computer-implemented method, comprising:
 defining a first geographic region associated with a digital
 map based on first user input; 15
 searching business location information to identify a first
 set of businesses located within an entirety of the first
 geographic region;
 defining a second geographic region associated with the
 digital map based on second user input, where the 20
 second geographic region is defined by at least one of
 zooming in or zooming out of the digital map or
 traversing north, south, east or west with respect to the
 digital map to define the second geographic region; and
 automatically searching the business location information 25
 to identify a second set of businesses located within an

10

entirety of the second geographic region in response to
 defining the second geographic region.

9. The method of claim 8, further comprising:
 providing a list of the identified second set of businesses
 to the user at a same time as providing a second digital
 map that depicts the second geographic region.

10. The method of claim 8, where the first geographic
 region has a first scale and where the second geographic
 region has a second scale that is different than the first scale.

11. The method of claim 8, where the first geographic
 region is centered on a first geographic location and the
 second geographic region is centered on a second, different
 geographic location.

12. The method of claim 8, further comprising:
 aggregating the business location information from a
 plurality of distributed documents.

13. The method of claim 12, further comprising:
 indexing the aggregated business location information.

14. The method of claim 13, wherein searching the
 business location information comprises:
 searching the indexed business location information to
 identify entities located within the entirety of the sec-
 ond geographic region.

* * * * *