



US011338189B2

(12) **United States Patent**
Lockton

(10) **Patent No.:** **US 11,338,189 B2**
(45) **Date of Patent:** ***May 24, 2022**

(54) **METHOD OF AND SYSTEM FOR CONDUCTING MULTIPLE CONTESTS OF SKILL WITH A SINGLE PERFORMANCE**

(71) Applicant: **Winview, Inc.**, Redwood City, CA (US)

(72) Inventor: **David B. Lockton**, Redwood City, CA (US)

(73) Assignee: **Winview, Inc.**, Redwood City, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **17/024,330**

(22) Filed: **Sep. 17, 2020**

(65) **Prior Publication Data**

US 2021/0001204 A1 Jan. 7, 2021

Related U.S. Application Data

(63) Continuation of application No. 16/221,307, filed on Dec. 14, 2018, now Pat. No. 10,806,988, which is a (Continued)

(51) **Int. Cl.**
A63B 71/06 (2006.01)
G07F 17/32 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **A63B 71/06** (2013.01); **A63F 13/31** (2014.09); **A63F 13/35** (2014.09); **A63F 13/795** (2014.09);
(Continued)

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,831,105 A 4/1958 Parker
3,562,650 A 2/1971 Gossard et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CA 2252074 11/1997
CA 2252021 11/1998
(Continued)

OTHER PUBLICATIONS

Two Way TV Patent and Filing Map www.twowaytv.com/version4/technologies/tech_patents.asp

(Continued)


Primary Examiner — Ronald Laneau

(74) *Attorney, Agent, or Firm* — Haverstock & Owens, A Law Corporation

(57) **ABSTRACT**

A method and system for conducting multiple competitions of skill for a single performance are described herein. User generated competition groups and system generated competition groups allow users to participate in multiple competitions at once based on answering the same questions or making the same selections related to a single event. The users are informed of each competition either via email, text message or when logging into the network via a website. The users select which competition groups to join. After joining the desired groups, users then make their selections related to the event which are transmitted to the network where results are tabulated and transmitted back to the users. The results are separated based on each competition group, so that users can continually know where they stand in each separate competition. With multiple competition groups, users are able to have varying success from the same performance in multiple competitions.

38 Claims, 3 Drawing Sheets



Related U.S. Application Data

continuation of application No. 15/485,145, filed on Apr. 11, 2017, now Pat. No. 10,186,116, which is a continuation of application No. 14/927,227, filed on Oct. 29, 2015, now Pat. No. 9,652,937, which is a continuation of application No. 14/706,802, filed on May 7, 2015, now Pat. No. 9,314,686, which is a continuation of application No. 13/246,464, filed on Sep. 27, 2011, now Pat. No. 9,056,251, which is a continuation-in-part of application No. 13/215,052, filed on Aug. 22, 2011, now Pat. No. 8,622,798, which is a continuation of application No. 11/652,240, filed on Jan. 10, 2007, now Pat. No. 8,002,618.

(60) Provisional application No. 60/757,960, filed on Jan. 10, 2006.

(51) **Int. Cl.**

A63F 13/31 (2014.01)
A63F 13/795 (2014.01)
A63F 13/35 (2014.01)
A63F 13/80 (2014.01)

(52) **U.S. Cl.**

CPC *A63F 13/80* (2014.09); *G07F 17/32* (2013.01); *G07F 17/3227* (2013.01); *G07F 17/3241* (2013.01); *G07F 17/3255* (2013.01); *G07F 17/3276* (2013.01); *G07F 17/3288* (2013.01); *G07F 17/3293* (2013.01); *G07F 17/3295* (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,141,548 A 2/1979 Everton
 4,270,755 A 6/1981 Willhide et al.
 4,386,377 A 5/1983 Hunter, Jr.
 4,496,148 A 1/1985 Morstain et al.
 4,521,803 A 6/1985 Glittinger
 4,592,546 A 6/1986 Fascenda et al.
 4,816,904 A 3/1989 McKenna et al.
 4,918,603 A 4/1990 Hughes et al.
 4,930,010 A 5/1990 MacDonald
 5,013,038 A 5/1991 Luvenberg
 5,018,736 A 5/1991 Pearson et al.
 5,035,422 A 7/1991 Berman
 5,073,931 A 12/1991 Audebert et al.
 5,083,271 A 1/1992 Thatcher et al.
 5,083,800 A 1/1992 Lockton
 5,119,295 A 6/1992 Kapur
 5,120,076 A 6/1992 Luxenberg et al.
 5,213,337 A 5/1993 Sherman
 5,227,874 A 7/1993 Von Kohom
 5,256,863 A 10/1993 Ferguson
 5,263,723 A 11/1993 Pearson et al.
 5,283,734 A 2/1994 Von Kohom
 5,327,485 A 7/1994 Leaden
 5,343,236 A 8/1994 Koppe et al.
 5,343,239 A 8/1994 Lappington et al.
 5,417,424 A 5/1995 Snowden
 5,462,275 A 10/1995 Lowe et al.
 5,479,492 A 12/1995 Hofstee et al.
 5,488,659 A 1/1996 Millani
 5,519,433 A 5/1996 Lappington
 5,530,483 A 6/1996 Cooper
 5,553,120 A 9/1996 Katz
 5,566,291 A 10/1996 Boulton et al.
 5,585,975 A 12/1996 Bliss
 5,586,257 A 12/1996 Perlman
 5,589,765 A 12/1996 Ohmart et al.
 5,594,938 A 1/1997 Engel
 5,618,232 A 4/1997 Martin
 5,628,684 A 5/1997 Jean-Etienne

5,636,920 A 6/1997 Shur et al.
 5,638,113 A 6/1997 Lappington
 5,643,088 A 7/1997 Vaughn et al.
 5,663,757 A 9/1997 Morales
 5,759,101 A 6/1998 Won Kohom
 5,761,606 A 6/1998 Wolzien
 5,762,552 A 6/1998 Voung et al.
 5,764,275 A 6/1998 Lappington et al.
 5,794,210 A 8/1998 Goldhaber et al.
 5,805,230 A 9/1998 Staron
 5,813,913 A 9/1998 Berner et al.
 5,818,438 A 10/1998 Howe et al.
 5,828,843 A 10/1998 Grimm
 5,838,774 A 11/1998 Weiser, Jr.
 5,838,909 A 11/1998 Roy
 5,846,132 A 12/1998 Junkin
 5,848,397 A 12/1998 Marsh et al.
 5,860,862 A 1/1999 Junkin
 5,894,556 A 4/1999 Grimm
 5,916,024 A 6/1999 Von Kohom
 5,870,683 A 9/1999 Wells et al.
 5,970,143 A 10/1999 Schneier et al.
 5,971,854 A 10/1999 Pearson et al.
 5,987,440 A 11/1999 O'Neil et al.
 6,009,458 A 12/1999 Hawkins et al.
 6,015,344 A 1/2000 Kelly et al.
 6,016,337 A 1/2000 Pykalisto
 6,038,599 A 3/2000 Black
 6,042,477 A 3/2000 Addink
 6,064,449 A 5/2000 White
 6,104,815 A 8/2000 Alcorn et al.
 6,110,041 A 8/2000 Walker et al.
 6,117,013 A 9/2000 Elba
 6,126,543 A 10/2000 Friedman
 6,128,660 A 10/2000 Grimm
 6,135,881 A 10/2000 Abbott et al.
 6,154,131 A 11/2000 Jones, II
 6,174,237 B1 1/2001 Stephenson
 6,182,084 B1 1/2001 Cockrell et al.
 6,193,610 B1 2/2001 Junkin
 6,222,642 B1 4/2001 Farrell et al.
 6,233,736 B1 5/2001 Wolzien
 6,251,017 B1 6/2001 Leason et al.
 6,263,447 B1 7/2001 French
 6,267,670 B1 7/2001 Walker
 6,287,199 B1 9/2001 McKeown et al.
 6,293,868 B1 9/2001 Bernard
 6,312,336 B1 11/2001 Handelman et al.
 6,343,320 B1 1/2002 Fairchild
 6,345,297 B1 2/2002 Grimm
 6,371,855 B1 4/2002 Gavriloff
 6,373,462 B1 4/2002 Pan
 6,411,969 B1 6/2002 Tam
 6,416,414 B1 7/2002 Stadelmann
 6,418,298 B1 7/2002 Sonnenfeld
 6,425,828 B2 7/2002 Walker et al.
 6,434,398 B1 8/2002 Inselberg
 6,446,262 B1 9/2002 Malaure et al.
 6,470,180 B1 10/2002 Kotzin et al.
 6,475,090 B2 11/2002 Gregory
 6,524,189 B1 2/2003 Rautila
 6,527,641 B1 3/2003 Sinclair et al.
 6,530,082 B1 3/2003 Del Sesto et al.
 6,536,037 B1 3/2003 Guheen et al.
 6,578,068 B1 6/2003 Bowma-Amuah
 6,594,098 B1 7/2003 Sutardja
 6,604,997 B2 7/2003 Saidakovsky et al.
 6,610,953 B1 8/2003 Tao et al.
 6,611,755 B1 8/2003 Coffee
 6,648,760 B1 11/2003 Nicastro
 6,659,860 B1 12/2003 Yamamoto et al.
 6,659,861 B1 12/2003 Faris
 6,659,872 B1 12/2003 Kaufman et al.
 6,690,661 B1 2/2004 Agarwal et al.
 6,697,869 B1 2/2004 Mallart
 6,718,350 B1 4/2004 Karbowski
 6,752,396 B2 6/2004 Smith
 6,758,754 B1 7/2004 Lavanchy et al.
 6,758,755 B2 7/2004 Kelly et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,760,595 B2	7/2004	Insellberg	7,430,718 B2	9/2008	Garipey-Viles
6,763,377 B1	7/2004	Balknap et al.	7,452,273 B2	11/2008	Amaitis et al.
6,766,524 B1	7/2004	Matheny et al.	7,460,037 B2	12/2008	Cattone et al.
6,774,926 B1	8/2004	Ellis et al.	7,461,067 B2	12/2008	Dewing et al.
6,785,561 B1	8/2004	Kim	7,502,610 B2	3/2009	Maher
6,801,380 B1	10/2004	Saturdja	7,510,474 B2	3/2009	Carter, Sr.
6,806,889 B1	10/2004	Malaure et al.	7,517,282 B1	4/2009	Pryor
6,807,675 B1	10/2004	Millard et al.	7,534,169 B2	5/2009	Amaitis et al.
6,811,482 B2	11/2004	Letovsky	7,543,052 B1	6/2009	Cesa Klein
6,811,487 B2	11/2004	Sengoku	7,562,134 B1	7/2009	Fingerhut et al.
6,816,628 B1	11/2004	Sarachik et al.	7,602,808 B2	10/2009	Ullmann
6,817,947 B2	11/2004	Tanskanen	7,610,330 B1	10/2009	Quinn
6,824,469 B2	11/2004	Allibhoy et al.	7,614,944 B1	11/2009	Hughes et al.
6,837,789 B2	1/2005	Garahi et al.	7,630,986 B1	12/2009	Herz et al.
6,837,791 B1	1/2005	McNutt et al.	7,693,781 B2	4/2010	Asher et al.
6,840,861 B2	1/2005	Jordan et al.	7,699,707 B2	4/2010	Bahou
6,845,389 B1	1/2005	Sen	7,702,723 B2	4/2010	Dyl
6,846,239 B2	1/2005	Washio	7,711,628 B2	5/2010	Davie et al.
6,849,255 B2	2/2005	Gazit	7,729,286 B2	6/2010	Mishra
6,857,122 B1	2/2005	Takeda et al.	7,753,772 B1	7/2010	Walker
6,863,610 B2	3/2005	Vancraeynest	7,753,789 B2	7/2010	Walker et al.
6,870,720 B2	3/2005	Iwata et al.	7,780,528 B2	8/2010	Hirayama
6,871,226 B1	3/2005	Ensley et al.	7,828,661 B1	11/2010	Fish
6,873,610 B1	3/2005	Noever	7,835,961 B2	11/2010	Davie et al.
6,884,166 B2	4/2005	Leen et al.	7,860,993 B2	12/2010	Chintala
6,884,172 B1	4/2005	Lloyd et al.	7,886,003 B2	2/2011	Newman
6,887,159 B2	5/2005	Leen et al.	7,907,211 B2	3/2011	Oostveen et al.
6,888,929 B1	5/2005	Saylor	7,907,598 B2	3/2011	Anisimov
6,893,347 B1	5/2005	Zilliachus et al.	7,909,332 B2	3/2011	Root
6,898,762 B2	5/2005	Ellis et al.	7,925,756 B1	4/2011	Riddle
6,899,628 B2	5/2005	Leen et al.	7,926,810 B2	4/2011	Fisher et al.
6,903,681 B2	6/2005	Faris	7,937,318 B2	5/2011	Davie et al.
6,908,389 B1	6/2005	Puskala	7,941,482 B2	5/2011	Bates
6,942,574 B1	9/2005	LeMay et al.	7,941,804 B1	5/2011	Herington
6,944,228 B1	9/2005	Dakss et al.	7,976,389 B2	7/2011	Cannon et al.
6,960,088 B1	11/2005	Long	8,002,618 B1	8/2011	Lockton
6,978,053 B1	12/2005	Sarachik et al.	8,006,314 B2	8/2011	Wold
7,001,279 B1	2/2006	Barber et al.	8,025,565 B2	9/2011	Leen et al.
7,029,394 B2	4/2006	Leen et al.	8,028,315 B1	9/2011	Barber
7,035,626 B1	4/2006	Luciano, Jr.	8,082,150 B2	12/2011	Wold
7,035,653 B2	4/2006	Simon et al.	8,086,445 B2	12/2011	Wold et al.
7,058,592 B1	6/2006	Heckerman et al.	8,086,510 B2	12/2011	Amaitis et al.
7,076,434 B1	7/2006	Newman et al.	8,092,303 B2	1/2012	Amaitis et al.
7,085,552 B2	8/2006	Buckley	8,092,306 B2	1/2012	Root
7,116,310 B1	10/2006	Evans et al.	8,105,141 B2	1/2012	Leen et al.
7,117,517 B1	10/2006	Milazzo et al.	8,107,674 B2	1/2012	Davis et al.
7,120,924 B1	10/2006	Katcher et al.	8,109,827 B2	2/2012	Cahill et al.
7,124,410 B2	10/2006	Berg	8,128,474 B2	3/2012	Amaitis et al.
7,125,336 B2	10/2006	Anttila et al.	8,147,313 B2	4/2012	Amaitis et al.
7,136,871 B2	11/2006	Ozer et al.	8,147,373 B2	4/2012	Amaitis et al.
7,144,011 B2	12/2006	Asher et al.	8,149,530 B1	4/2012	Lockton et al.
7,169,050 B1	1/2007	Tyler	8,155,637 B2	4/2012	Fujisawa
7,185,355 B1	2/2007	Ellis	8,162,759 B2	4/2012	Yamaguchi
7,187,658 B2	3/2007	Koyanagi	8,176,518 B1	5/2012	Junkin et al.
7,191,447 B1	3/2007	Ellis et al.	8,186,682 B2	5/2012	Amaitis et al.
7,192,352 B2	3/2007	Walker et al.	8,204,808 B2	6/2012	Amaitis et al.
7,194,758 B1	3/2007	Waki et al.	8,219,617 B2	7/2012	Ashida
7,228,349 B2	6/2007	Barone, Jr. et al.	8,240,669 B2	8/2012	Asher et al.
7,231,630 B2	6/2007	Acott et al.	8,246,048 B2	8/2012	Amaitis et al.
7,233,922 B2	6/2007	Asher et al.	8,267,403 B2	9/2012	Fisher et al.
7,240,093 B1	7/2007	Danieli et al.	8,342,924 B2	1/2013	Leen et al.
7,244,181 B2	7/2007	Wang et al.	8,342,942 B2	1/2013	Amaitis et al.
7,249,367 B2	7/2007	Bove, Jr. et al.	8,353,763 B2	1/2013	Amaitis et al.
7,254,605 B1	8/2007	Strum	8,376,855 B2	2/2013	Lockton et al.
7,260,782 B2	8/2007	Wallace et al.	8,396,001 B2	3/2013	Jung
RE39,818 E	9/2007	Slifer	8,397,257 B1	3/2013	Barber
7,283,830 B2	10/2007	Buckley	8,465,021 B2	6/2013	Asher et al.
7,288,027 B2	10/2007	Overton	8,473,393 B2	6/2013	Davie et al.
7,341,517 B2	3/2008	Asher et al.	8,474,819 B2	7/2013	Asher et al.
7,343,617 B1	3/2008	Kartcher et al.	8,535,138 B2	9/2013	Amaitis et al.
7,347,781 B2	3/2008	Schultz	8,538,563 B1	9/2013	Barber
7,351,149 B1	4/2008	Simon et al.	8,543,487 B2	9/2013	Asher et al.
7,367,042 B1	4/2008	Dakss et al.	8,555,313 B2	10/2013	Newman
7,379,705 B1	5/2008	Rados et al.	8,556,691 B2	10/2013	Leen et al.
7,389,144 B1	6/2008	Osorio	8,585,490 B2	11/2013	Amaitis et al.
			8,622,798 B2	1/2014	Lockton et al.
			8,632,392 B2	1/2014	Shore et al.
			8,634,943 B2	1/2014	Root
			8,638,517 B2	1/2014	Lockton et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

8,641,511 B2	2/2014	Ginsberg et al.	10,150,031 B2	12/2018	Lockton et al.
8,659,848 B2	2/2014	Lockton et al.	10,165,339 B2	12/2018	Huske et al.
8,672,751 B2	3/2014	Leen et al.	10,186,116 B2	1/2019	Lockton
8,699,168 B2	4/2014	Lockton et al.	10,195,526 B2	2/2019	Lockton et al.
8,705,195 B2	4/2014	Lockton	10,226,698 B1	3/2019	Lockton et al.
8,708,789 B2	4/2014	Asher et al.	10,226,705 B2	3/2019	Lockton et al.
8,717,701 B2	5/2014	Lockton et al.	10,232,270 B2	3/2019	Lockton et al.
8,727,352 B2	5/2014	Amaitis et al.	10,248,290 B2	4/2019	Galfond
8,734,227 B2	5/2014	Leen et al.	10,279,253 B2	5/2019	Lockton
8,737,004 B2	5/2014	Lockton et al.	10,360,767 B2	7/2019	Russell et al.
8,738,694 B2	5/2014	Huske et al.	10,569,175 B2	2/2020	Kosai et al.
8,771,058 B2	7/2014	Alderucci et al.	10,653,955 B2	5/2020	Lockton
8,780,482 B2	7/2014	Lockton et al.	10,695,672 B2	6/2020	Lockton et al.
8,805,732 B2	8/2014	Davie et al.	10,709,987 B2	7/2020	Lockton et al.
8,813,112 B1	8/2014	Cibula et al.	10,721,543 B2	7/2020	Huske et al.
8,814,664 B2	8/2014	Amaitis et al.	10,981,070 B2	4/2021	Isgreen
8,817,408 B2	8/2014	Lockton et al.	2001/0004609 A1	6/2001	Walker et al.
8,837,072 B2	9/2014	Lockton et al.	2001/0005670 A1	6/2001	Lahtinen
8,849,225 B1	9/2014	Choti	2001/0013067 A1	8/2001	Koyanagi
8,849,255 B2	9/2014	Choti	2001/0013125 A1	8/2001	Kitsukawa et al.
8,858,313 B1	10/2014	Selfors	2001/0020298 A1	9/2001	Rector, Jr. et al.
8,870,639 B2	10/2014	Lockton et al.	2001/0032333 A1	10/2001	Flickinger
8,935,715 B2	1/2015	Cibula et al.	2001/0036272 A1	11/2001	Hirayama
9,056,251 B2	6/2015	Lockton	2001/0036853 A1	11/2001	Thomas
9,067,143 B2	6/2015	Lockton et al.	2001/0044339 A1	11/2001	Cordero
9,069,651 B2	6/2015	Barber	2001/0054019 A1	12/2001	de Fabrega
9,076,303 B1	7/2015	Park	2002/0010789 A1	1/2002	Lord
9,098,883 B2	8/2015	Asher et al.	2002/0018477 A1	2/2002	Katz
9,111,417 B2	8/2015	Leen et al.	2002/0026321 A1	2/2002	Faris
9,205,339 B2	12/2015	Cibula et al.	2002/0029381 A1	3/2002	Inselberg
9,233,293 B2	1/2016	Lockton	2002/0035609 A1	3/2002	Lessard
9,258,601 B2	2/2016	Lockton et al.	2002/0037766 A1	3/2002	Muniz
9,270,789 B2	2/2016	Huske et al.	2002/0069265 A1	3/2002	Bountour
9,289,692 B2	3/2016	Barber	2002/0042293 A1	4/2002	Ubale et al.
9,306,952 B2	4/2016	Burman et al.	2002/0046099 A1	4/2002	Frengut et al.
9,314,686 B2	4/2016	Lockton	2002/0054088 A1	5/2002	Tanskanen et al.
9,314,701 B2	4/2016	Lockton et al.	2002/0055385 A1	5/2002	Otsu
9,355,518 B2	5/2016	Amaitis et al.	2002/0056089 A1	5/2002	Houston
9,406,189 B2	8/2016	Scott et al.	2002/0059094 A1	5/2002	Hosea et al.
9,430,901 B2	8/2016	Amaitis et al.	2002/0059623 A1	5/2002	Rodriguez et al.
9,457,272 B2	10/2016	Lockton et al.	2002/0069076 A1	6/2002	Faris
9,498,724 B2	11/2016	Lockton et al.	2002/0076084 A1	6/2002	Tian
9,501,904 B2	11/2016	Lockton	2002/0078176 A1	6/2002	Nomura et al.
9,504,922 B2	11/2016	Lockton et al.	2002/0083461 A1	6/2002	Hutcheson
9,511,287 B2	12/2016	Lockton et al.	2002/0091833 A1	7/2002	Grimm
9,526,991 B2	12/2016	Lockton et al.	2002/0094869 A1	7/2002	Harkham
9,536,396 B2	1/2017	Amaitis et al.	2002/0095333 A1	7/2002	Jokinen et al.
9,556,991 B2	1/2017	Furuya	2002/0097983 A1	7/2002	Wallace et al.
9,604,140 B2	3/2017	Lockton et al.	2002/0099709 A1	7/2002	Wallace
9,652,937 B2	5/2017	Lockton	2002/0100063 A1	7/2002	Herigstad et al.
9,662,576 B2	5/2017	Lockton et al.	2002/0103696 A1	8/2002	Huang et al.
9,662,577 B2	5/2017	Lockton et al.	2002/0105535 A1	8/2002	Wallace et al.
9,672,692 B2	6/2017	Lockton	2002/0107073 A1	8/2002	Binney
9,687,738 B2	6/2017	Lockton et al.	2002/0108112 A1	8/2002	Wallace et al.
9,687,739 B2	6/2017	Lockton et al.	2002/0108125 A1	8/2002	Joao
9,707,482 B2	7/2017	Lockton et al.	2002/0108127 A1	8/2002	Lew et al.
9,716,918 B1	7/2017	Lockton et al.	2002/0112249 A1	8/2002	Hendricks et al.
9,724,603 B2	8/2017	Lockton et al.	2002/0115488 A1	8/2002	Berry et al.
9,744,453 B2	8/2017	Lockton et al.	2002/0119821 A1	8/2002	Sen
9,805,549 B2	10/2017	Asher et al.	2002/0120930 A1	8/2002	Yona
9,821,233 B2	11/2017	Lockton et al.	2002/0124247 A1	9/2002	Houghton
9,878,243 B2	1/2018	Lockton et al.	2002/0132614 A1	9/2002	Vanlujit et al.
9,881,337 B2	1/2018	Jaycob et al.	2002/0133817 A1	9/2002	Markel
9,901,820 B2	2/2018	Lockton et al.	2002/0133827 A1	9/2002	Newman et al.
9,908,053 B2	3/2018	Lockton et al.	2002/0142843 A1	10/2002	Roelofs
9,919,210 B2	3/2018	Lockton	2002/0144273 A1	10/2002	Reto
9,919,211 B2	3/2018	Lockton et al.	2002/0147049 A1	10/2002	Carter, Sr.
9,919,221 B2	3/2018	Lockton et al.	2002/0157002 A1	10/2002	Messerges et al.
9,978,217 B2	5/2018	Lockton	2002/0157005 A1	10/2002	Bunk
9,993,730 B2	6/2018	Lockton et al.	2002/0159576 A1	10/2002	Adams
9,999,834 B2	6/2018	Lockton et al.	2002/0162031 A1	10/2002	Levin et al.
10,052,557 B2	8/2018	Lockton et al.	2002/0162117 A1	10/2002	Pearson
10,089,815 B2	10/2018	Asher et al.	2002/0165020 A1	11/2002	Koyama
10,096,210 B2	10/2018	Amaitis et al.	2002/0165025 A1	11/2002	Kawahara
10,137,369 B2	11/2018	Lockton et al.	2002/0177483 A1	11/2002	Cannon
			2002/0184624 A1	12/2002	Spencer
			2002/0187825 A1	12/2002	Tracy
			2002/0198050 A1	12/2002	Patchen
			2003/0002638 A1	1/2003	Kaars

(56)

References Cited

U.S. PATENT DOCUMENTS

2003/0003997 A1	1/2003	Vuong et al.	2005/0028208 A1	2/2005	Ellis
2003/0013528 A1	1/2003	Allibhoy et al.	2005/0043094 A1	2/2005	Nguyen et al.
2003/0023547 A1	1/2003	France	2005/0076371 A1	4/2005	Nakamura
2003/0040363 A1	2/2003	Sandberg	2005/0077997 A1	4/2005	Landram
2003/0054885 A1	3/2003	Pinto et al.	2005/0060219 A1	5/2005	Ditering et al.
2003/0060247 A1	3/2003	Goldberg et al.	2005/0097599 A1	5/2005	Potnick et al.
2003/0066089 A1	4/2003	Anderson	2005/0101309 A1	5/2005	Croome
2003/0069828 A1	4/2003	Blazey et al.	2005/0113164 A1	5/2005	Buecheler et al.
2003/0070174 A1	4/2003	Solomon	2005/0003878 A1	6/2005	Updike
2003/0078924 A1	4/2003	Liechty et al.	2005/0131984 A1	6/2005	Hofmann et al.
2003/0086691 A1	5/2003	Yu	2005/0138668 A1	6/2005	Gray et al.
2003/0087652 A1	5/2003	Simon et al.	2005/0144102 A1	6/2005	Johnson
2003/0088648 A1	5/2003	Bellaton	2005/0155083 A1	7/2005	Oh
2003/0114224 A1	6/2003	Anttila et al.	2005/0177861 A1	8/2005	Ma et al.
2003/0115152 A1	6/2003	Flaherty	2005/0210526 A1	9/2005	Levy et al.
2003/0125109 A1	7/2003	Green	2005/0216838 A1	9/2005	Graham
2003/0134678 A1	7/2003	Tanaka	2005/0235043 A1	10/2005	Teodosiu et al.
2003/0144017 A1	7/2003	Inselberg	2005/0239551 A1	10/2005	Griswold
2003/0154242 A1	8/2003	Hayes et al.	2005/0255901 A1	11/2005	Kreutzer
2003/0165241 A1	9/2003	Fransdonk	2005/0256895 A1	11/2005	Dussault
2003/0177167 A1	9/2003	Lafage et al.	2005/0266869 A1	12/2005	Jung
2003/0177504 A1	9/2003	Paulo et al.	2005/0267969 A1	12/2005	Poikselka et al.
2003/0189668 A1	10/2003	Newman et al.	2005/0273804 A1	12/2005	Preisman
2003/0195023 A1	10/2003	Di Cesare	2005/0283800 A1	12/2005	Ellis et al.
2003/0195807 A1	10/2003	Maggio	2005/0288080 A1	12/2005	Lockton et al.
2003/0208579 A1	11/2003	Brady et al.	2005/0288101 A1	12/2005	Lockton et al.
2003/0211856 A1	11/2003	Zilliacus	2005/0288812 A1	12/2005	Cheng
2003/0212691 A1	11/2003	Kuntala et al.	2006/0020700 A1	1/2006	Qiu
2003/0216185 A1	11/2003	Varley	2006/0025070 A1	2/2006	Kim et al.
2003/0216857 A1	11/2003	Feldman et al.	2006/0046810 A1	3/2006	Tabata
2003/0228866 A1	12/2003	Pezeshki	2006/0047772 A1	3/2006	Crutcher
2003/0233425 A1	12/2003	Lyons et al.	2006/0053390 A1	3/2006	Garipey-Viles
2004/0005919 A1	1/2004	Walker et al.	2006/0058103 A1	3/2006	Danieli
2004/0014524 A1	1/2004	Pearlman	2006/0059161 A1	3/2006	Millett et al.
2004/0015442 A1	1/2004	Hmlinen	2006/0063590 A1	3/2006	Abassi et al.
2004/0022366 A1	2/2004	Ferguson et al.	2006/0082068 A1	4/2006	Patchen
2004/0025190 A1	2/2004	McCalla	2006/0087585 A1	4/2006	Seo
2004/0056897 A1	3/2004	Ueda	2006/0089199 A1	4/2006	Jordan et al.
2004/0060063 A1	3/2004	Russ et al.	2006/0094409 A1	5/2006	Inselberg
2004/0073915 A1	4/2004	Dureau	2006/0101492 A1	5/2006	Lowcock
2004/0088729 A1	5/2004	Petrovic et al.	2006/0111168 A1	5/2006	Nguyen
2004/0093302 A1	5/2004	Baker et al.	2006/0135253 A1	6/2006	George et al.
2004/0152454 A1	5/2004	Kauppinen	2006/0148569 A1	7/2006	Beck
2004/0107138 A1	6/2004	Maggio	2006/0156371 A1	7/2006	Maetz et al.
2004/0117831 A1	6/2004	Ellis et al.	2006/0160597 A1*	7/2006	Wright G07F 17/32 463/16
2004/0117839 A1	6/2004	Watson et al.	2006/0174307 A1	8/2006	Hwang et al.
2004/0125877 A1	7/2004	Chang	2006/0183547 A1	8/2006	McMonigle
2004/0128319 A1	7/2004	Davis et al.	2006/0183548 A1	8/2006	Morris et al.
2004/0139158 A1	7/2004	Datta	2006/0190654 A1	8/2006	Joy
2004/0139482 A1	7/2004	Hale	2006/0205483 A1	9/2006	Meyer et al.
2004/0148638 A1	7/2004	Weisman et al.	2006/0205509 A1	9/2006	Hirota
2004/0152517 A1	8/2004	Haedisty	2006/0205510 A1	9/2006	Lauper
2004/0152519 A1	8/2004	Wang	2006/0217198 A1	9/2006	Johnson
2004/0158855 A1	8/2004	Gu et al.	2006/0236352 A1	10/2006	Scott, III
2004/0162124 A1	8/2004	Barton et al.	2006/0248553 A1	11/2006	Mikkelsen et al.
2004/0166873 A1	8/2004	Simic	2006/0248564 A1	11/2006	Zinevitch
2004/0176162 A1	9/2004	Rothschild	2006/0256865 A1	11/2006	Westerman
2004/0178923 A1	9/2004	Kuang	2006/0256868 A1	11/2006	Westerman
2004/0183824 A1	9/2004	Benson	2006/0269120 A1	11/2006	Mehmadi et al.
2004/0185881 A1	9/2004	Lee	2006/0285586 A1	12/2006	Westerman
2004/0190779 A1	9/2004	Sarachik et al.	2007/0004516 A1	1/2007	Jordan et al.
2004/0198495 A1	10/2004	Cisneros et al.	2007/0013547 A1	1/2007	Boaz
2004/0201626 A1	10/2004	Lavoie	2007/0019826 A1	1/2007	Horbach et al.
2004/0203667 A1	10/2004	Shroder	2007/0028272 A1	2/2007	Lockton
2004/0203898 A1	10/2004	Bodin et al.	2007/0037623 A1	2/2007	Romik
2004/0210507 A1	10/2004	Asher et al.	2007/0054695 A1	3/2007	Huske et al.
2004/0215756 A1	10/2004	VanAntwerp	2007/0078009 A1	4/2007	Lockton et al.
2004/0216161 A1	10/2004	Barone, Jr. et al.	2007/0083920 A1	4/2007	Mizoguchi et al.
2004/0216171 A1	10/2004	Barone, Jr. et al.	2007/0086465 A1	4/2007	Paila et al.
2004/0224750 A1	11/2004	Ai-Ziyoud	2007/0087832 A1	4/2007	Abbott
2004/0242321 A1	12/2004	Overton	2007/0093296 A1	4/2007	Asher
2004/0266513 A1	12/2004	Odom	2007/0101358 A1	5/2007	Ambady
2005/0005303 A1	1/2005	Barone, Jr. et al.	2007/0106721 A1	5/2007	Schloter
2005/0021942 A1	1/2005	Diehl et al.	2007/0107010 A1	5/2007	Jolna et al.
2005/0026699 A1	2/2005	Kinzer et al.	2007/0129144 A1	6/2007	Katz
			2007/0147870 A1	7/2007	Nagashima et al.
			2007/0162328 A1	7/2007	Reich
			2007/0183744 A1	8/2007	Koizumi

(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0197247 A1 8/2007 Inselberg
 2007/0210908 A1 9/2007 Putterman et al.
 2007/0219856 A1 9/2007 Ahmad-Taylor
 2007/0222652 A1 9/2007 Cattone et al.
 2007/0226062 A1 9/2007 Hughes et al.
 2007/0238525 A1 10/2007 Suomela
 2007/0243936 A1 10/2007 Binenstock et al.
 2007/0244570 A1 10/2007 Speiser et al.
 2007/0244585 A1 10/2007 Speiser et al.
 2007/0244749 A1 10/2007 Speiser et al.
 2007/0265089 A1 11/2007 Robarts
 2007/0294410 A1 12/2007 Pandya
 2008/0005037 A1 1/2008 Hammad
 2008/0013927 A1 1/2008 Kelly et al.
 2008/0051201 A1 2/2008 Lore
 2008/0066129 A1 3/2008 Katcher et al.
 2008/0076497 A1 3/2008 Kiskis et al.
 2008/0104630 A1 5/2008 Bruce
 2008/0146337 A1 6/2008 Halonen
 2008/0169605 A1 7/2008 Shuster et al.
 2008/0222672 A1 9/2008 Piesing
 2008/0240681 A1 10/2008 Fukushima
 2008/0248865 A1 10/2008 Tedesco
 2008/0270288 A1 10/2008 Butterly et al.
 2008/0288600 A1 11/2008 Clark
 2009/0011781 A1 1/2009 Merrill et al.
 2009/0094632 A1 4/2009 Newman et al.
 2009/0103892 A1 4/2009 Hirayama
 2009/0186676 A1 7/2009 Amaitis et al.
 2009/0163271 A1 9/2009 George et al.
 2009/0228351 A1 9/2009 Rijsenbrij
 2009/0234674 A1 9/2009 Wurster
 2009/0264188 A1 10/2009 Soukup
 2009/0271512 A1 10/2009 Jorgensen
 2009/0325716 A1 12/2009 Harari
 2010/0099421 A1 4/2010 Patel et al.
 2010/0099471 A1 4/2010 Feeney et al.
 2010/0107194 A1 4/2010 McKissick et al.
 2010/0120503 A1 5/2010 Hoffman et al.
 2010/0137057 A1 6/2010 Fleming
 2010/0203936 A1 8/2010 Levy
 2010/0279764 A1 11/2010 Allen et al.
 2010/0296511 A1 11/2010 Prodan
 2011/0016224 A1 1/2011 Riley
 2011/0053681 A1 3/2011 Goldman
 2011/0065490 A1 3/2011 Lutnick
 2011/0081958 A1 4/2011 Herman
 2011/0116461 A1 5/2011 Holt
 2011/0130197 A1 6/2011 Bythar et al.
 2011/0227287 A1 9/2011 Reabe
 2011/0269548 A1 11/2011 Barclay et al.
 2011/0306428 A1 12/2011 Lockton et al.
 2012/0058808 A1 3/2012 Lockton
 2012/0115585 A1 5/2012 Goldman
 2012/0157178 A1 6/2012 Lockton
 2012/0264496 A1 10/2012 Behrman et al.
 2012/0282995 A1 11/2012 Allen et al.
 2012/0295686 A1 11/2012 Lockton
 2013/0005453 A1 1/2013 Nguyen et al.
 2013/0072271 A1 3/2013 Lockton et al.
 2013/0079081 A1 3/2013 Lockton et al.
 2013/0079092 A1 3/2013 Lockton et al.
 2013/0079093 A1 3/2013 Lockton et al.
 2013/0079135 A1 3/2013 Lockton et al.
 2013/0079150 A1 3/2013 Lockton et al.
 2013/0079151 A1 3/2013 Lockton et al.
 2013/0196774 A1 8/2013 Lockton et al.
 2013/0225285 A1 8/2013 Lockton
 2013/0225299 A1 8/2013 Lockton
 2014/0031134 A1 1/2014 Lockton et al.
 2014/0100011 A1 4/2014 Gingher
 2014/0106832 A1 4/2014 Lockton et al.
 2014/0128139 A1 5/2014 Shuster et al.
 2014/0155130 A1 6/2014 Lockton et al.
 2014/0155134 A1 6/2014 Lockton

2014/0206446 A1 7/2014 Lockton et al.
 2014/0237025 A1 8/2014 Huske et al.
 2014/0248952 A1 9/2014 Cibula et al.
 2014/0256432 A1 9/2014 Lockton et al.
 2014/0279439 A1 9/2014 Brown
 2014/0287832 A1 9/2014 Lockton et al.
 2014/0309001 A1 10/2014 Root
 2014/0335961 A1 11/2014 Lockton et al.
 2014/0335962 A1 11/2014 Lockton et al.
 2014/0378212 A1 12/2014 Sims
 2015/0011310 A1 1/2015 Lockton et al.
 2015/0024814 A1 1/2015 Root
 2015/0067732 A1 3/2015 Howe et al.
 2015/0148130 A1 5/2015 Cibula et al.
 2015/0238839 A1 8/2015 Lockton
 2015/0238873 A1 8/2015 Arnone et al.
 2015/0258452 A1* 9/2015 Lockton A63F 13/537
 463/7
 2015/0356831 A1 12/2015 Osibodu
 2016/0023116 A1 1/2016 Wire
 2016/0045824 A1 2/2016 Lockton et al.
 2016/0049049 A1* 2/2016 Lockton A63F 13/795
 463/11
 2016/0054872 A1 2/2016 Cibula et al.
 2016/0082357 A1 3/2016 Lockton
 2016/0121208 A1 5/2016 Lockton et al.
 2016/0134947 A1 5/2016 Huske et al.
 2016/0217653 A1 7/2016 Meyer
 2016/0271501 A1 9/2016 Balsbaugh
 2016/0361647 A1 12/2016 Lockton et al.
 2016/0375362 A1 12/2016 Lockton et al.
 2017/0036110 A1 2/2017 Lockton et al.
 2017/0036117 A1 2/2017 Lockton et al.
 2017/0043259 A1 2/2017 Lockton et al.
 2017/0053498 A1 2/2017 Lockton
 2017/0065891 A1 3/2017 Lockton et al.
 2017/0098348 A1 4/2017 Odom
 2017/0103615 A1 4/2017 Theodosopoulos
 2017/0128840 A1 5/2017 Croci
 2017/0221314 A1 8/2017 Lockton
 2017/0225071 A1 8/2017 Lockton et al.
 2017/0225072 A1 8/2017 Lockton et al.
 2017/0232340 A1 8/2017 Lockton
 2017/0243438 A1 8/2017 Merati
 2017/0249801 A1 8/2017 Malek
 2017/0252649 A1 9/2017 Lockton et al.
 2017/0259173 A1 9/2017 Lockton et al.
 2017/0264961 A1 9/2017 Lockton
 2017/0282067 A1 10/2017 Lockton et al.
 2017/0296916 A1 10/2017 Lockton et al.
 2017/0304726 A1 10/2017 Lockton et al.
 2017/0345260 A1 11/2017 Strause
 2018/0025586 A1 1/2018 Lockton
 2018/0071637 A1 3/2018 Baazov
 2018/0104582 A1 4/2018 Lockton et al.
 2018/0104596 A1 4/2018 Lockton et al.
 2018/0117464 A1 5/2018 Lockton et al.
 2018/0140955 A1 5/2018 Lockton et al.
 2018/0154255 A1 6/2018 Lockton
 2018/0169523 A1 6/2018 Lockton et al.
 2018/0190077 A1 7/2018 Hall
 2018/0236359 A1 8/2018 Lockton et al.
 2018/0243652 A1 8/2018 Lockton et al.
 2018/0264360 A1 9/2018 Lockton et al.
 2018/0300988 A1 10/2018 Lockton
 2018/0318710 A1 11/2018 Lockton et al.
 2019/0054375 A1 2/2019 Lockton et al.
 2019/0060750 A1 2/2019 Lockton et al.
 2019/0143225 A1* 5/2019 Baazov A63F 13/35
 463/25

FOREIGN PATENT DOCUMENTS

CA 2279069 7/1999
 CA 2287617 10/1999
 EP 0649102 A3 6/1996
 GB 2364485 1/2002
 JP 11-46356 2/1999
 JP 11-239183 8/1999

(56)

References Cited

FOREIGN PATENT DOCUMENTS

JP	2000-165840	6/2000
JP	2000-217094	8/2000
JP	2000-358255	12/2000
JP	2001-28743	1/2001
JP	2000-209563	7/2008
NZ	330242	10/1989
WO	01/039506 A2	5/2001
WO	01/65743 A1	9/2001
WO	02/03698 A1	10/2002
WO	2005064506 A1	7/2005
WO	2006004855	1/2006
WO	2006004856	1/2006
WO	2007002284	1/2007
WO	2007016575	2/2007
WO	2007041667	4/2007
WO	2008027811 A2	3/2008
WO	2008115858 A1	9/2008

OTHER PUBLICATIONS

Ark 4.0 Standard Edition, Technical Overview www.twowaytv.com/version4/technologies/tech_ark_professionals.asp.
 "Understanding the Interactivity Between Television and Mobile commerce", Robert Davis and David Yung, Communications of the ACM, Jul. 2005, vol. 48, No. 7, pp. 103-105.
 "Re: Multicast Based Voting System" www.ripe.net/ripe/maillists/archives/mbone-eu-op/1997/msg00100.html.
 "IST and Sportal.com: Live on the Internet Sep. 14, 2004 by Clare Spoonheim", www.isk.co.usk/NEWS/dotcom/ist_sportal.html.
 "Modeling User Behavior in Networked Games by Tristan Henderson and Saleem Bhatti", www.woodworm.cs.uml.edu/rprice/ep/henderson.
 "SMS Based Voting and Survey System for Meetings", www.abbit.be/technology/SMSSURVEY.html.

"PurpleAce Launches 3GSM Ringtone Competition", www.wirelessdevnet.com/news/2005/jan/31/news6.html.
 "On the Performance of Protocols for collecting Responses over a Multiple-Access Channel", Mostafa H. Ammar and George N. Rouskas, IEEE INCOMFORM '91, pp. 1490-1499, vol. 3, IEEE, New York, NY.
 Merriam-Webster, "Game" definition, <http://www.merriam-webster.com/dictionary/agme.pg.1>.
 Ducheneaut et al., "The Social Side of Gaming: A Study of Interaction Patterns in a Massively Multiplayer Online Game", Palo Alto Research Center, Nov. 2004, vol. 6, Issue 4, pp. 360-369. <http://help.yahoo.com/help/us/tourn/tourn-03.html>.
 International Preliminary Report dated Apr. 22, 2021 for the application PCT/US2019/054859.
 Pinnacle, "The basics of reverse line movement," Jan. 19, 2018, Retrieved on Jan. 22, 2020, <http://www.pinnacle.com/en/betting-articles/educational/basics-of-reverse-line-movement/QAH26XGGQQS7M3GD>.
 Gambling Commission, "Virtual currencies, eSports and social casino gaming-position paper," Mar. 2017, Retrieved on Jan. 22, 2020, <http://gamblingcommission.gov.uk/PDF/Virtual-currencies-eSports-and-social-casino-gaming.pdf>.
 Sipko et al., "Machine learning for the prediction of professional tennis matches," In: MEng computing-final year project, Imperial College London, Jun. 15, 2015, <http://www.doc.ic.ac.uk/teaching/distinguished-projects/2015/m.sipko.pdf>.
 WinView Game Producer, "Live TV Sports Play Along App WinView Games Announces Sponsorship With PepsiCo to Start This Holiday Season," In Winview Games. Dec. 21, 2016, Retrieved on Jan. 21, 2020 from, <http://www.winviewgames.com/press-release/live-tv-sports-play-along-app-winview-games-announces-sponsorship-pepsico-start-holiday-season/>.
 International Search Report and the Written Opinion for the PCT/US2019/054859 dated Feb. 4, 2020.
 Fantasy sport-Wikipedia.pdf, [https://en.wikipedia.org/w/index.php?title=Fantasy_sport&oldid=685260969\(Year:2015\)](https://en.wikipedia.org/w/index.php?title=Fantasy_sport&oldid=685260969(Year:2015)).

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4

**METHOD OF AND SYSTEM FOR
CONDUCTING MULTIPLE CONTESTS OF
SKILL WITH A SINGLE PERFORMANCE**

RELATED APPLICATION(S)

This Patent Application is a continuation of co-pending U.S. patent application Ser. No. 16/221,307, filed Dec. 14, 2018, and titled "METHOD OF AND SYSTEM FOR CONDUCTING MULTIPLE CONTESTS OF SKILL WITH A SINGLE PERFORMANCE" which is a continuation of U.S. patent application Ser. No. 15/485,145, filed Apr. 11, 2017, and titled "METHOD OF AND SYSTEM FOR CONDUCTING MULTIPLE CONTESTS OF SKILL WITH A SINGLE PERFORMANCE" which is a continuation of U.S. patent application Ser. No. 14/927,227, filed Oct. 29, 2015, and titled "METHOD OF AND SYSTEM FOR CONDUCTING MULTIPLE CONTESTS OF SKILL WITH A SINGLE PERFORMANCE" which is a continuation of U.S. patent application Ser. No. 14/706,802, filed May 7, 2015, and titled "METHOD OF AND SYSTEM FOR CONDUCTING MULTIPLE CONTESTS OF SKILL WITH A SINGLE PERFORMANCE" which is a continuation of U.S. patent application Ser. No. 13/246,464, filed Sep. 27, 2011, and titled "METHOD OF AND SYSTEM FOR CONDUCTING MULTIPLE CONTESTS OF SKILL WITH A SINGLE PERFORMANCE" which is a continuation-in-part of U.S. patent application Ser. No. 13/215,052, filed Aug. 22, 2011, and titled "METHOD OF AND SYSTEM FOR CONDUCTING MULTIPLE CONTESTS OF SKILL WITH A SINGLE PERFORMANCE" which is a continuation of U.S. patent application Ser. No. 11/652,240, filed Jan. 10, 2007, and titled "METHOD OF AND SYSTEM FOR CONDUCTING MULTIPLE CONTESTS OF SKILL WITH A SINGLE PERFORMANCE" which claims priority under 35 U.S.C. § 119(e) of the, co-owned U.S. Provisional Patent Application No. 60/757,960, filed Jan. 10, 2006, and titled "METHOD-
OLOGY FOR CONDUCTING MULTIPLE CONTESTS OF SKILL WITH A SINGLE PERFORMANCE," and which are all also hereby incorporated by reference in their entirety.

FIELD OF THE INVENTION

The present invention relates to the field of distributed gaming. More specifically, the present invention relates to the field of distributed gaming utilizing a mobile device.

BACKGROUND OF THE INVENTION

In the United States alone there are over 170 million registered cellular phones. With the expiration of the U.S. Pat. No. 4,592,546 to Fascenda and Lockton, companies are able to now use the cellular phone and other mobile communication devices utilizing a multicast network to control television viewers in games of skill based upon predicting, for example, what the quarterback may call on the next play within a football game. In addition, games of skill with a common start time can be conducted simultaneously among cellular phone owners, based on classic card, dice, trivia, and other games. In order to avoid the anti-gaming laws in the various states, the winners must be determined by the relative skill, experience and practice of the player in each discrete game.

U.S. Pat. No. 5,813,913 ('913) to Berner and Lockton provides for a central computing system which includes a means of grouping participants having similar skill levels

together in simultaneous, but separate, levels of competition playing an identical game. The relative performances are communicated to only those participants competing at the same skill level. The '913 patent also provides for a wireless receiving device to permanently store the specific skill level for each participant for each type of common event such as those based on televised sports or game shows. The '913 patent provides for a telephonic link at the completion of the game to collect information and update the skill level of the participants of a particular game. When a person achieves sufficient points or meets other objective criteria to graduate into another skill level, a method is provided for accomplishing this in the central computer and then transmitting an alert to the participant notifying them of their promotion. The '913 patent describes awarding prizes and providing recognition for the members of each discreet skill level in a common game. All users, no matter what level they are on, receive the same number of questions and thus the possibility of earning the same number of points. Thus direct comparisons between users at different levels, although not encouraged are possible. Such comparisons between players of disparate skills can lead to user discouragement.

Games of skill and chance have an intrinsic excitement and entertainment value. Any game is greatly enhanced by a participant's ability to know how their performance compares in relation to other participants and/or to historical performance for the game throughout the contest. As with any game of skill, competition among friends, or with strangers of similar experience, or the ability at ones option, sometimes for an extra consideration, to compete in a separate team or individual contest, offers the opportunity of increased enjoyment and prizes.

SUMMARY OF THE INVENTION

A method of and system for conducting multiple competitions of skill for a single performance are described herein. User generated competition groups and system generated competition groups allow users to participate in multiple competitions at once based on answering the same questions or making the same selections related to a single event. The users are informed of the availability of each competition either via email, text message or when logging into the network via a website. The users select which competitions groups to join. After joining the desired groups, the users then make their selections related to the event which are transmitted to the network where results are tabulated and transmitted back to the users. The results are separated for each competition group, so that users continually know where they stand in each separate competition. With multiple competition groups, users are able to have varying success from the same performance in multiple competitions.

In one aspect, a method of participating in multiple contests of skill corresponding to an event programmed in a device. The method comprises receiving a list of competitive groups to join, selecting a plurality of competitive groups to join, participating with the plurality of competitive groups by sending selections related to the event to a server and receiving standings on a device from the server, wherein the standings are based on results from the selections. The event is selected from the group consisting of a television-based sporting event, an entertainment show, a game show, a reality show, a news show, and a commercial contained in a broadcast. The event comprises card, dice, trivia and word games played simultaneously. Receiving the standings on the device occurs during participating with the plurality of

3

competitive groups. The standings are separated based on the plurality of competitive groups. The standings are received periodically and represent relative performance in the separate competitive groups. The competitive groups are selected from the group consisting of service provider generated competitive groups and user generated competitive groups. The service provider generated competitive groups are based on general playing characteristics. The user generated competitive groups includes contacts on a social networking site. The list of competitive groups to join is received on the device selected from the group consisting of a cellular phone, a laptop computer, a personal computer, PDA and a tablet computer. The competitive groups are maintained in a database. In some embodiments, the results are adjusted using a handicap by providing additional points to users in lower level groups. In some embodiments, the method is implemented using HTML5 or a native application.

In another aspect, a method of conducting multiple contests of skill corresponding to an event programmed in a device. The method comprises generating separate competitive groups related to the event, coupling to a network to participate in the competitive groups, informing a user which of the competitive groups are available for the user to join, joining a selected number of the competitive groups, participating with the competitive groups by sending selections related to the event to a server within the network, storing results and standings on the server, wherein the standings are based on the results and the results are based on the selections and transmitting the standings to a device. A user pays a separate consideration to play in a contest of the multiple contests of skill through a micropayments system, where a prize is supplemented or funded by an entry fee or consideration paid by all who participate in a group. The method further comprises displaying the standings on the device. The server contains an application and a database for assisting in generating the competitive group. The application includes a graphical user interface. The device contains an application for assisting in generating the competitive group. Generating competitive groups related to the event further comprises coupling to the server, selecting a type of contest and additional conditions to be included in the competitive group, adding competitors to the competitive group and selecting the event for competition by the competitive group. The type of contest is selected from the group consisting of an open contest, a head-to-head contest and a team contest. Adding competitors to the competitive group includes identifying the competitors by an identifier selected from the group consisting of a username, an email address, a cellular phone number and a personal identifier. The method further comprises sending an invitation which informs the competitors of an opportunity to be included in the competitive group. The invitation is sent by a mechanism selected from the group consisting of an email, an SMS text message and a voice message. The event is selected from the group consisting of a television-based sporting event, an entertainment show, a game show, a reality show, a news show and a commercial contained in a broadcast. The event comprises card, dice, trivia and word games played simultaneously. Transmitting the standings occurs during participating with the competitive groups. The standings are separated based on the competitive groups. The standings are received periodically and represent performance within the competitive groups. The competitive groups are selected from the group consisting of service provider generated competitive groups and user generated competitive groups. The service provider generated competitive groups are based

4

on general playing characteristics. The user generated competitive groups include contacts on a social networking site. The device is selected from the group consisting of a cellular phone, a laptop computer, a personal computer, PDA and a tablet computer. The competitive groups are maintained in a database. The results are adjusted using a handicap by providing additional points to users in lower level groups. In some embodiments, the method is implemented using HTML5 or a native application.

In another aspect, a server device for conducting multiple contests of skill corresponding to an event comprises a storage mechanism and an application for interacting with the storage mechanism to generate and store competitive groups which are used to compete in the multiple contests of skill, the application further for receiving selections related to the event, storing results and standings based on the selections, wherein the standings are based on the results and transmitting the standings to the device. The application is further for providing an interface for generating competitive groups related to the event. The event is selected from the group consisting of a television-based sporting event, an entertainment show, a game show, a reality show, a news show and a commercial contained in a broadcast. The event comprises card, dice, trivia and word games played simultaneously. The server device communicates data for generating the competitive groups, for selecting the competitive groups to join and for submitting the selections. The standings are transmitted periodically to the device and represent performance within the competitive groups. The standings are separated based on the competitive groups. A network identifies the competitive groups a user is eligible for. The server device further comprises a database stored on the server device for managing the selections, the results, the standings and the competitive groups. The results are adjusted using a handicap by providing additional points to users in lower level groups.

In yet another aspect, a device for participating in multiple contests of skill corresponding to an event comprises a communications module for coupling to a server and an application for utilizing the communications module for coupling to a server to communicate with the server to generate competitive groups which are used to compete in the multiple contests of skill. The application utilizes the communications module for coupling to the server to send selections to and receive standings from the server. The event is selected from the group consisting of a television-based sporting event, an entertainment show, a game show, a reality show, a news show and a commercial contained in a broadcast. The event comprises card, dice, trivia and word games played simultaneously. The competitive groups comprise user generated competitive groups including contacts on a social networking site. In some embodiments, the device and the server implement HTML5.

In another aspect, a method programmed in a memory of a device comprises generating a list of competitive groups to join and presenting the list of competitive groups to join, wherein the list of competitive groups are for participating in multiple contests of skill corresponding to an event. Users are provided a currency for watching the event or participating in the multiple contests of skill. The currency is redeemable for prizes or services. Each group pools the currency received by users and the currency is distributed to a member of each group. The member is chosen at random. The member is chosen based on skill. Participants in a group of the competitive groups pool sweepstakes entries together and divide a resulting award from the sweepstakes among the participants of the group. A game of skill is synchronized

5

with the event. The game of skill is synchronized with the event using watermarking or fingerprinting. The multiple contests of skill are generated by users using a template. Promotional awards are awarded for participating. Frequent player points are offered for participating. Users are able to invite other user to a contest of the multiple contests of skill through a social networking site. A user pays a separate consideration to play in a contest of the multiple contests of skill through a micropayments system, where a prize is supplemented or funded by an entry fee or consideration paid by all who participate in a group.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a flowchart of a process of utilizing the present invention.

FIG. 2 illustrates a flowchart of a process of generating a user generated competition group.

FIG. 3 illustrates a graphical representation of an embodiment of the present invention.

FIG. 4 illustrates a graphical representation of a network of devices.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

A method and system for conducting a variety of competitions simultaneously are described herein. The organization of competition in a game of skill has previously taken one of three basic formats:

1) Open contests: where large numbers of players enter an event, and all of the entrants are competing against each other for a single prize pool.

2) Head-to-head: where competitors are matched between a relatively small number of players identified to compete head-to-head against each other. The actual match making occurs in many forms, such as match play or elimination tournaments.

3) Team competitions: where two or more people are teamed to compete in head-to-head elimination against other similar sized teams in match play or total score competitions.

The present invention is a system and method allowing participants to simultaneously compete in multiple contests based on a single performance. For example, a user is able to participate in an open contest, compete in a team competition, and also compete against a small group of friends all utilizing a score achieved in the same event.

As a comparison, in tournaments held for bowling or golf, players are able to compete simultaneously in a gross score tournament as well as a net (handicap) tournament with the same performance. However, the contestants in the gross and net competitions are identical. The focus of the present invention is on enabling the entry of an individual in separate competitions, with separate prizes based on their single performance (score), where the pool of entrants is different for each competition.

The default mechanism for organizing a competition for this type of game in the past has been an open contest where all competitors are automatically entered in a contest against all other players. As taught in U.S. Pat. No. 5,813,913, incorporated herein by reference, the competitive field of players is also able to be divided into separate flights or groups according to skill and experience and only scores from other competitions at the same skill level are compared. Thousands of players are able to compete in a particular football game within a particular skill level.

6

For this example, Player A has been rated as an "intermediate" player and is competing against 10,000 other "intermediate" players in an interactive game of skill played with a live Monday Night Football broadcast. Prior to the telecast, Player A has arranged a side competition against four of his friends. Player B has organized through a match-making interface, a small competition which includes Players A, B, C, D and E. In this example, Players A and B are intermediate players, but Players C, D and E are novice players. Player B has also organized this small competition to require a \$2.00 entry fee with a winner-takes-all rule. While none of the competitions require prizes or awards, they are allowable in games of skill.

When Player A logs on to a network supporting mobile games of skill, he is presented with the option of competing in the private separate contest that Player B set up. Player A agrees to compete with the \$2.00 entry fee.

Separately, Player A has previously registered to participate in a sponsored season long team competition with coworkers F, G and H. The highest two scores of their four man team are totaled, and these points are added to the season's cumulative score with the highest team scores winning prizes. Thus, for a single football game, Player A is registered in: an open competition where the best competitors win prizes, a friendly competition for a prize pool of \$10, and a season long team competition.

During the football game, Player A, like all of the other players, tries to get the best possible score by predicting the plays correctly before they happen. He plays in the same manner he would playing in the open contest alone, but his performance is in fact simultaneously separately scored in these completely different competitions against a different set of opponents for different rewards.

At the end of the event, Player A scored 12,565 points, in this example. That score was in the 92nd percentile among the 10,000 intermediate players, but not high enough to win an award in that contest. That same score of 12,565 was also compared against Players B, C, D and E, and was the highest score, so Player A won the separate competition of \$10. At the same time, Player A's score was the second highest among his team members in the separate team competition, and therefore was one which was totaled for the season long team competition.

It is essential to the success and enjoyment of such an invention that a potential competitor have an easy method of registering and entering these separate competitions on an ad hoc or seasonal basis. In addition, it is important to the success of such a system that all of the competitors be able to monitor periodically, not only their ongoing standings in the overall open competition at their skill level, but they will be able to periodically review all the competitions they are entered into to see the current standings.

For each of these competitions, there are two ways the group of attendees are able to be formed: A) organized by the service provider and/or a commercial sponsor or B) organized by the users themselves. Examples of service provider generated groups include those based on competitive skill level and region. For example, all intermediate players for a specific football game. An example of a user generated group is identifying five friends for a football competition. As each player enters a particular event (e.g. Monday Night Football), they are informed of the competitions they are playing in (e.g. Intermediate Global competition, the California Bay Area competition, and the personal Group competition). Each group is able to have a generic name and/or a specific name such as "personal group competition 1" or "Bob's Competition." When a player's phone or computing

device establishes a connection with the network (e.g. the Airplay Network), the network identifies all of the groups that this player is able to compete in, and the server will upload this information to the phone over a cellular connection for display to the user. When a user couples to the network with a computing device other than a cellular phone, the information is available through the Internet. In some embodiments, participation in various group competitions involves additional fees. Users have the ability to choose not to compete in any or all of the groups they have been invited to.

There are two classes of Groups: System Generated Groups (e.g. Service Provider Groups) and User Generated Groups. System Generated Groups are generated by the service administrator based on database information about the user. Examples include Intermediate Skill Level and California Bay Area San Francisco 49ers Fans. User Generated Groups are defined by one or more members. A member is able to generate a group either from the services website or from a cellular phone interface. To generate a group, a member generates a name for the group or a generic name is assigned, and then the member adds other members to the group. The member is able to add other members to the group by their handle (unique identifier), email address (for new members) or by their cellular phone number. Groups are able to be assigned to a particular event. A group is able to be designated as an active group or a party. User group owners generate a party by associating the group to a particular event (e.g. December 12th Monday Night Football Game). In some embodiments, an email invitation or text message is sent to inform the members of the group that they have been invited to a party. In some embodiments, users are able to generate a group by joining together "friends" on social network sites such as Facebook, Twitter, Google+ or any other site. For example, a user is able to select "all Facebook contacts" to invite to join a group.

The game control server maintains a list of groups. Service Provider Groups are automatically assigned to events. User Groups are assigned to events by the group owners. In both cases, a list of active groups is known before the start of the event such as parties for a particular event. Within each of these known groups a list of all the participants is also maintained. This is able to be implemented in several ways. The most common way is via a database manager. This is able to be done through a data structure that is loaded for each event, and a database is one natural implementation to keep track of the group/participant relationships.

Throughout the game, a server manages the scores for every player. The scores are updated in a central location such as a database server, and are sorted with the members of a particular group to identify the rankings for each member in the competition.

During an event, scores and rankings are sent to members of the various groups. This is done after each scoring opportunity, or at a slower pace such as every five minutes or every five scoring opportunities. For small groups (e.g. 20 or less active participants) all of the scores and rankings are able to be sent by the server and displayed on the participant's device. For very large groups there are two approaches that can be taken: 1) Common message or 2) Individualized message. Sending a common message for large groups is much more efficient on the network, and is able to still provide a significant amount of information. The message is able to contain the top 20 names and scores for this group as well as the score that is required to be in the top 95%, 90%, 85%, . . . 5%. When the client receives this

message, it determines what percentile the user is in by extrapolating its score between the percentile scores that the user is between. In sending an individual message for a large group, the server would still send the top 20 names and scores as well as the exact percentile that this user falls in.

Each separate tournament is managed effectively. A message is sent from the game server to the individual clients associated with each group. For very large groups, this message is able to be identical for all of those that are receiving the message. Past results tracked on the cell phone and in more detail on the website will track the rankings in each of the different groups associated with an event. A selection of pre-produced audio and visual comments, for example, in the nature of taunts and cheers are able to be selected from a menu and sent to a specific individual or to all competitors in the group.

Games of skill played on the Internet or cellular phones based upon live telecast sporting events, popular game shows or commercials contained within the broadcast are expected to attract a large number of potential competitors. As in all games of skill, there will be a wide variety of experience and talent and many motivations to play. To some, the enjoyment will be competing in open competitions against skilled players to test their medal. For others, it may be just the ability to compete and possibly win against a handful of close friends who share the same passion for the underlying televised event. Others may be more team oriented and derive more enjoyment from participating as a member of the group. The method and systems described herein provide not only the ability for an individual to find a group of competitors and a contest attractive to them, but also allows them to compete in multiple contests simultaneously with the identical performance and with the same investment of time. This increases not only the sense of community, but provides greater opportunities for the satisfaction of beating friends as well as winning prizes.

FIG. 1 illustrates a flowchart of a process of utilizing the present invention. In the step 100, competitive groups are generated related to events. The competitive groups are either system generated or user generated. As described above, a system generated group is generally based on skill level, location or another generic attribute that some users qualify for, while other users do not. A user generated group is selected by a user where participants are added to the group by entering a username, email address, cellular phone number, or another distinguishing identifier. User generated groups typically include groups of friends, co-workers and other groups of people that a user wants to compete with. Any number of system groups and user groups are able to be generated. In addition to determining who is included in the competition, the events being played within the competition are selected. For example, a user is able to set up a Monday Night Football league, wherein every Monday night for the regular season of the NFL, the users within the group compete based on the Monday night game. In some embodiments, the specific games that the users compete in are selected at later dates beyond the initial generation of the group.

In the step 102, users couple to a network (e.g. a social network such as GetGlu, Miso or a network game) to participate in the generated competitions. In the step 104, the users are informed which competitions are available for participation. For example, an intermediate user couples to the network using his cellular phone and is greeted with a list of competitions available for him to join. The list includes, a free open competition for all intermediate players for a specified game, an individual group competition that his

friend invited him to join also for the same specified game, a team competition that his co-workers wanted him to be a part of where it is a season long tournament which includes the same specified game and another system generated competition also for the same game that costs \$10 to enter with larger prizes available than the free competition. In the step 106, each user who has coupled to the network joins the groups desired. Continuing with the example above, the user decides to join the free open competition, the friend's competition and the co-worker competition but does not join the \$10 competition.

In the step 108, the users then participate in the competitions by sending user selections (e.g. predictions) to a server within the network for monitoring, analyzing and determining results based on the selections. Based on the results, standings for each competition are also determined. Using the example above again, although the user joined three different competitions related to a single game, the user competes exactly the same as if he entered in only one of the competitions, since his input is distributed for the three different competitions.

In the step 110, the results based on the users' selections are stored. The results are stored in a way such that they are easily retrieved for each competition. For example, a storing mechanism such as a database stores the results of Game X for Player A where Player A's score is 1000. In the free open competition, Player A's score was not good enough to win a prize. However, in the friendly competition, it was the highest score, and in the co-worker team competition it was a score usable by the team. Therefore, although the score was not a winning score for one competition, it was a beneficial score in the other two competitions. By competing in multiple competitions for the same game/event, a user's results/score could provide different outcomes depending on the competition. Therefore, the proper associations of each competition and the score are required.

In the step 112, each user receives the results and/or standings on his cellular phone or computer. The results and/or standings arrive at varying times depending on the setup of the system. The results and/or standings are received or at least accessible after the competition ends. If desired, the results and/or standings are also received throughout the competition such as every five minutes or after a certain number of selections are made. The standings from the results determine who wins at the end of the competition. While displayed during the game, the standings show what position the user is in. The standings are based on the results of the selections made by the users.

FIG. 2 illustrates a flowchart of a process of generating a user generated competition group. In the step 200, a user couples to a server within a network (e.g. the Airplay Network) storing an application to generate a competition group. In some embodiments, the application is stored on the user's cellular phone instead of or in addition to on the server and is able to utilize HTML5 or use native applications on the user's cellular phone such as Java and Flash, or HTML5. Using HTML5, the processing is performed on the server, and HTML5 allows the browser on the mobile device to appear as an application even though it is a web page. Preferably, the application provides a graphical user interface such as an interactive website for easily generating the competition group. In the step 202, the user selects the type of competition, such as open, head-to-head or team, in addition to other types of competitions. The user also adds any additional requirements or conditions such as intermediate players only or \$2 entry fee with the winner-take-all. Additionally, the user labels or names the competition

group. In the step 204, competitors are added to the competition. The competitors are added based on a username, phone number, email address or another identification mechanism. In the step 206, either at the initial set up of the competition group or later on, one or more events are selected to be competed in. For example, if a user wants to set up a competition specifically for Super Bowl XLI, he is able to designate that immediately. Or if a user wants to start a week-long competition related to Jeopardy, he is able to do that as well. The user is also able to retain the same group and modify it to generate a second competition. For example, after the Super Bowl XLI competition ends, the user is able to generate another competition with the same group for the NCAA BCS Bowl Championship Game. Users are able to generate as basic or as complex a competition group as desired. As described above, it is able to be for a single event, a variety of events or an entire season of events. Preferably, a database is utilized to organize the competition groups for easy correlation of data.

FIG. 3 illustrates a graphical representation of an embodiment of the present invention. A server 300 contains an application 302 and a storage mechanism 304. The application 302 is preferably a web application or at least has a web component to enable users to interact with a web graphical user interface to input data and review data. The storage mechanism 304 is utilized for storing selections and results from the selections as well as competition groups. The storage mechanism 304 preferably includes a database for organizing the data including the selections, results, standings and competition groups amongst other data needed for executing the competitions. The server 300 is part of a network 306. A device 308 couples to the server 300 through the network 306. In some embodiments the network 306 includes the Internet. In some embodiments, the network 306 includes a cellular network. Also, in some embodiments, the network 306 includes both the Internet and a cellular network. The device 308 is selected from a cellular phone, a PDA, a computer, a laptop, a smart phone (e.g. an iPhone®), a tablet (e.g. an iPad®), or any other device capable of communicating with the server 300. As described above, in some embodiments, an application for allowing users to generate competition groups, input selections and communicate with the server in general is included in the device 308 instead of or in addition to the application 302 on the server 300.

FIG. 4 illustrates a graphical representation of a network of devices. As described above, the server 300 contains the application 302 and the storage mechanism 304 for inputting and outputting data related to the competitions. The device 308, couples to the network through a network 306. As described above, the network includes either the Internet, a cellular network or both. Although the device 308 is able to be a device other than a cellular phone as shown, other devices are also shown coupled to the network 306 therefore forming a network of devices 400. The other devices include a laptop 310, a computer 312 and a PDA 314. One of the devices 308 is shown with an application 320 for enabling the user to generate competition groups and communicate with the server 300.

In some embodiments, handicaps are implemented so that users of different levels are able to compete more fairly. Handicaps provide additional points to users at lower levels so their score is comparable to a more advanced user. The handicaps are determined based on analysis of the scoring. For example, if advanced users on average score 3000, while intermediate users on average score 2000 and beginners on average score 1000 for the same set of questions, then a fair

handicap is 1000 per difference in level. Thus, when there is a friendly competition between one user who is advanced by playing every week and three beginner users who play once a month just for fun, a straight game without handicaps is not likely going to be a close competition. However, if the beginner users are given help to put them on par with the advanced user, then the outcome of the competition could result in a beginner user winning.

In some embodiments, each user competes in the same game, but slightly different sets of questions/choices are posed based on the competition level. For example, an intermediate user chooses to play in an open intermediate competition and also with a group of beginner friends. Each of the beginner users is asked to choose what type of play the following play is going to be (e.g. Run or Pass). The intermediate user is also asked to choose the following play. However, the intermediate user is also asked to choose which direction the play will go (e.g. Left or Right). Therefore, the same game is being played to some extent, but there is a slight modification, so that more advanced users have additional options. However, when scoring, the additional options apply only across the same level. Thus, the user selecting Left or Right correctly has no effect on the scoring in the beginner competition. It only affects scoring for the intermediate competition. Thus, users are able to compete at different levels for the same event.

In some embodiments, interactive advertising is used in games of chance and/or skill, sweepstakes, promotional awards, offering frequent player points. For example, a game of skill is played where the game is based on the content of an advertisement or commercial. In some embodiments, users are provided with a template and/or other facilities to generate separate games and contests within the games and promotions available to all.

In some embodiments, a contest involves a sweepstakes event, a game of skill or a promotional event available to all viewing a common event, such as a television broadcast or webcast. In some embodiments, the event is a television commercial. In some embodiments, each and every viewer receives a pre-determined amount of fungible currency such as "points." In some embodiments, the points are earned for watching and/or participating with the television commercial. In some embodiments, the points are redeemable for prizes, services or any other purpose. A user or member of the service is able to choose from an existing template of game formats, or segments of formats, and using the service's ability to couple to and communicate with their friends who are members watching or otherwise, or through social networks such as Facebook, Twitter or Google+, invite friends to participate in their separate event. In some embodiments, the event is able to require all participants in a cohort to pool all points they are to receive for watching and have all points go to that member from this cohort chosen at random utilizing software supplied by the company operating the service. The system selects and credits all of the points won to the appropriate person's account. Instead of the points being awarded by chance, the winner of the points is based on skill, for example, is able to be the person from the cohort who answers all of the questions correctly with the cumulative fastest response time (e.g. the least time elapsed between display of the question and the entry of the correct answer). In some embodiments, the points are awarded in another manner. In some cases, users form teams and challenge other competitors (e.g. friends) to form teams where total scores are used, for teams with a specific number of members, or average scores for teams with unlimited number of members.

In some embodiments, participants about to watch a television commercial in exchange for a free entry into a sweepstakes available to all viewers have the ability to invite friends to pool their sweepstakes entries so that if any of the accepting members of the group is chosen, the resulting award is divided among the group as provided by the terms of the invitation, for example, to be shared equally or to be divided equally among participants (possibly participants chosen at random). In some embodiments, the contest involves solving a puzzle or playing a word game like Scrabble®, where team contests are enabled which permit teams of friends to work collaboratively.

Users are able to leverage various groups of friends to join a closed contest, where the organizer not only provides the system and method of generating the group but also provides various templates or separate elements of games and contests allowing the organizer/inviter to click on the desired elements, designate eligible friends, and have a company generate the separate contest, administer the contest and the results and credit the winnings.

In some embodiments, payment of separate consideration such as "points" from member's credit balances or separate cash micropayments is able to be implemented. In some embodiments, a user pays a separate consideration to play in a contest of the multiple contests of skill through a micropayments system, where a prize is supplemented or funded by an entry fee or consideration paid by all who participate in a group.

In some embodiments, a game of skill is synchronized with a television broadcast. The synchronization is able to be implemented in any manner including, but not limited to, watermarking, fingerprinting and any other implementation. For example, the mobile device and/or the game of skill application determines the start (or some other point) in a broadcast, synchronizes the game with the broadcast. For example, a game that is based on commercials, is synchronized with the broadcast, so that when the commercials appear, the game begins. In some embodiments, advertisements/commercials are displayed on a user's mobile device synchronized with the content of the television. For example, if user is watching football on television, the mobile device is able to detect that and present the user a football or beer advertisement.

One methodology of synchronizing a game of skill or chance with a television broadcast requires the cooperation of an employee of the game provider based on visual observation of the telecast for that market, utilizing a personal computer and the Internet, or by utilizing their local cellular phone, all coupled to the game server.

Another methodology includes utilizing an audio or video recognition system with online access to the broadcast of the underlying television program for each separate market which provides real-time tracking of the television broadcast to the game control server, ensuring the game data file is able to be precisely synchronized to the television picture. Information is also able to be inserted in a Vertical Blanking Interval (VBI) of the taped syndicated show and tracked online in real time by the game control server. For remote telecasts and online connection from a remote device, reading data embedded in the VBI via a high speed connection to the central game server is utilized. Utilizing some of the procedures outlined above, the propagation delays in the receipt of the cellular transmissions are also monitored and the game server adjusts the data files containing the "lock outs" to accommodate the systemic delay in the delivery of the game data on the cellular networks. In some embodi-

ments, a signal based on audio recognition is sent to a server which synchronizes a preproduced file displayed on cohorts' clients.

Another methodology, with the cooperation of the producers of game shows, precise audio or video events in the telecast could either be added to the video, such as a visible count down, or existing events in the telecast identified by the producers as synchronization points which the competitors could utilize as start points for the previously downloaded data files at the press of an appropriate button on their cellular phone. This would trigger the launch of a program previously downloaded to the phone's RAM. Then, time synchronization would be launched.

One more methodology, referred to as watermarking, uses an audio signal, possibly sub-audible to humans, typically an audio artifact unique to a particular program, which is inserted into the taped audio track recognizable by the audio receiver in a cellular phone which would be utilized to start and/or continually keep the pre-produced data files resident on the cellular phone in synchronization with the telecast.

"Fingerprinting" records the soundtrack of every television programs' audio to a server. The microphone on a client is coupled to a massive audio archive on a server to identify what television program is being viewed and synchronize files on a server with the unfolding broadcast including the commercials.

In some embodiments, the game experience for users competing in games of skill or chance who experience a variety of propagation delays relating to where and how they receive a television broadcast is synchronized (e.g. using watermarking or fingerprinting).

To utilize the present invention, users select from or generate competition groups to participate in. The users select system generated competition groups which are specific to levels, geographic locations and other general categories. The users are also able to generate their own competition groups which include friends, family, co-workers or other groups of people they choose. After the competition groups are generated, users are able to join whichever group they are invited to. After joining one or more groups, the users are able to join additional groups beyond that as they are generated and become available to the user. A user is informed of the competition groups available for entering either by email, Short Message Service (SMS) text message, voice message or when the user couples to the network to view/play competitions. After joining the desired competition groups, the user participates in the competitions by answering questions or making selections based on viewing a sporting event, television show, game show, commercials contained within the broadcast or other event where skill or chance is involved in making choices. In addition, games of skill or games of chance with a common start time can be conducted simultaneously in real-time, based on classic card, dice, trivia, word and other games. The selections/answers/predictions are stored and results and/or standings are sent to the user. The results and/or standings throughout the competition show how well the user is doing compared to other competitors via standings, and when the competition is over, the results and/or standings determine who the winner is. Additionally, since multiple competitions are occurring based on a single event, the results and standings are organized so that the user is able to understand how he is doing in each event. For example, if a user is winning by a large margin in his two friendly competitions, but is slightly out of prize position in the open competition, he will not simply relax and coast to victory in his friendly competitions. He is able to realize that by

performing slightly better, he still has a chance to win a prize in the open competition, while still winning easily in the friendly competitions.

In operation, the present invention allows users to set up and compete in multiple competitions for a single event. Although users are competing against typically different competitors in different competition groups, the same selections are utilized to produce scores that have specific meaning based on the competition group. As described above, a user may lose in one competition group but win in another competition group because the competitors are different. Also, the requirements of each group are different as well. For example, in team play, if the top two scores are counted and the user has one of the top two scores, then his score is important even though he lost in a different competition group. In another example, the competition group is a season long event where there is no weekly winner, but only a year-end winner. Thus, although the competitor is doing terrible one week and has no chance of winning the separate weekly competition, the user is still encouraged to do as well as possible for the year-end total. By allowing users to compete in multiple competition groups for the same event, the user interaction increases substantially. For example, instead of a user simply playing his standard weekly intermediate football competition, the user is also invited to play in his family's tournament for bragging rights, his friend's competition where the winner gets \$20 and his co-worker's competition where the lowest score pays for a round of drinks the following Friday. With more chances to win, users have a much more vested interest in competing. To ensure users do not get frustrated with the scoring, the results and/or standings are displayed in a very user-friendly format so that a user knows how well he is doing in each respective competition.

In some embodiments, multiple servers are used within the network. For example, one server is dedicated for the scoring, a separate server is dedicated for the database and another server is dedicated for hosting the graphical user interface.

The present invention has been described in terms of specific embodiments incorporating details to facilitate the understanding of principles of construction and operation of the invention. Such reference herein to specific embodiments and details thereof is not intended to limit the scope of the claims appended hereto. It will be readily apparent to one skilled in the art that other various modifications may be made in the embodiment chosen for illustration without departing from the spirit and scope of the invention as defined by the claims.

What is claimed is:

1. A server device for conducting simultaneous multiple contests of skill or chance corresponding to one or more events comprising:
 - a. a storage mechanism; and
 - b. an application for interacting with the storage mechanism to allow a plurality of users to simultaneously and in real time compete in the multiple contests of skill or chance, the application further for:
 - i. receiving each of the plurality of user's input including event selections related to the one or more events and in which of the multiple contests of skill or chance the selections are to be applied, wherein the event selections are separately and simultaneously applied to each of the selected multiple contests of skill or chance, wherein the event selections enable simultaneously participating with a plurality of the multiple contests of skill or chance;

15

- ii. storing results and standings for each of the multiple contests of skill or chance based on the event selections, wherein the standings are based on the results, wherein the standings are separated for each of the multiple contests of skill or chance; and
 - iii. transmitting the multiple and separate standings to each client device in real time, wherein the multiple contests of skill or chance are selected from single entry contests and multiple entry contests.
2. The server device as claimed in claim 1 wherein the application is further for providing an interface for generating competitive groups related to the one or more events.
 3. The server device as claimed in claim 1 wherein the one or more events are selected from the group consisting of a television-based event, a scheduled competition, a scheduled series of competitions, a sporting event, an event based on a video game, computer game or electronic game, an entertainment show, a game show, a reality show, a news show and a commercial contained in a broadcast.
 4. The server device as claimed in claim 1 wherein the one or more events comprise card, dice, trivia, word and other games of skill played simultaneously.
 5. The server device as claimed in claim 1 wherein the standings are transmitted in real time to the client device and represent performance for each of the selected multiple contests of skill or chance.
 6. The server device as claimed in claim 1 wherein a network identifies the multiple contests of skill or chance a user is eligible for.
 7. The server device as claimed in claim 1 further comprising a database stored on the server device for managing the selections, the results, the standings and the multiple contests of skill or chance.
 8. The server device as claimed in claim 1 wherein the results are adjusted using a handicap to users in lower level groups.
 9. The server device as claimed in claim 1 further configured for implementing a lockout to prevent input after beginning of the one or more events.
 10. The server device as claimed in claim 9 wherein the lockout occurs immediately before competitors in the contests of skill or chance are able to see relevant live game action unfold.
 11. The server device of claim 1 wherein a number of entries for a user for a multiple entry contest of the multiple entry contests is based on a number of competitors participating in the multiple entry contest.
 12. The server device of claim 1 wherein the multiple contests of skill or chance include different types of competitions selected from single day competitions, multiple day competitions and season long competitions.
 13. The server device of claim 1 wherein users wager cash to participate in the multiple contests of skill or chance.
 14. A device for participating in multiple real time contests of skill or chance corresponding to one or more events comprising:
 - a. a communications module for coupling to a server; and
 - b. an application for utilizing the communications module for coupling to a server to communicate with the server to allow a user to simultaneously compete in the multiple real time contests of skill or chance, wherein the application is configured for receiving user input including in which of the multiple real time contests of skill or chance to join and receiving additional user input including a single set of event selections related to the one or more events,

16

- wherein the single set of event selections enable simultaneously and in real time participating separately with the selected multiple real time contests of skill or chance, wherein the multiple contests of skill or chance are selected from single entry contests and multiple entry contests.
15. The device as claimed in claim 14 wherein the one or more events are selected from the group consisting of a television-based event, a scheduled competition, a scheduled series of competitions, a sporting event, an event based on a video game, computer game or electronic game, an entertainment show, a game show, a reality show, a news show and a commercial contained in a broadcast.
 16. The device as claimed in claim 14 wherein the one or more events comprise card, dice, trivia, word and other games of skill played simultaneously.
 17. The device as claimed in claim 14 wherein the application allows a user to join one or more competitive groups which comprise user generated competitive groups including existing groups on a social networking site or a physical site hosting a social group.
 18. The device as claimed in claim 14 wherein the device and the server implement HTML5.
 19. The device as claimed in claim 14 further configured for implementing a lockout to prevent input after beginning of the one or more events.
 20. The device as claimed in claim 19 wherein the lockout occurs immediately before competitors in the contests of skill or chance are able to see relevant live game action unfold.
 21. The device of claim 14 wherein a number of entries for a user for a multiple entry contest of the multiple entry contests is based on a number of competitors participating in the multiple entry contest.
 22. The device of claim 14 wherein the multiple contests of skill or chance include different types of competitions selected from single day competitions, multiple day competitions and season long competitions.
 23. The device of claim 14 wherein users wager cash to participate in the multiple real time contests of skill or chance.
 24. A method programmed in a memory of a device comprising:
 - a. generating a list of multiple contests of skill or chance to join;
 - b. presenting the list of multiple contests of skill or chance to join, wherein the multiple contests of skill or chance correspond to one or more events;
 - c. receiving user input including event selections related to the one or more events and to which of the multiple contests of skill or chance the selections are to be applied, wherein the event selections are separately applied to each of the selected multiple contests of skill or chance, wherein the event selections enable simultaneously and in real time participating in the selected multiple contests of skill or chance;
 - d. storing results and standings based on the event selections, wherein the standings are based on the results, wherein the standings are separated for each of the multiple contests of skill or chance; and
 - e. transmitting the standings to the device, wherein the multiple contests of skill or chance are selected from single entry contests and multiple entry contests.
 25. The method as claimed in claim 24 wherein users are provided a currency for watching the one or more events or participating in the multiple contests of skill or chance.

26. The method as claimed in claim 25 where the currency is redeemable for prizes or services.

27. The method as claimed in claim 25 wherein each group pools the currency received by users and the currency is distributed to a member of each group.

28. The method as claimed in claim 24 wherein participants in a group of the competitive groups pool sweepstakes entries together and divide a resulting award from the sweepstakes among the participants of the group.

29. The method as claimed in claim 24 wherein a game of skill or chance is synchronized with the one or more events.

30. The method as claimed in claim 29 wherein the game of skill or chance is synchronized with the one or more events using a method of automatic content recognition.

31. The method as claimed in claim 24 wherein promotional awards are awarded for participating.

32. The method as claimed in claim 24 wherein users are able to invite other users to a contest of the multiple contests of skill or chance through a social networking site.

33. The method as claimed in claim 24 wherein a user pays a separate consideration to play in a contest of the multiple contests of skill or chance through a micropay-

ments system, where a prize is supplemented or funded by an entry fee or consideration paid by all who participate in a group.

34. The method as claimed in claim 24 further comprising implementing a lockout to prevent input after beginning of the one or more events.

35. The method as claimed in claim 34 wherein the lockout occurs immediately before competitors in the contests of skill or chance are able to see relevant live game action unfold.

36. The method of claim 24 wherein a number of entries for a user for a multiple entry contest of the multiple entry contests is based on a number of competitors participating in the multiple entry contest.

37. The method of claim 24 wherein the multiple contests of skill or chance include different types of competitions selected from single day competitions, multiple day competitions and season long competitions.

38. The method of claim 24 wherein users wager cash to participate in the multiple contests of skill or chance.

* * * * *